

Pink papers

Complete collection + new BarTide edition

Gateway, lifecycle and evidence

September 26, 2026

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

MJos Predictive Model: the first manifestation of the Bangel Language.

INSIDE THIS COLLECTION

161 existing indexed entries, every page from 3 recovered volumes, and 15 newly authored BarTide papers.

EDITION NOTE

BarTide collection branding has been added to every page. Original equations, diagrams, and page content are retained. A collection label does not claim that every historical research result is implemented in BarTide.

Reading guide & contents

WHAT CHANGED

This September 26 edition collects the complete recovered Pink/Teal catalog, adds BarTide branding, and supplies new workflow papers. The September 24-25 source material is retained as dated evidence; the new BarTide papers clarify later recorded application releases.

HOW TO READ THE EVIDENCE

Recorded release evidence refers to the cited checkpoint and date. Documentary contracts describe intended admission and behavior. Neither is a new production audit, a real payment test, or proof of a deployed Bangel adapter.

NEW BARTIDE PAPERS

Pages 3-17: platform, onboarding, customer entrance, nearby discovery, ordering, drivers, location, merchant payments, service billing, rewards, staff, events, media, sales, and Bangel reconciliation. Page 18: source register.

Recovered volume	Starts at PDF page
Recovered source edition	19
Project reconciliation	1095
Project completeness	1123

NAVIGATION

Use PDF bookmarks for the new papers and recovered volumes. The accompanying offline index filters the full catalog by color, project, and text and opens individual paper pages with exact PDF locations.

HISTORICAL TEXT

Earlier draft labels and source-candidate statements remain inside the reproduced volumes. See the dated new BarTide papers for later recorded releases. White papers are outside this Pink/Teal collection.

Platform identity and evidence

BARTIDE-20260926-PINK-01

PURPOSE AND PLACEMENT

Place BarTide explicitly in the Bangel and MJos paper family while preserving the distinction between the hospitality application, the language, and the operating system.

DATED STATUS

The September 25 customer-entrance checkpoint records a deployed ASP.NET Core / Blazor release. The older source-candidate statements remain historical. No production Bangel adapter is established by this collection.

LIFECYCLE AND ADMISSION

Entry: A request identifies its restaurant or global scope, acting identity, operation, and applicable version. Process: Resolve the appropriate access boundary; check prerequisites against the named version; retain the source of each observation separately from the proposed rule. Exit: Return a scoped result with an evidence status; record the release or document revision that supports it.

EVIDENCE AND EXCEPTIONS

HOLD: Required source, version, or supporting observation is unknown. DENY: The actor lacks permission for the selected scope. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

A public menu read and an owner-only menu edit use different admission rules. Public visibility does not grant edit permission.

ACCEPTANCE REVIEW

Review one public read and one protected mutation, then check a cross-restaurant request and missing-evidence case.

Sources: S1, S2. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Business onboarding and workspace ownership

BARTIDE-20260926-PINK-02

PURPOSE AND PLACEMENT

Move a business from identity verification into an explicitly owned restaurant workspace, with publication and payment activation tracked as separate steps.

DATED STATUS

The inherited BarTide onboarding paper describes one workspace per account and a draft creation boundary. The customer-entrance release records preservation of business authentication.

LIFECYCLE AND ADMISSION

Entry: A verified business identity requests a supported workspace operation and ownership is unambiguous. Process: Validate business fields, bind the owner to the workspace, and resolve repeated requests without silently replacing an existing owner. Exit: Return the existing or newly created draft workspace and the next required setup step.

EVIDENCE AND EXCEPTIONS

HOLD: Ownership conflicts or required setup details need review. DENY: An unrelated account attempts to take control of a workspace. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

A repeated signup returns the same owned draft instead of creating a second restaurant or publishing it automatically.

ACCEPTANCE REVIEW

Exercise first signup, repeated signup, ownership conflict, and a customer identity entering a business route.

Sources: S1, S2. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Customer entrance and shared identity

BARTIDE-20260926-PINK-03

PURPOSE AND PLACEMENT

Provide a clear customer entry at order.tide.casa with signup, verification, signin, recovery, account access, and return to the originating restaurant.

DATED STATUS

The September 25 checkpoint records the customer entrance as published. Customer credentials use the existing global identity provider; secure cookies are host-only.

LIFECYCLE AND ADMISSION

Entry: A customer begins an account action with a valid local return context or an authenticated customer requests their own account. Process: Use the shared identity flow; retain valid restaurant and table context; enforce same-origin protections and current identity checks. Exit: Show the customer account or return to the originating restaurant. A different host may require another signin with the same credentials.

EVIDENCE AND EXCEPTIONS

HOLD: Verification or recovery requirements are unfinished. DENY: A request attempts to access another account or use an invalid return destination. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

A customer who signs up from a restaurant menu returns to that menu after the permitted flow; a business setup pitch is not substituted.

ACCEPTANCE REVIEW

Cover signup, verification, recovery, logout, return paths, cross-user access, and customer/business route separation.

Sources: S2. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Nearby restaurant discovery

BARTIDE-20260926-PINK-04

PURPOSE AND PLACEMENT

Help customers find opted-in restaurants using explicit location permission and transparent distance ordering.

DATED STATUS

The September 25 checkpoint records /restaurants and /nearby discovery. Ranking uses unrounded straight-line distance, with optional name search. No real restaurant coordinates were guessed or enabled.

LIFECYCLE AND ADMISSION

Entry: A restaurant has owner-confirmed coordinates and an enabled listing; a customer chooses location-based discovery. Process: Request browser location explicitly, filter the admitted listings, and rank by straight-line distance before formatting the displayed value. Exit: Show matching restaurants with links into their existing menus.

EVIDENCE AND EXCEPTIONS

HOLD: Location permission, coordinates, or required listing information is unavailable. DENY: An unauthorized actor attempts to change a restaurant listing. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

Two displayed distances may round to the same number while their unrounded values still determine the order.

ACCEPTANCE REVIEW

Use synthetic coordinates for ties, missing location, disabled listings, and name filters; do not infer driving time from distance.

Sources: S3. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Menus, quotes, orders and receipts

BARTIDE-20260926-PINK-05

PURPOSE AND PLACEMENT

Turn a selected menu and fulfillment choice into one accountable order, while keeping the receipt, fulfillment status, and payment status distinct.

DATED STATUS

The inherited ordering contract describes server-priced totals, quote/version checks, and repeat-operation identity. The customer release records menu regression checks and pay-staff availability according to restaurant settings.

LIFECYCLE AND ADMISSION

Entry: The restaurant menu, fulfillment mode, quantities, and quote are current and the selected ordering path is enabled. Process: Recompute whole-cent totals from server data, check capacity and the quote fingerprint, and reconcile duplicate or conflicting operation keys. Exit: Issue one order receipt or an explicit quote/version conflict. Order creation alone does not establish payment.

EVIDENCE AND EXCEPTIONS

HOLD: Required quote or fulfillment information is incomplete. DENY: A request attempts an unavailable operation or violates the restaurant access boundary. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

A price changes after a customer opens the menu: the customer receives an updated quote rather than an order at an unverified total.

ACCEPTANCE REVIEW

Cover stale prices, duplicate submissions, invalid quantities, fulfillment limits, and unpaid orders without inventing successful card collection.

Sources: S1, S2. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Driver hiring, assignment and delivery

BARTIDE-20260926-PINK-06

PURPOSE AND PLACEMENT

Connect a driver profile to a restaurant-specific hiring relationship, then an assigned delivery with accountable transitions.

DATED STATUS

The driver checkpoint records publication and preserves real driver payments as disabled. Nearby-discovery evidence states that a profile alone grants no order access; restaurant offer/acceptance and assignment restrictions apply.

LIFECYCLE AND ADMISSION

Entry: An active hired driver assigned to the order, or an authorized manager, requests a permitted transition against the current version. Process: Check restaurant relationship, assignment, current delivery status, operation identity, and any required manager override reason. Exit: Record one attributable transition and show only the permitted delivery information.

EVIDENCE AND EXCEPTIONS

HOLD: A hire, assignment, or required delivery detail is unresolved. DENY: An unassigned driver or ended hire attempts to access another restaurant order. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

Creating a driver profile does not expose delivery jobs. An accepted restaurant relationship and a valid assignment remain necessary.

ACCEPTANCE REVIEW

Exercise competing assignments, repeat acceptance, ending hires, cross-restaurant isolation, and delivery completion without marking a payout as paid.

Sources: S1, S3, S4. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Foreground delivery location and privacy

BARTIDE-20260926-PINK-07

PURPOSE AND PLACEMENT

Share relevant delivery progress only while an admitted foreground location session and assignment remain valid.

DATED STATUS

The inherited location paper describes foreground-only sharing. It does not establish background tracking, promised ETA, offline replay, or physical iOS/Android field validation.

LIFECYCLE AND ADMISSION

Entry: An assigned active driver consents to a current location session in an explicitly real or simulated mode. Process: Bind coordinates to session, sequence, accuracy, and acquisition time; recheck assignment, consent, and freshness before displaying them. Exit: Expose only the customer's active delivery leg and stop sharing when the session becomes invalid.

EVIDENCE AND EXCEPTIONS

HOLD: Location is stale, missing, insufficiently accurate, or from an incompatible mode. DENY: A viewer requests another customer's leg or a revoked session. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

A last-known position loses freshness: show unavailable or stale status rather than presenting continued movement.

ACCEPTANCE REVIEW

Simulate expiry, revoked consent, reordered updates, ended assignments, and real/simulated separation; document physical-device tests separately.

Sources: S1, S4. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Merchant payments and payment evidence

BARTIDE-20260926-PINK-08

PURPOSE AND PLACEMENT

Keep restaurant checkout tied to the correct order, merchant account, amount, and authenticated provider evidence.

DATED STATUS

The customer-entrance checkpoint explicitly records production phone/card checkout as disabled. It identifies host-aware return paths as future work before enabling multi-host card checkout.

LIFECYCLE AND ADMISSION

Entry: The approved payment environment, merchant account, order, amount, currency, and host context are admitted. Process: Bind payment attempts to the restaurant and order; reconcile signed provider events and repeated notifications without duplicating state changes. Exit: Record the reconciled payment status only. A browser redirect or order receipt is insufficient evidence of collected funds.

EVIDENCE AND EXCEPTIONS

HOLD: Provider evidence, account readiness, return-host behavior, or activation approval is missing. DENY: A notification or attempt fails authenticity or order/account binding. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

A checkout return arrives before a verified provider event: the order remains pending payment until evidence is reconciled.

ACCEPTANCE REVIEW

Before activation, test signed and invalid events, duplicates, amount mismatch, two web hosts, cancellation, and stale attempts in the proper test environment.

Sources: S1, S2. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Service billing and published price snapshots

BARTIDE-20260926-PINK-09

PURPOSE AND PLACEMENT

Keep Tide Casa / BarTide service billing separate from restaurant customer payments and driver earnings.

DATED STATUS

The September 25 pricing checkpoint records \$1,500 build plus a required \$199 first month: \$1,699 initially, or \$1,999 with stores, then \$199 monthly. These are dated recorded prices, not a fresh checkout quote.

LIFECYCLE AND ADMISSION

Entry: The buyer accepts the current terms and quote in an enabled billing environment. Process: Capture the accepted price, add-ons, billing period, account, and request identity; reconcile authenticated invoice/subscription evidence. Exit: Store the actual invoice or subscription state and preserve the accepted price snapshot.

EVIDENCE AND EXCEPTIONS

HOLD: The quote changes, required terms are missing, or provider state is unresolved. DENY: A caller attempts an unauthorized billing change or inconsistent account binding. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

A historical subscriber keeps the applicable historical agreement; a new advertised price does not silently rewrite that subscription.

ACCEPTANCE REVIEW

Compare checkout, calculator, terms and PDFs; test duplicate events and add-on totals. Treat recorded prices as versioned evidence.

Sources: S1, S5. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Automatic rewards, issuance and refunds

BARTIDE-20260926-PINK-10

PURPOSE AND PLACEMENT

Make eligible activity discoverable while separating eligibility calculation, durable issuance, redemption, and refund reconciliation.

DATED STATUS

The September 25 checkpoint records automatic reward calculations, refunds, and idempotency exercised in isolated fixtures. The reward-link session requires authentication and is uncached; no live purchase was created for those checks.

LIFECYCLE AND ADMISSION

Entry: The authenticated customer, restaurant, rule version, and eligible source activity match. Process: Evaluate admitted history, enforce issuance uniqueness, and apply refund or reversal evidence without double-counting the underlying activity. Exit: Return eligibility or the authorized durable reward transition with a traceable source reference.

EVIDENCE AND EXCEPTIONS

HOLD: History is incomplete, conflicting, or awaiting payment/refund reconciliation. DENY: A different customer requests the reward or an operation lacks issuance/redemption authority. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

Replaying the same eligible purchase must not issue the same reward twice; a refund follows the applicable rule rather than creating a new benefit.

ACCEPTANCE REVIEW

Cover duplicates, refunds, rule changes, cross-customer access, authenticated reward-link requests, and cache behavior.

Sources: S1, S5. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Staff scheduling and training

BARTIDE-20260926-PINK-11

PURPOSE AND PLACEMENT

Document restaurant staff participation, explicit shifts, and course completion without treating a stored checkmark as independent proof of proficiency.

DATED STATUS

The September 24 inherited sequence describes shift and training records. This edition does not supply a new operational test or establish schedule optimization or calendar synchronization.

LIFECYCLE AND ADMISSION

Entry: The staff member is active and the acting user has the appropriate restaurant management permission. Process: Validate shift intervals and overlap rules or the assigned course/version; retain who changed the record and the relevant source identity. Exit: Save an explicit schedule or learning record with its actual completion state.

EVIDENCE AND EXCEPTIONS

HOLD: Required assignment, course version, or schedule detail is unknown. DENY: An unauthorized user attempts to manage another restaurant's staff. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

Completing an in-app course records completion; separate observed assessment is needed for a claim about skill.

ACCEPTANCE REVIEW

Check overlapping shifts, inactive staff, changed course versions, and cross-restaurant edits in a dedicated verification pass.

Sources: S1. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Events, reservations and check-in

BARTIDE-20260926-PINK-12

PURPOSE AND PLACEMENT

Keep a restaurant event, its available capacity, and each customer reservation in one accountable versioned workflow.

DATED STATUS

The inherited sequence establishes documentary contracts and module presence. Complete event behavior has not been freshly exercised for this edition.

LIFECYCLE AND ADMISSION

Entry: A published event has admitted capacity and the request uses its current version. Process: Bind RSVP or check-in to the event, customer, operation key, and a capacity-protecting transaction. Exit: Persist one reservation transition or return a capacity/version conflict.

EVIDENCE AND EXCEPTIONS

HOLD: Publication, capacity, or required reservation evidence is incomplete. DENY: An unauthorized actor changes the event or another customer's reservation. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

Two requests for the final available place must not both acquire that place; one receives the explicit conflict outcome.

ACCEPTANCE REVIEW

Test the final-place race, repeat RSVP, cancellation, duplicate check-in, and unauthorized reservation changes.

Sources: S1. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Business posts, media and notifications

BARTIDE-20260926-PINK-13

PURPOSE AND PLACEMENT

Publish restaurant content and deliver messages only within the applicable content permissions, access rules, and recipient consent.

DATED STATUS

The inherited paper supplies a proposed documentary contract. No notification was sent and no private media access was exercised in this authoring pass.

LIFECYCLE AND ADMISSION

Entry: The actor may publish for the restaurant and any intended recipient has the relevant consent. Process: Validate content and version, media access policy, subscription identity, and durable message identity. Exit: Publish authorized content or enqueue an admitted notification with a trackable delivery state.

EVIDENCE AND EXCEPTIONS

HOLD: Consent, publication readiness, or delivery evidence is missing. DENY: A request exceeds publication rights or accesses restricted media. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

A queued notification is not reported as delivered; an unavailable delivery receipt remains an unresolved outcome.

ACCEPTANCE REVIEW

Cover revoked consent, duplicate enqueue, failed delivery, restricted media, and restaurant-bound authoring rights.

Sources: S1. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Sales, referrals and launch review

BARTIDE-20260926-PINK-14

PURPOSE AND PLACEMENT

Trace leads, referrals, and launch decisions without placing private prospect records into public colored papers.

DATED STATUS

The inherited sequence separates stored business state from publication authority. The September 25 release records updated pricing, which supersedes earlier advertised amounts for that release.

LIFECYCLE AND ADMISSION

Entry: An authorized sales or launch reviewer acts on current, appropriately scoped information. Process: Track lead and referral evidence with versions, request identity, and the approved workspace relationship; compare any quote against its dated source. Exit: Return accountable business status and a separate launch-review decision.

EVIDENCE AND EXCEPTIONS

HOLD: Referral attribution, current quote, or release prerequisites need review. DENY: A caller accesses private lead records without permission or publishes beyond their authority. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

A stored follow-up date documents intent; it does not prove an email, reminder, or external message has been scheduled.

ACCEPTANCE REVIEW

Verify attribution conflicts, repeated state changes, quote versions, private-field exclusion, and the separate publication boundary.

Sources: S1, S5. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Bangel reconciliation and release evidence

BARTIDE-20260926-PINK-15

PURPOSE AND PLACEMENT

Use Pink lifecycle and Teal IF / HOW / THEN papers to specify a future BarTide adapter without claiming that documentary alignment executes the language.

DATED STATUS

This collection adds new editorial contracts and preserves all recovered Pink/Teal records. Application release reports are dated evidence; compiler execution and production Bangel integration have not been demonstrated here.

LIFECYCLE AND ADMISSION

Entry: A proposed adapter names its grammar/profile, exact inputs, units where relevant, authorized effects, and supporting source revision. Process: Separate parsing, typed admission, execution, evidence receipts, and human approval; compare actual output to a declared expected result. Exit: Produce a scoped PASS, HOLD, or DENY documentary outcome and retain discrepancies for review. These labels are specification vocabulary, not a claim about shipped API enums.

EVIDENCE AND EXCEPTIONS

HOLD: A prerequisite, compatible profile, test result, or authorized effect is unestablished. DENY: A rule fails an authority boundary or explicitly forbids the operation. Preserve the acting identity, applicable scope, version, operation identity, and the actual result separately from later outcomes.

ILLUSTRATIVE CASE

A valid technical receipt demonstrates a recorded computation; it does not itself authorize charging a card or publishing a release.

ACCEPTANCE REVIEW

Future implementation should bind one workflow first, exercise success/missing-evidence/denial cases, and retain reproducible proof before extending coverage.

Sources: S1, S2, S3, S4, S5. Examples are illustrative; acceptance steps are proposed checks, not reported test execution.

Sources & editorial boundaries

S1 / COLORED-PAPER CATALOG, SEPTEMBER 24-25, 2026

teal-library/data/records.json; seven Pink/Teal PDFs in downloads/. Inherited technical claims retain their original evidence limits.

S2 / CUSTOMER ENTRANCE RELEASE CHECKPOINT, SEPTEMBER 25, 2026

customer-entrance-20260925/STATUS.md. Commit 0701e99fe407f8aa771cdd80d0b34aa4d74ea2b1; recorded 135 access checks, 55 discovery/menu checks, and 26 read-only production checks.

S3 / NEARBY DISCOVERY RELEASE CHECKPOINT, SEPTEMBER 25, 2026

customer-nearby-20260925/STATUS.md. Commit fb3ce588262e43d066d3fdd949420d090d3a34c5; distance-only discovery and per-location driver access documented.

S4 / DRIVER RELEASE COMPLETION, SEPTEMBER 25, 2026

driver-release/completion.json. Commit 5d02a8eeaa51581f99f44cc2c3e6dd51884f20c0; recorded 1,101 pre-release checks and 32 live checks. Real driver payments disabled; authenticated production workflow not tested.

S5 / PRICING AND AUTOMATIC REWARDS CHECKPOINT, SEPTEMBER 25, 2026

pricing-rewards-20260925/STATUS.md. Commit 76c7fb83aec539aed20eb0fcfa7130d0f88521a9; recorded 511 pre-release checks and 22 public checks; isolated reward/refund/idempotency fixtures.

SCOPE OF THIS AUTHORIZING PASS

No application code, hosting settings, customer data, payment configuration, or public website was changed. Only the deliverable collection was created. The source register describes local evidence reviewed; it does not reproduce private operational files.

TERMINOLOGY

Bangel is the language. MJos is the operating system. MJos Predictive Model retains its distinct project identity. BarTide is the hospitality application. Scientific comparability, probability, payment evidence, and operational authority are separate concepts.

Pink papers

Gateway, lifecycle and evidence

MJos Predictive Model

The first manifestation of the Bangel Language

MJ Physics Engineering

Owned and operated by Michael Bangel

Clearwater, Florida

Recovered collection / terminology edition

1075 recovered source pages

Prepared for review. Not published.

This source-faithful terminology edition updates the language name and publication identity while retaining mathematical expressions, source IDs, historical evidence and page graphics. It is not a fresh execution of the historical tests. Read the companion searchable library for current project sequencing and unresolved semantic relationships.

White papers are excluded. References to White paper identities remain historical citations. Original source hashes refer to the prior originals; revised output hashes are recorded separately.

Gold and Indigo: the original volumes were not recovered. Any new reconstruction is separately identified and must not be counted as those missing volumes.

MJ-PBMEF Pink Paper - Volume I

Gateway Expression, Bangel Construct Semantics, Command Normalization, and
R-to-N1-to-R2 Lifecycle

Michael Bangel - Author and Architect

August 2026

Contents

1	Executive gateway statement	2
2	Progressive expansion from MJ.23.r2	3
3	Token-by-token identification	4
4	Canonical execution order	5
5	R, R1, N1, R2, and final output	6
6	Bangel construct dictionary	7
7	Full declarative gateway example	8
8	Verification of the full corpus	9

Document control	
Project	MJos Predictive Model
Project ID	MJ - PBMEF - 001
Source build	MJ - PBMEF - DAY0 - R5 - REVIEW - CANDIDATE
Document ID	MJ - PBMEF - PINK - PAPER - 001 / VOL - I
Author and architect	Michael Bangel
Status	FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE
Scope	Gateway expression and syntax semantics for the full Day-0 R4 source model.

Claims ceiling
This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Executive gateway statement

The Pink Paper is a verification-focused declarative pathway specification. It uses the founder-supplied expression as a source-provenance object, then separates lexical order from canonical execution order. The paper shows how each formula, manifestation, object, product, and white paper enters the MJ framework without confusing representation, measurement, authority, or execution.

Founder source literal

{hagelaohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile.Bangel .begin

Progressive expansion from MJ.23.r2

Stage	Expression	Interpretation
1	MJ.23.r2	Profile/state seed
2	MJ.23.r2.exe	Adds requested execution verb
3	MJ.23.r2.exe.r1.confirm	Adds transition and confirmation
4	MJ.23.r2.exe.r1.confirm.G123.reconcile	Adds generational reconciliation
5	MJ.23.r2.exe.r1.confirm.G123.reconcile. Bangel.begin	Adds language start directive
6	M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile. Bangel.begin	Adds bounded routing and requested action
7	{hagelaohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile. Bangel.begin	Adds complete Bangel envelope and exact front-end allocation seed

Canonical normalization rule

The raw dotted sequence is preserved as human-authored provenance. It is not executed left-to-right. Canonical execution begins with HumanPurpose and MJ root scope, enters Bangel.begin, recovers semantics through Elsa, constructs JP representations, passes MK physics classification, JO verification, R1 evidence transition, N1 prediction-first allocation, applicable family evidence, M3 routing, Mermaid/Shiva reconciliation, MJ permit decision, JO execution, and final R2 evidence.

Token-by-token identification

Token	Exact meaning and boundary
{hagelaohrbcoe.48383829}	Request envelope containing an opaque request identifier and exact ratio 48,383,829 / 100,000,000. It is not a physical coordinate, probability of truth, or permit.
M3	Mary/M3 bounded routing and allocation participant. M3 cannot mint authority.
act	Requested effect verb. It remains a request until all gates pass.
MJ	Framework root and final bounded decision authority.
23	Typed reference requiring explicit context. In the mass branch it means 23 mg pre-observational floor; it is not interchangeable with a profile label.
r2	Requested or referenced living-static state; cannot precede validated R1 transition in canonical execution.
exe	Execution directive; denied until JO proof, safety, authority, and MJ permit pass.
r1	Unidentified transitional phase.
confirm	Evidence-confirmation statement; confirmation is evidence-scoped, not self-authorizing.
G123	Generational resource/memory/reconciliation context.
reconcile	Conservation, accounting, evidence, and residual closure.
Bangel	Typed language and declaration plane inside MJ.
begin	Start directive for parsing and admission; no external effect.

Chapter 4

Canonical execution order

```
HumanPurpose
-> MJ.root
-> Bangel .begin
-> Elsa.recover
-> JP.represent
-> MK.classify
-> J0.verify
-> R1.transition
-> N1.predict_and_preallocate
-> Angels/Bellatrix/Sister/EVE.evidence
-> M3.route
-> Mermaid.reconcile
-> Shiva.when_capital_applies
-> MJ.permit
-> J0.execute
-> R2.output_receipt
```

R, R1, N1, R2, and final output

Lifecycle state	Definition
R / R0	Initial purpose, command, variables, authority context, and unresolved inputs.
R1	Unidentified transitional phase. Missing or disputed evidence remains typed and cannot become zero.
N1	First prediction-based allocation node. It receives validated logical allocation context, not a physical-coordinate approval.
R2	Immutable living-static representation after scoped validation.
Final output	JO evidence receipt containing result, scope, roots, participants, uncertainty, holds, corrections, and MJ permit state.

Bangel construct dictionary

Construct	Definition
Module	A bounded compilation or specification unit grouping related declarations and definitions.
Namespace	A stable identity domain preventing collisions among family, formula, product, and object names.
Import	An explicit dependency edge. Imports confer no authority and must preserve source digest and version.
Declaration	A named commitment that an object, formula, participant, type, or function exists in the source model.
Definition	The exact normative meaning, not merely a label.
Capability	A bounded action or representation class available only within current authority and evidence.
Participant	A family manifestation that contributes a non-substitutable role.
Relationship	A typed edge among participants, objects, resources, evidence, or decisions.
Function	A deterministic transformation from typed inputs to typed outputs or disposition.
Expression	A formula, boolean predicate, path, or compositional object.
Statement	A normative or executable sentence in the language.
Measurement	An observation with quantity kind, native unit, boundary, time, instrument, calibration, and uncertainty.
Constraint	A non-negotiable predicate such as UNKNOWN != 0 or unit compatibility.
Annotation	Metadata binding IDs, provenance, evidence ceilings, authorship, or review status.
Directive	A controlled instruction such as begin, verify, hold, reconcile, or deny.
Block	A scoped set of declarations, definitions, directives, and invariants.
Literal	An exact source value, string, ratio, unit-bearing number, or symbolic constant.
Reference	A digest-bound pointer to another artifact, formula, object, receipt, or revision.
Type	A quantity, state, participant, object, evidence, authority, or disposition class.
Attribute	A named property such as state, scope, revision, evidence ceiling, or permit classification.

Full declarative gateway example

```
module MJ.PBMEF.Gateway {
  namespace MJ.PBMEF.Command.Day0
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  import MJ.PBMEF.Family

  @source_literal(
    "{hagelaohrbcoe.48383829}."
    "M3.act.MJ.23.r2.exe.r1.confirm."
    "G123.reconcile.Bangel .begin"
  )
  declaration request : CommandEnvelope
  definition request.id = "hagelaohrbcoe"
  definition request.front_end_seed = exact_ratio(48383829, 100000000)

  constraint UNKNOWN != 0
  constraint R1 precedes validated R2
  constraint MJ.permit precedes act and exe
  constraint M3 cannot mint authority

  block lifecycle {
    directive Bangel .begin
    function Elsa.recover(request.purpose)
    reference JP.represent(all_applicable_formulas)
    statement MK.classify_physics_applicability
    statement J0.verify_units_boundaries_evidence
    statement R0 -> R1
    capability N1.predict_and_preallocate
    relationship applicable_families.provide_evidence
    directive M3.route
    directive Mermaid.reconcile
    directive Shiva.analyze when capital_applies
    directive MJ.permit
    directive J0.execute
    statement R1 --validated--> R2
  }
}
```

Verification of the full corpus

This Pink Paper binds the gateway to **21 family manifestations, 39 governed objects, 28 products, 145 formulas, and 61 registered white papers**. The remaining volumes enumerate each item and state how it enters the gateway, what it may express, what evidence it requires, and what authority it cannot create.

DRO Start-Energy, Restart-Reserve, Source, Separation-Work, and Controlled-Release Lifecycle

MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL | Pink paper | DRO-IGNITION-PINK-001

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Full Pink Paper source

DRO Start-Energy, Restart-Reserve, Source, Separation-Work, and Controlled-Release Lifecycle

****Pink-paper ID:**** `DRO-IGNITION-PINK-001`
****Build:**** `MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL`
****Author and architect:**** Michael Bangel
****Status:**** `PREPASSKEY\_REFERENCE\_CANDIDATE`

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Gateway expression

text
{hage laohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile.Bangel .begin

The raw literal is retained as provenance. The normalized governed order remains MJ -> Bangel -> R/R1 -> N1 -> Elsa -> JP -> MK -> JO -> evidence -> M3 -> Mermaid/Shiva -> MJ permit -> R2 -> bounded output or hold.

Bangel construct coverage

- ****Module:**** the module role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Namespace:**** the namespace role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Import:**** the import role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Declaration:**** the declaration role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Definition:**** the definition role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Capability:**** the capability role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Participant:**** the participant role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Relationship:**** the relationship role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Function:**** the function role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Expression:**** the expression role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Statement:**** the statement role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Measurement:**** the measurement role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Constraint:**** the constraint role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Annotation:**** the annotation role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Directive:**** the directive role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Block:**** the block role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Literal:**** the literal role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Reference:**** the reference role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Type:**** the type role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Attribute:**** the attribute role in this domain must preserve types, units, evidence, authority, and claims ceiling.

Governed objects

- `DRO\_START\_ENERGY\_PACKET`
- `DRO\_IGNITION\_REQUEST`

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Formula-by-formula lifecycle

F-220 - DRO energy ledger

Expression: ``r_E = E_in-E_stored-E_start-E_restart-E_loss-E_containment``

Energy conservation for reference start accounting.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-221 - Available start energy lower bound

Expression: ``E_avail,L = E_solar,L + E_acoustic,L + E_other,L - E_loss,H``

Conservative available energy.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-222 - Start gate

Expression: ``G_start = E_avail,L >= M_E*(E_start,H+E_restart,H) AND all_safety_gates``

Start readiness requires immediate start plus restart reserve.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-223 - Restart reserve

Expression: ``E_restart,L = E_reserve,L - E_critical,H``

Lower-bound reserve after critical obligations.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-224 - Solar contribution

Expression: ``E_solar = integral(P_solar(t) dt)``

Measured solar contribution to the reference ledger.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-225 - Acoustic/noise contribution

Expression: ``E_acoustic = integral(eta_a(t) I(t) A(t) dt)``

Measured conversion only; noise alone does not prove usable energy.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-226 - Generic separation-work lower bound

Expression: ``W_sep >= Delta G_sep``

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION OR COMBUSTION

Any species-separation claim requires a thermodynamic and measured energy balance.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-227 - Species availability

Expression: `n\_species = x\_species\*n\_source`

Available amount depends on measured composition, not assumption.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-228 - Conversion efficiency

Expression: `eta = E\_out/E\_in, 0<=eta<=1`

Measured conversion efficiency; undefined when input is zero or unknown.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-229 - Controlled logical release

Expression: `G\_release = authorization AND destination\_capacity AND conservation AND safety`

Normalizes pop/release language to a bounded logical event.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

Referenced formulas

- F-220 - DRO energy ledger:** $r_E = E_{in} - E_{stored} - E_{start} - E_{restart} - E_{loss} - E_{containment}$
- F-221 - Available start energy lower bound:** $E_{avail,L} = E_{solar,L} + E_{acoustic,L} + E_{other,L} - E_{loss,H}$
- F-222 - Start gate:** $G_{start} = E_{avail,L} \geq M_E(E_{start,H} + E_{restart,H})$ AND all_safety_gates
- F-223 - Restart reserve:** $E_{restart,L} = E_{reserve,L} - E_{critical,H}$
- F-224 - Solar contribution:** $E_{solar} = \int (P_{solar}(t) dt)$
- F-225 - Acoustic/noise contribution:** $E_{acoustic} = \int (\eta_a(t) I(t) A(t) dt)$
- F-226 - Generic separation-work lower bound:** $W_{sep} \geq \Delta G_{sep}$
- F-227 - Species availability:** $n_{species} = x_{species} * n_{source}$
- F-228 - Conversion efficiency:** $\eta = E_{out} / E_{in}, 0 \leq \eta \leq 1$
- F-229 - Controlled logical release:** $G_{release} = authorization \text{ AND } destination_capacity \text{ AND } conservation \text{ AND } safety$

Lifecycle and authority

Every path preserves MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence -> M3 -> Mermaid/Shiva -> MJ bounded decision -> JO evidence. No model, proof, or passkey creates physical operation authority.

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, OR COMBUSTION

DRO-to-Pearl Computational Node, Capacity, Handoff, and Accounting Lifecycle

MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL | Pink paper | DRO-PEARL-PINK-001

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Full Pink Paper source

```
# DRO-to-Pearl Computational Node, Capacity, Handoff, and Accounting Lifecycle

**Pink-paper ID:** `DRO-PEARL-PINK-001`
**Build:** `MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL`
**Author and architect:** Michael Bangel
**Status:** `PREPASSKEY_REFERENCE_CANDIDATE`

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP
DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON,
PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

## Gateway expression

text
{hage laohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile.Bangel .begin

The raw literal is retained as provenance. The normalized governed order remains MJ -> Bangel -> R/R1 -> N1 -> Elsa -> JP
-> MK -> JO -> evidence -> M3 -> Mermaid/Shiva -> MJ permit -> R2 -> bounded output or hold.

## Bangel construct coverage

- **Module:** the module role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Namespace:** the namespace role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Import:** the import role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Declaration:** the declaration role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Definition:** the definition role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Capability:** the capability role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Participant:** the participant role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Relationship:** the relationship role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Function:** the function role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Expression:** the expression role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Statement:** the statement role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Measurement:** the measurement role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Constraint:** the constraint role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Annotation:** the annotation role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Directive:** the directive role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Block:** the block role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Literal:** the literal role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Reference:** the reference role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Type:** the type role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- **Attribute:** the attribute role in this domain must preserve types, units, evidence, authority, and claims ceiling.

## Governed objects

- `DRO_PEARL_HANDOFF_RECEIPT`
- `PEARL_DRO_NODE`
```

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Formula-by-formula lifecycle

F-203 - DRO remainder

Expression: ``Q_rem = Q_observed - N_DRO*q_unit``

Unallocated typed remainder; never silently discarded.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-204 - Pearl-node allocation count

Expression: ``N_P = ceil(N_DRO/C_P)``

Number of computational Pearl nodes required for DRO records.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-217 - DRO capacity slack

Expression: ``S_k = (1-h_k)C_k - L_k``

Remaining capacity in each typed Pearl-node dimension.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-218 - DRO overflow vector

Expression: ``E_k = max(0,L_k-(1-h_k)C_k)``

Typed excess; surplus in another dimension cannot compensate.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-219 - DRO ledger balance

Expression: ``r_Q = Q_in-Q_alloc-Q_retained-Q_transferred-Q_escaped-Delta Q_stored``

Complete quantity balance.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

Referenced formulas

- F-203 - DRO remainder: $Q_{rem} = Q_{observed} - N_{DRO} \cdot q_{unit}$
- F-204 - Pearl-node allocation count: $N_P = \text{ceil}(N_{DRO}/C_P)$
- F-217 - DRO capacity slack: $S_k = (1-h_k)C_k - L_k$
- F-218 - DRO overflow vector: $E_k = \max(0, L_k - (1-h_k)C_k)$
- F-219 - DRO ledger balance: $r_Q = Q_{in} - Q_{alloc} - Q_{retained} - Q_{transferred} - Q_{escaped} - \Delta Q_{stored}$

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION OR COMBUSTION

Lifecycle and authority

Every path preserves MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence -> M3 -> Mermaid/Shiva -> MJ bounded decision
-> JO evidence. No model, proof, or passkey creates physical operation authority.

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, OR COMBUSTION

DRO Gateway, Scale, State, Optical Evidence, and Collection Lifecycle

MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL | Pink paper | DRO-PINK-001

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Full Pink Paper source

DRO Gateway, Scale, State, Optical Evidence, and Collection Lifecycle

****Pink-paper ID:**** `DRO-PINK-001`
****Build:**** `MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL`
****Author and architect:**** Michael Bangel
****Status:**** `PREPASSKEY\_REFERENCE\_CANDIDATE`

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Gateway expression

text
{hage laohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile.Bangel .begin

The raw literal is retained as provenance. The normalized governed order remains MJ -> Bangel -> R/R1 -> N1 -> Elsa -> JP -> MK -> JO -> evidence -> M3 -> Mermaid/Shiva -> MJ permit -> R2 -> bounded output or hold.

Bangel construct coverage

- ****Module:**** the module role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Namespace:**** the namespace role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Import:**** the import role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Declaration:**** the declaration role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Definition:**** the definition role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Capability:**** the capability role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Participant:**** the participant role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Relationship:**** the relationship role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Function:**** the function role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Expression:**** the expression role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Statement:**** the statement role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Measurement:**** the measurement role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Constraint:**** the constraint role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Annotation:**** the annotation role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Directive:**** the directive role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Block:**** the block role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Literal:**** the literal role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Reference:**** the reference role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Type:**** the type role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Attribute:**** the attribute role in this domain must preserve types, units, evidence, authority, and claims ceiling.

Governed objects

- `DRO\_UNIT`
- `DRO\_SCALE\_ENVELOPE`

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

- `DRO\_COLLECTION\_RECEIPT`
- `DRO\_OPTICAL\_EVIDENCE\_PROFILE`

Formula-by-formula lifecycle

F-194 - DRO founder lower marker

Expression: $d_A = 5e-22\text{ m}$

Founder-declared theoretical lower marker; not a measured particle size.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-195 - DRO alias conversion

Expression: $d_B = 3e-12\text{ nm} * 1e-9\text{ m/nm} = 3e-21\text{ m}$

Converts the founder alias string into SI length.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-196 - DRO conservative R threshold

Expression: $d_R = \max(d_A, d_B) = 3e-21\text{ m}$

Conservative simulation threshold that satisfies both inconsistent founder minima.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-197 - DRO upper spherical reference

Expression: $d_U = 0.15\text{ nm} = 1.5e-10\text{ m}$

Upper founder reference for a spherical representation.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-198 - DRO declared interval

Expression: $d\text{ in }[d_R, d_U]$

A typed simulation interval; not physical existence.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-199 - DRO reference radius

Expression: $r_{DRO} = d/2$

Classical geometric reference radius.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-200 - DRO spherical reference volume

Expression: `V\_DRO = 4\*pi\*r\_DRO^3/3`

Classical sphere representation only at the declared scale.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-201 - DRO interval ratio

Expression: `Gamma\_D = d\_U/d\_R`

Scale separation between R threshold and upper reference.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-202 - DRO quantity count

Expression: `N\_DRO = floor(Q\_observed/q\_unit)`

Count of complete typed DRO units from a measured or simulated quantity.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-203 - DRO remainder

Expression: `Q\_rem = Q\_observed - N\_DRO\*q\_unit`

Unallocated typed remainder; never silently discarded.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-204 - Pearl-node allocation count

Expression: `N\_P = ceil(N\_DRO/C\_P)`

Number of computational Pearl nodes required for DRO records.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-205 - DRO-Pearl handoff balance

Expression: `N\_DRO,in = N\_DRO,pearl + N\_DRO,held + N\_DRO,escaped + r\_DRO`

Discrete conservation across the handoff.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-206 - DRO R-state gate

Expression: `G\_R = scale\_interval\_valid AND source\_bound AND units\_valid`

Eligibility for an R candidate.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-207 - DRO R1 gate

Expression: `G\_R1 = G\_R AND observed AND unresolved\_items>0`

Observed-but-unresolved transition remains R1.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-208 - DRO R2 gate

Expression: `G\_R2 = G\_R AND observed AND all\_required\_evidence\_pass`

Verified living-static DRO representation.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-209 - Optical wavelength

Expression: `lambda = c/f`

Reference wavelength for a measured optical-control frequency.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-210 - Photon energy

Expression: `E\_gamma = h\*f`

Energy per photon at frequency f.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-211 - Photon count estimate

Expression: `N\_gamma = P\*Delta\_t/(h\*f)`

Expected incident photon count from measured optical power and duration.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-212 - Optical coupling evidence

Expression: `N\_couple = eta\_c\*N\_gamma`

Expected coupled-event count under a calibrated coupling efficiency.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, OR COMBUSTION

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-213 - Optical admissibility

Expression: `G\_opt = calibrated\_band AND measured\_power AND eta\_c\_evidenced AND uncertainty\_valid`

Optical collection remains HOLD unless every evidence term is present.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-214 - DRO collection rate

Expression: `R\_DRO = Delta N\_DRO/Delta t`

Observed or simulated DRO-unit acquisition rate.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-215 - DRO scale uncertainty

Expression: `U\_d = k\*sqrt(J\*Sigma\*J^T + u\_model^2)`

Expanded uncertainty of the scale representation.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-216 - DRO interval classification

Expression: `l\_d = [d\_hat-U\_d,d\_hat+U\_d]`

Evidence interval used for R/R1/R2 classification.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-217 - DRO capacity slack

Expression: `S\_k = (1-h\_k)C\_k - L\_k`

Remaining capacity in each typed Pearl-node dimension.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-218 - DRO overflow vector

Expression: `E\_k = max(0,L\_k-(1-h\_k)C\_k)`

Typed excess; surplus in another dimension cannot compensate.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-219 - DRO ledger balance

Expression: `r\_Q = Q\_in-Q\_alloc-Q\_retained-Q\_transferred-Q\_escaped-Delta Q\_stored`

Complete quantity balance.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

R8 complete entity coverage appendix

This appendix ensures that the successor Pink Paper corpus explicitly names every newly introduced R8 product, governed object, and white-paper identifier.

Governed objects

- `DRO\_UNIT`
- `DRO\_SCALE\_ENVELOPE`
- `DRO\_COLLECTION\_RECEIPT`
- `DRO\_OPTICAL\_EVIDENCE\_PROFILE`
- `DRO\_PEARL\_HANDOFF\_RECEIPT`
- `PEARL\_DRO\_NODE`
- `DRO\_START\_ENERGY\_PACKET`
- `DRO\_IGNITION\_REQUEST`
- `LECANTO\_IMAGE\_EVIDENCE`
- `LECANTO\_INTENT\_HYPOTHESIS`
- `LECANTO\_TRANSFORMATION\_RECEIPT`
- `IMAGE\_VARIANCE\_RECEIPT`
- `SEMICONDUCTOR\_DRO\_ENERGY\_LEDGER`
- `SEMICONDUCTOR\_PEARL\_NODE`

Product manifestations

- `DRO-COLLECTION-001`
- `DRO-PEARL-HANDOFF-001`
- `DRO-IGNITION-REFERENCE-001`
- `LECANTO-IMAGE-TRUTH-001`
- `JP-SC-DRO-PEARL-INTEGRATION-001`

White papers

- `MJ-PBMEF-PRODUCT-WP-33`
- `MJ-PBMEF-PRODUCT-WP-34`
- `MJ-PBMEF-PRODUCT-WP-35`
- `MJ-PBMEF-PRODUCT-WP-36`
- `MJ-PBMEF-PRODUCT-WP-37`
- `MJ-PBMEF-REPRESENTATION-WP-13`
- `MJ-PBMEF-REPRESENTATION-WP-14`
- `MJ-PBMEF-REPRESENTATION-WP-15`
- `MJ-PBMEF-REPRESENTATION-WP-16`
- `MJ-PBMEF-REPRESENTATION-WP-17`

Referenced formulas

F-001 - R1 transition: $R0 \rightarrow R1$

F-194 - DRO founder lower marker: $d_A = 5e-22\text{ m}$

F-195 - DRO alias conversion: $d_B = 3e-12\text{ nm} * 1e-9\text{ m/nm} = 3e-21\text{ m}$

- F-196 - DRO conservative R threshold:** $d_R = \max(d_A, d_B) = 3e-21 \text{ m}$
- F-197 - DRO upper spherical reference:** $d_U = 0.15 \text{ nm} = 1.5e-10 \text{ m}$
- F-198 - DRO declared interval:** $d \text{ in } [d_R, d_U]$
- F-199 - DRO reference radius:** $r_{DRO} = d/2$
- F-200 - DRO spherical reference volume:** $V_{DRO} = 4\pi r_{DRO}^3/3$
- F-201 - DRO interval ratio:** $\Gamma_D = d_U/d_R$
- F-202 - DRO quantity count:** $N_{DRO} = \text{floor}(Q_{\text{observed}}/q_{\text{unit}})$
- F-203 - DRO remainder:** $Q_{\text{rem}} = Q_{\text{observed}} - N_{DRO} \cdot q_{\text{unit}}$
- F-204 - Pearl-node allocation count:** $N_P = \text{ceil}(N_{DRO}/C_P)$
- F-205 - DRO-Pearl handoff balance:** $N_{DRO, \text{in}} = N_{DRO, \text{pearl}} + N_{DRO, \text{held}} + N_{DRO, \text{escaped}} + r_{DRO}$
- F-206 - DRO R-state gate:** $G_R = \text{scale_interval_valid AND source_bound AND units_valid}$
- F-207 - DRO R1 gate:** $G_{R1} = G_R \text{ AND observed AND unresolved_items} > 0$
- F-208 - DRO R2 gate:** $G_{R2} = G_R \text{ AND observed AND all_required_evidence_pass}$
- F-209 - Optical wavelength:** $\lambda = c/f$
- F-210 - Photon energy:** $E_{\gamma} = h \cdot f$
- F-211 - Photon count estimate:** $N_{\gamma} = P \cdot \Delta t / (h \cdot f)$
- F-212 - Optical coupling evidence:** $N_{\text{couple}} = \eta_c \cdot N_{\gamma}$
- F-213 - Optical admissibility:** $G_{\text{opt}} = \text{calibrated_band AND measured_power AND } \eta_c \text{ evidenced AND uncertainty_valid}$
- F-214 - DRO collection rate:** $R_{DRO} = \Delta N_{DRO} / \Delta t$
- F-215 - DRO scale uncertainty:** $U_d = k \cdot \sqrt{J \cdot \Sigma \cdot J^T + u_{\text{model}}^2}$
- F-216 - DRO interval classification:** $I_d = [d_{\text{hat}} - U_d, d_{\text{hat}} + U_d]$
- F-217 - DRO capacity slack:** $S_k = (1 - h_k)C_k - L_k$
- F-218 - DRO overflow vector:** $E_k = \max(0, L_k - (1 - h_k)C_k)$
- F-219 - DRO ledger balance:** $r_Q = Q_{\text{in}} - Q_{\text{alloc}} - Q_{\text{retained}} - Q_{\text{transferred}} - Q_{\text{escaped}} - \Delta Q_{\text{stored}}$

Lifecycle and authority

Every path preserves MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence -> M3 -> Mermaid/Shiva -> MJ bounded decision -> JO evidence. No model, proof, or passkey creates physical operation authority.

Lecanto Image Source, Physics, Variance, Safety, Derivative, and Intent-Hypothesis Lifecycle

MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL | Pink paper | LECANTO-PINK-001

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Full Pink Paper source

Lecanto Image Source, Physics, Variance, Safety, Derivative, and Intent-Hypothesis Lifecycle

****Pink-paper ID:**** `LECANTO-PINK-001`
****Build:**** `MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL`
****Author and architect:**** Michael Bangel
****Status:**** `PREPASSKEY\_REFERENCE\_CANDIDATE`

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Gateway expression

text
{hage laohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile.Bangel .begin

The raw literal is retained as provenance. The normalized governed order remains MJ -> Bangel -> R/R1 -> N1 -> Elsa -> JP -> MK -> JO -> evidence -> M3 -> Mermaid/Shiva -> MJ permit -> R2 -> bounded output or hold.

Bangel construct coverage

- ****Module:**** the module role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Namespace:**** the namespace role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Import:**** the import role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Declaration:**** the declaration role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Definition:**** the definition role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Capability:**** the capability role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Participant:**** the participant role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Relationship:**** the relationship role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Function:**** the function role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Expression:**** the expression role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Statement:**** the statement role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Measurement:**** the measurement role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Constraint:**** the constraint role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Annotation:**** the annotation role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Directive:**** the directive role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Block:**** the block role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Literal:**** the literal role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Reference:**** the reference role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Type:**** the type role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Attribute:**** the attribute role in this domain must preserve types, units, evidence, authority, and claims ceiling.

Governed objects

- `LECANTO\_IMAGE\_EVIDENCE`
- `LECANTO\_INTENT\_HYPOTHESIS`

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

- `LECANTO\_TRANSFORMATION\_RECEIPT`
- `IMAGE\_VARIANCE\_RECEIPT`

Formula-by-formula lifecycle

F-234 - Semiconductor profile isolation

Expression: `G\_SC = profile==SC AND no\_LS\_value\_inheritance`

Rejects marine or rocket physical values in the SC profile.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-235 - Lecanto byte-source digest

Expression: `H\_src = SHA256(source\_bytes)`

Immutable source identity reference.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-236 - Lecanto pixel residual

Expression: `D\_px = (1/N) sum ||I\_test-I\_ref||\_2`

Average per-pixel residual after declared registration and color handling.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-237 - Lecanto spectral residual

Expression: `D\_fft = ||FFT(I\_test)-FFT(I\_ref)||\_2`

Frequency-domain residual used as evidence, not intent truth.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-238 - Lecanto provenance completeness

Expression: `P\_prov = complete\_required\_links/required\_links`

Provenance completeness ratio; one missing mandatory link causes HOLD.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-239 - Lecanto intent hypothesis

Expression: `H\_intent = f(words,context,declared\_purpose,provenance)`

A bounded hypothesis, never a fact or authority grant.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-240 - Lecanto transformation gate

Expression: `G\_edit = source\_preserved AND modification\_disclosed AND purpose\_allowed AND safety\_pass`

A derivative may be produced only with source preservation and disclosure.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-241 - Lecanto reject gate

Expression: `G\_reject = provenance\_fail OR harmful\_purpose OR undeclared\_transform`

Reject or hold an unsafe or unverifiable image.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-242 - R8 command admissibility

Expression: `G\_R8 = DRO\_valid AND Pearl\_node\_valid AND Lecanto\_when\_image AND MK\_pass AND JO\_pass AND ethics AND MJ\_permit`

Complete R8 command gate.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

Referenced formulas

- F-234 - Semiconductor profile isolation:** $G_{SC} = \text{profile} == SC \text{ AND } \text{no_LS_value_inheritance}$
- F-235 - Lecanto byte-source digest:** $H_{src} = \text{SHA256}(\text{source_bytes})$
- F-236 - Lecanto pixel residual:** $D_{px} = (1/N) \sum ||I_{test} - I_{ref}||_2$
- F-237 - Lecanto spectral residual:** $D_{fft} = ||\text{FFT}(I_{test}) - \text{FFT}(I_{ref})||_2$
- F-238 - Lecanto provenance completeness:** $P_{prov} = \text{complete_required_links} / \text{required_links}$
- F-239 - Lecanto intent hypothesis:** $H_{intent} = f(\text{words}, \text{context}, \text{declared_purpose}, \text{provenance})$
- F-240 - Lecanto transformation gate:** $G_{edit} = \text{source_preserved AND modification_disclosed AND purpose_allowed AND safety_pass}$
- F-241 - Lecanto reject gate:** $G_{reject} = \text{provenance_fail OR harmful_purpose OR undeclared_transform}$
- F-242 - R8 command admissibility:** $G_{R8} = \text{DRO_valid AND Pearl_node_valid AND Lecanto_when_image AND MK_pass AND JO_pass AND ethics AND MJ_permit}$

Lifecycle and authority

Every path preserves MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence -> M3 -> Mermaid/Shiva -> MJ bounded decision -> JO evidence. No model, proof, or passkey creates physical operation authority.

MJ-PBMEF Pink Paper - Volume I

Gateway Expression, Bangel Construct Semantics, Command Normalization, and
R-to-N1-to-R2 Lifecycle

Michael Bangel - Author and Architect

August 2026

Contents

1	Executive gateway statement	2
2	Progressive expansion from MJ.23.r2	3
3	Token-by-token identification	4
4	Canonical execution order	5
5	R, R1, N1, R2, and final output	6
6	Bangel construct dictionary	7
7	Full declarative gateway example	8
8	Verification of the full corpus	9

Document control	
Project	MJos Predictive Model
Project ID	MJ - PBMEF - 001
Source build	MJ - PBMEF - DAY0 - R5 - REVIEW - CANDIDATE
Document ID	MJ - PBMEF - PINK - PAPER - 001 / VOL - I
Author and architect	Michael Bangel
Status	FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE
Scope	Gateway expression and syntax semantics for the full Day-0 R4 source model.

Claims ceiling
This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Executive gateway statement

The Pink Paper is a verification-focused declarative pathway specification. It uses the founder-supplied expression as a source-provenance object, then separates lexical order from canonical execution order. The paper shows how each formula, manifestation, object, product, and white paper enters the MJ framework without confusing representation, measurement, authority, or execution.

Founder source literal

{hagelaohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile.Bangel .begin

Progressive expansion from MJ.23.r2

Stage	Expression	Interpretation
1	MJ.23.r2	Profile/state seed
2	MJ.23.r2.exe	Adds requested execution verb
3	MJ.23.r2.exe.r1.confirm	Adds transition and confirmation
4	MJ.23.r2.exe.r1.confirm.G123.reconcile	Adds generational reconciliation
5	MJ.23.r2.exe.r1.confirm.G123.reconcile. Bangel.begin	Adds language start directive
6	M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile. Bangel.begin	Adds bounded routing and requested action
7	{hagelaohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile. Bangel.begin	Adds complete Bangel envelope and exact front-end allocation seed

Canonical normalization rule

The raw dotted sequence is preserved as human-authored provenance. It is not executed left-to-right. Canonical execution begins with HumanPurpose and MJ root scope, enters Bangel.begin, recovers semantics through Elsa, constructs JP representations, passes MK physics classification, JO verification, R1 evidence transition, N1 prediction-first allocation, applicable family evidence, M3 routing, Mermaid/Shiva reconciliation, MJ permit decision, JO execution, and final R2 evidence.

Token-by-token identification

Token	Exact meaning and boundary
{hagelaohrbcoe.48383829}	Request envelope containing an opaque request identifier and exact ratio 48,383,829 / 100,000,000. It is not a physical coordinate, probability of truth, or permit.
M3	Mary/M3 bounded routing and allocation participant. M3 cannot mint authority.
act	Requested effect verb. It remains a request until all gates pass.
MJ	Framework root and final bounded decision authority.
23	Typed reference requiring explicit context. In the mass branch it means 23 mg pre-observational floor; it is not interchangeable with a profile label.
r2	Requested or referenced living-static state; cannot precede validated R1 transition in canonical execution.
exe	Execution directive; denied until JO proof, safety, authority, and MJ permit pass.
r1	Unidentified transitional phase.
confirm	Evidence-confirmation statement; confirmation is evidence-scoped, not self-authorizing.
G123	Generational resource/memory/reconciliation context.
reconcile	Conservation, accounting, evidence, and residual closure.
Bangel	Typed language and declaration plane inside MJ.
begin	Start directive for parsing and admission; no external effect.

Chapter 4

Canonical execution order

```
HumanPurpose
-> MJ.root
-> Bangel .begin
-> Elsa.recover
-> JP.represent
-> MK.classify
-> J0.verify
-> R1.transition
-> N1.predict_and_preallocate
-> Angels/Bellatrix/Sister/EVE.evidence
-> M3.route
-> Mermaid.reconcile
-> Shiva.when_capital_applies
-> MJ.permit
-> J0.execute
-> R2.output_receipt
```

R, R1, N1, R2, and final output

Lifecycle state	Definition
R / R0	Initial purpose, command, variables, authority context, and unresolved inputs.
R1	Unidentified transitional phase. Missing or disputed evidence remains typed and cannot become zero.
N1	First prediction-based allocation node. It receives validated logical allocation context, not a physical-coordinate approval.
R2	Immutable living-static representation after scoped validation.
Final output	JO evidence receipt containing result, scope, roots, participants, uncertainty, holds, corrections, and MJ permit state.

Bangel construct dictionary

Construct	Definition
Module	A bounded compilation or specification unit grouping related declarations and definitions.
Namespace	A stable identity domain preventing collisions among family, formula, product, and object names.
Import	An explicit dependency edge. Imports confer no authority and must preserve source digest and version.
Declaration	A named commitment that an object, formula, participant, type, or function exists in the source model.
Definition	The exact normative meaning, not merely a label.
Capability	A bounded action or representation class available only within current authority and evidence.
Participant	A family manifestation that contributes a non-substitutable role.
Relationship	A typed edge among participants, objects, resources, evidence, or decisions.
Function	A deterministic transformation from typed inputs to typed outputs or disposition.
Expression	A formula, boolean predicate, path, or compositional object.
Statement	A normative or executable sentence in the language.
Measurement	An observation with quantity kind, native unit, boundary, time, instrument, calibration, and uncertainty.
Constraint	A non-negotiable predicate such as UNKNOWN != 0 or unit compatibility.
Annotation	Metadata binding IDs, provenance, evidence ceilings, authorship, or review status.
Directive	A controlled instruction such as begin, verify, hold, reconcile, or deny.
Block	A scoped set of declarations, definitions, directives, and invariants.
Literal	An exact source value, string, ratio, unit-bearing number, or symbolic constant.
Reference	A digest-bound pointer to another artifact, formula, object, receipt, or revision.
Type	A quantity, state, participant, object, evidence, authority, or disposition class.
Attribute	A named property such as state, scope, revision, evidence ceiling, or permit classification.

Full declarative gateway example

```
module MJ.PBMEF.Gateway {
  namespace MJ.PBMEF.Command.Day0
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  import MJ.PBMEF.Family

  @source_literal(
    "{hagelaohrbcoe.48383829}."
    "M3.act.MJ.23.r2.exe.r1.confirm."
    "G123.reconcile.Bangel .begin"
  )
  declaration request : CommandEnvelope
  definition request.id = "hagelaohrbcoe"
  definition request.front_end_seed = exact_ratio(48383829, 100000000)

  constraint UNKNOWN != 0
  constraint R1 precedes validated R2
  constraint MJ.permit precedes act and exe
  constraint M3 cannot mint authority

  block lifecycle {
    directive Bangel .begin
    function Elsa.recover(request.purpose)
    reference JP.represent(all_applicable_formulas)
    statement MK.classify_physics_applicability
    statement J0.verify_units_boundaries_evidence
    statement R0 -> R1
    capability N1.predict_and_preallocate
    relationship applicable_families.provide_evidence
    directive M3.route
    directive Mermaid.reconcile
    directive Shiva.analyze when capital_applies
    directive MJ.permit
    directive J0.execute
    statement R1 --validated--> R2
  }
}
```

Verification of the full corpus

This Pink Paper binds the gateway to **21 family manifestations, 39 governed objects, 28 products, 145 formulas, and 61 registered white papers**. The remaining volumes enumerate each item and state how it enters the gateway, what it may express, what evidence it requires, and what authority it cannot create.

MJ-PBMEF Pink Paper - Volume II
Formula Gateway Bindings F-001 through F-050

Michael Bangel - Author and Architect

August 2026

Contents

1

Verification method

5

2

F-001 - R1 transition

6

2.1

Gateway life-cycle example

6

2.2

Lifecycle from request to final output

7

3

F-002 - R2 transition

8

3.1

Gateway life-cycle example

8

3.2

Lifecycle from request to final output

9

4

F-003 - Unknown invariant

10

4.1

Gateway life-cycle example

10

4.2

Lifecycle from request to final output

11

5

F-004 - Mass inflection

12

5.1

Gateway life-cycle example

12

5.2

Lifecycle from request to final output

13

6

F-005 - Noise smoothing

14

6.1

Gateway life-cycle example

14

6.2

Lifecycle from request to final output

15

7

F-006 - Trend estimator

16

7.1

Gateway life-cycle example

16

7.2

Lifecycle from request to final output

17

8

F-007 - Anti-spike gate

18

8.1

Gateway life-cycle example

18

8.2

Lifecycle from request to final output

19

9

F-008 - Prediction gain

20

9.1

Gateway life-cycle example

20

9.2

Lifecycle from request to final output

21

10

F-009 - Covariance update

22

10.1

Gateway life-cycle example

22

10.2

Lifecycle from request to final output

23

11

F-010 - Shadow depth

24

11.1

Gateway life-cycle example

24

11.2

Lifecycle from request to final output

25

12

F-011 - Shadow growth rate

26

12.1

Gateway life-cycle example

26

12.2

Lifecycle from request to final output

27

13

F-012 - Front-end allocation

28

13.1

Gateway life-cycle example

28

13.2Lifecycle from request to final output	29
14F-013 - Front-end reserve	30
14.1Gateway life-cycle example	30
14.2Lifecycle from request to final output	31
15F-014 - Bounded allocation update	32
15.1Gateway life-cycle example	32
15.2Lifecycle from request to final output	33
16F-015 - Request memory	34
16.1Gateway life-cycle example	34
16.2Lifecycle from request to final output	35
17F-016 - Memory preallocation	36
17.1Gateway life-cycle example	36
17.2Lifecycle from request to final output	37
18F-017 - Hard flush	38
18.1Gateway life-cycle example	38
18.2Lifecycle from request to final output	39
19F-018 - Charge balance	40
19.1Gateway life-cycle example	40
19.2Lifecycle from request to final output	41
20F-019 - Capacitor energy	42
20.1Gateway life-cycle example	42
20.2Lifecycle from request to final output	43
21F-020 - General stored energy	44
21.1Gateway life-cycle example	44
21.2Lifecycle from request to final output	45
22F-021 - Energy balance	46
22.1Gateway life-cycle example	46
22.2Lifecycle from request to final output	47
23F-022 - Mass balance	48
23.1Gateway life-cycle example	48
23.2Lifecycle from request to final output	49
24F-023 - EVE screen balance	50
24.1Gateway life-cycle example	50
24.2Lifecycle from request to final output	51
25F-024 - EVE evaporation	52
25.1Gateway life-cycle example	52
25.2Lifecycle from request to final output	53
26F-025 - Upward force	54
26.1Gateway life-cycle example	54
26.2Lifecycle from request to final output	55
27F-026 - Coordinate mapping	56
27.1Gateway life-cycle example	56
27.2Lifecycle from request to final output	57
28F-027 - Sister physical umbrella count	58
28.1Gateway life-cycle example	58
28.2Lifecycle from request to final output	59

29F-028 - Byte balance	60
29.1 Gateway life-cycle example	60
29.2 Lifecycle from request to final output	61
30F-029 - Residual consequence	62
30.1 Gateway life-cycle example	62
30.2 Lifecycle from request to final output	63
31F-030 - Protected liquidity	64
31.1 Gateway life-cycle example	64
31.2 Lifecycle from request to final output	65
32F-031 - Investable surplus	66
32.1 Gateway life-cycle example	66
32.2 Lifecycle from request to final output	67
33F-032 - Risk-capital ceiling	68
33.1 Gateway life-cycle example	68
33.2 Lifecycle from request to final output	69
34F-033 - Portfolio concentration	70
34.1 Gateway life-cycle example	70
34.2 Lifecycle from request to final output	71
35F-034 - Portfolio variance	72
35.1 Gateway life-cycle example	72
35.2 Lifecycle from request to final output	73
36F-035 - Capital friction	74
36.1 Gateway life-cycle example	74
36.2 Lifecycle from request to final output	75
37F-036 - Opportunity lower bound	76
37.1 Gateway life-cycle example	76
37.2 Lifecycle from request to final output	77
38F-037 - Abundance objective	78
38.1 Gateway life-cycle example	78
38.2 Lifecycle from request to final output	79
39F-038 - SHIVAS eligible value	80
39.1 Gateway life-cycle example	80
39.2 Lifecycle from request to final output	81
40F-039 - SHIVAS ceiling	82
40.1 Gateway life-cycle example	82
40.2 Lifecycle from request to final output	83
41F-040 - MK state model	84
41.1 Gateway life-cycle example	84
41.2 Lifecycle from request to final output	85
42F-041 - Dimensional integrity	86
42.1 Gateway life-cycle example	86
42.2 Lifecycle from request to final output	87
43F-042 - Conservation residual	88
43.1 Gateway life-cycle example	88
43.2 Lifecycle from request to final output	89

44F-043 - Pearl simulation ellipsoid volume	90
44.1 Gateway life-cycle example	90
44.2 Lifecycle from request to final output	91
45F-044 - Pearl simulation surface-area approximation	92
45.1 Gateway life-cycle example	92
45.2 Lifecycle from request to final output	93
46F-045 - Pearl simulation exposure ratio	94
46.1 Gateway life-cycle example	94
46.2 Lifecycle from request to final output	95
47F-046 - Pearl simulation capacity slack	96
47.1 Gateway life-cycle example	96
47.2 Lifecycle from request to final output	97
48F-047 - Pearl simulation saturation ratio	98
48.1 Gateway life-cycle example	98
48.2 Lifecycle from request to final output	99
49F-048 - Pearl simulation object count	100
49.1 Gateway life-cycle example	100
49.2 Lifecycle from request to final output	101
50F-049 - Pearl simulation accounting balance	102
50.1 Gateway life-cycle example	102
50.2 Lifecycle from request to final output	103
51F-050 - Pearl simulated transfer opportunity	104
51.1 Gateway life-cycle example	104
51.2 Lifecycle from request to final output	105

Document control

Project	MJos Predictive Model
Project ID	MJ - PBMEF - 001
Source build	MJ - PBMEF - DAY0 - R5 - REVIEW - CANDIDATE
Document ID	MJ - PBMEF - PINK - PAPER - 001 / VOL - II
Author and architect	Michael Bangel
Status	FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE
Scope	Formula-level gateway bindings for F-001 through F-050.

Claims ceiling

This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Verification method

Each formula receives the same twenty-construct Bangel identity, a gateway-stage assignment, a life-cycle example, and explicit evidence and ethics boundaries. The repetitive structure is intentional: it allows formula-by-formula founder review and later automated completeness checking.

F-001 - R1 transition

Exact expression

R0 -> R1

Meaning. R1 is the unidentified transitional phase.
Bound manifestations. Bangel , JP, JO
Gateway stage. R0/R1/R2 state transition and evidence classification

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_001
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JP, MJ.PBMEF.Family.JO
Declaration	formula F-001 'R1 transition'
Definition	R1 is the unidentified transitional phase.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , JP, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R0/R1/R2 state transition and evidence classification
Expression	R0 -> R1
Statement	When typed inputs and evidence gates pass, evaluate F-001; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: state; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-001', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-001); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-001 and applicable family/product/representation white papers
Type	state
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R0/R1/R2 state transition and evidence classification'; physical_validation=false; authority=false

2.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_001 : Formula<state>
  definition "R1 is the unidentified transitional phase."
  expression `R0 -> R1`
  participants ["Bangel ", "JP", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

2.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-001 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-002 - R2 transition

Exact expression

R1 --validated--> R2

Meaning. R2 is the immutable living static representation.

Bound manifestations. JP, MK, J0

Gateway stage. R0/R1/R2 state transition and evidence classification

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_002
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-002 'R2 transition'
Definition	R2 is the immutable living static representation.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	JP, MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R0/R1/R2 state transition and evidence classification
Expression	R1 --validated--> R2
Statement	When typed inputs and evidence gates pass, evaluate F-002; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: state; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-002', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-002); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-002 and applicable family/product/representation white papers
Type	state
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R0/R1/R2 state transition and evidence classification'; physical_validation=false; authority=false

3.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_002 : Formula<state>
  definition "R2 is the immutable living static representation."
  expression `R1 --validated--> R2`
  participants ["JP", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

3.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-002 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-003 - Unknown invariant

Exact expression

UNKNOWN != 0

Meaning. Unknown may not coerce to zero, pass, harmless, or permission.

Bound manifestations. Bangel , J0, WATER

Gateway stage. R0/R1/R2 state transition and evidence classification

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_003
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.J0, MJ.PBMEF.Family.WATER
Declaration	formula F-003 'Unknown invariant'
Definition	Unknown may not coerce to zero, pass, harmless, or permission.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , J0, WATER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R0/R1/R2 state transition and evidence classification
Expression	UNKNOWN != 0
Statement	When typed inputs and evidence gates pass, evaluate F-003; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-003', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-003); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-003 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R0/R1/R2 state transition and evidence classification'; physical_validation=false; authority=false

4.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_003 : Formula<logical>
  definition "Unknown may not coerce to zero, pass, harmless, or permission."
  expression `UNKNOWN != 0`
  participants ["Bangel ", "J0", "WATER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

4.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-003 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-004 - Mass inflection

Exact expression

m_floor = 23 mg

Meaning. Pre-observational model floor, not a universal minimum or product mass.
Bound manifestations. JP, MK, EVE, J0
Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_004
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.J0
Declaration	formula F-004 'Mass inflection'
Definition	Pre-observational model floor, not a universal minimum or product mass.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, EVE, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	m_floor = 23 mg
Statement	When typed inputs and evidence gates pass, evaluate F-004; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-004', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-004); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	23
Reference	pathways/FORMULA-REGISTER.json#F-004 and applicable family/product/representation white papers
Type	mass
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

5.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_004 : Formula<mass>
  definition "Pre-observational model floor, not a universal minimum or product mass."
  expression `m_floor = 23 mg`
  participants ["JP", "MK", "EVE", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

5.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-004 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-005 - Noise smoothing

Exact expression

$$n_bar[t] = 0.9*n_bar[t-1] + 0.1*n[t]$$

Meaning. Drip-level smoothing.
Bound manifestations. SISTER, JO, MK
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_005
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MK
Declaration	formula F-005 'Noise smoothing'
Definition	Drip-level smoothing.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, JO, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	$n_bar[t] = 0.9*n_bar[t-1] + 0.1*n[t]$
Statement	When typed inputs and evidence gates pass, evaluate F-005; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-005', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-005); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0.9, 1, 0.1
Reference	pathways/FORMULA-REGISTER.json#F-005 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

6.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_005 : Formula<dimensionless>
  definition "Drip-level smoothing."
  expression `n_bar[t] = 0.9*n_bar[t-1] + 0.1*n[t]`
  participants ["SISTER", "JO", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

6.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-005 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-006 - Trend estimator

Exact expression

$$n_dot[t] = (2/3)*n_dot[t-1] + (1/3)*(n_bar[t]-n_bar[t-1])/dt$$

Meaning. One-third trend update.
Bound manifestations. SISTER, J0, MK
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_006
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.MK
Declaration	formula F-006 'Trend estimator'
Definition	One-third trend update.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, J0, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	$n_dot[t] = (2/3)*n_dot[t-1] + (1/3)*(n_bar[t]-n_bar[t-1])/dt$
Statement	When typed inputs and evidence gates pass, evaluate F-006; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: 1/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-006', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-006); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2, 3, 1
Reference	pathways/FORMULA-REGISTER.json#F-006 and applicable family/product/representation white papers
Type	1/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

7.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_006 : Formula<1/time>
  definition "One-third trend update."
  expression `n_dot[t] = (2/3)*n_dot[t-1] + (1/3)*(n_bar[t]-n_bar[t-1])/dt`
  participants ["SISTER", "J0", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

7.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-006 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-007 - Anti-spike gate

Exact expression

support>=3 of 5 AND 3 qualified windows

Meaning. Single spike cannot trigger full reweighting.
Bound manifestations. SISTER, ANGELS, JO
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_007
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.JO
Declaration	formula F-007 'Anti-spike gate'
Definition	Single spike cannot trigger full reweighting.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	SISTER, ANGELS, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	support>=3 of 5 AND 3 qualified windows
Statement	When typed inputs and evidence gates pass, evaluate F-007; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-007', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-007); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	3, 5
Reference	pathways/FORMULA-REGISTER.json#F-007 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

8.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_007 : Formula<logical>
  definition "Single spike cannot trigger full reweighting."
  expression `support>=3 of 5 AND 3 qualified windows`
  participants ["SISTER", "ANGELS", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

8.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-007 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-008 - Prediction gain

Exact expression

$$g_i = 0.1*(2/3)^{(i-1)}$$

Meaning. Prediction influence decays across the nine-node path.
Bound manifestations. JP, SISTER, JO
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_008
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.JO
Declaration	formula F-008 'Prediction gain'
Definition	Prediction influence decays across the nine-node path.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, SISTER, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	$g_i = 0.1*(2/3)^{(i-1)}$
Statement	When typed inputs and evidence gates pass, evaluate F-008; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-008', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-008); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0.1, 2, 3, 1
Reference	pathways/FORMULA-REGISTER.json#F-008 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

9.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_008 : Formula<dimensionless>
  definition "Prediction influence decays across the nine-node path."
  expression `g_i = 0.1*(2/3)^(i-1)`
  participants ["JP", "SISTER", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

9.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-008 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-009 - Covariance update

Exact expression

Sigma_next = 0.9*Sigma_prev + 0.1*e*e^T

Meaning. Positive-semidefinite sequential covariance.
Bound manifestations. JP, MK, J0
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_009
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-009 'Covariance update'
Definition	Positive-semidefinite sequential covariance.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	R1 prediction and normal-constellation calibration before N1
Expression	Sigma_next = 0.9*Sigma_prev + 0.1*e*e^T
Statement	When typed inputs and evidence gates pass, evaluate F-009; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: normalized^2; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-009', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-009); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	0.9, 0.1
Reference	pathways/FORMULA-REGISTER.json#F-009 and applicable family/product/representation white papers
Type	normalized^2
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

10.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_009 : Formula<normalized^2>
  definition "Positive-semidefinite sequential covariance."
  expression `Sigma_next = 0.9*Sigma_prev + 0.1*e*e^T`
  participants ["JP", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

10.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-009 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-010 - Shadow depth

Exact expression

H = sqrt(lambda_max(Sigma))

Meaning. Uncertainty depth.
Bound manifestations. MK, SISTER, EVE
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_010
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE
Declaration	formula F-010 'Shadow depth'
Definition	Uncertainty depth.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, SISTER, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	H = sqrt(lambda_max(Sigma))
Statement	When typed inputs and evidence gates pass, evaluate F-010; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: normalized; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-010', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-010); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-010 and applicable family/product/representation white papers
Type	normalized
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

11.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_010 : Formula<normalized>
  definition "Uncertainty depth."
  expression `H = sqrt(lambda_max(Sigma))`
  participants ["MK", "SISTER", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

11.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-010 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-011 - Shadow growth rate

Exact expression

$$v_shadow = (H_next - H_prev) / dt$$

Meaning. Rate of uncertainty expansion or resolution.
Bound manifestations. MK, SISTER, JO
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_011
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.JO
Declaration	formula F-011 'Shadow growth rate'
Definition	Rate of uncertainty expansion or resolution.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, SISTER, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	$v_shadow = (H_next - H_prev) / dt$
Statement	When typed inputs and evidence gates pass, evaluate F-011; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: normalized/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-011', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-011); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-011 and applicable family/product/representation white papers
Type	normalized/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

12.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_011 : Formula<normalized/time>
  definition "Rate of uncertainty expansion or resolution."
  expression `v_shadow = (H_next-H_prev)/dt`
  participants ["MK", "SISTER", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

12.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-011 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-012 - Front-end allocation

Exact expression

a0 = 48383829/100000000

Meaning. Exact initial N1 logical allocation.
Bound manifestations. Bangel , JP, J0, M3
Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_012
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JP, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3
Declaration	formula F-012 'Front-end allocation'
Definition	Exact initial N1 logical allocation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	Bangel , JP, J0, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	a0 = 48383829/100000000
Statement	When typed inputs and evidence gates pass, evaluate F-012; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-012', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predit; JP.represent(F-012); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	48383829, 100000000
Reference	pathways/FORMULA-REGISTER.json#F-012 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

13.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_012 : Formula<ratio>
  definition "Exact initial N1 logical allocation."
  expression `a0 = 48383829/100000000`
  participants ["Bangel ", "JP", "J0", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

13.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-012 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-013 - Front-end reserve

Exact expression

r0 = 51616171/100000000

Meaning. Exact logical reserve.
Bound manifestations. JP, J0, M3
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_013
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,JO, MJ.PBMEF.Family,M3
Declaration	formula F-013 'Front-end reserve'
Definition	Exact logical reserve.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, JO, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	r0 = 51616171/100000000
Statement	When typed inputs and evidence gates pass, evaluate F-013; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-013', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-013); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	51616171, 100000000
Reference	pathways/FORMULA-REGISTER.json#F-013 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

14.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_013 : Formula<ratio>
  definition "Exact logical reserve."
  expression `r0 = 51616171/100000000`
  participants ["JP", "J0", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

14.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-013 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-014 - Bounded allocation update

Exact expression

w_next = projection((2/3)w + (1/3)w_target)

Meaning. Nonnegative, sum-to-one, per-step change <=0.1.
Bound manifestations. JP, J0, M3
Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_014
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,J0, MJ.PBMEF.Family,M3
Declaration	formula F-014 'Bounded allocation update'
Definition	Nonnegative, sum-to-one, per-step change <=0.1.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, J0, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	w_next = projection((2/3)w + (1/3)w_target)
Statement	When typed inputs and evidence gates pass, evaluate F-014; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-014', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-014); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	2, 3, 1
Reference	pathways/FORMULA-REGISTER.json#F-014 and applicable family/product/representation white papers
Type	ratio vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

15.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_014 : Formula<ratio vector>
  definition "Nonnegative, sum-to-one, per-step change <=0.1."
  expression `w_next = projection((2/3)w + (1/3)w_target)`
  participants ["JP", "J0", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

15.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-014 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-015 - Request memory

Exact expression

M_request = lambda_hat * bytes_per_request * latency_hat

Meaning. Predicted request memory.
Bound manifestations. J0, M3, MJOS
Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_015
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.FamilyJO, MJ.PBMEF.FamilyM3, MJ.PBMEF.FamilyMJOS
Declaration	formula F-015 'Request memory'
Definition	Predicted request memory.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, M3, MJOS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	M_request = lambda_hat * bytes_per_request * latency_hat
Statement	When typed inputs and evidence gates pass, evaluate F-015; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: bytes; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-015', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-015); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-015 and applicable family/product/representation white papers
Type	bytes
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

16.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_015 : Formula<bytes>
  definition "Predicted request memory."
  expression `M_request = lambda_hat * bytes_per_request * latency_hat`
  participants ["J0", "M3", "MJOS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

16.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-015 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-016 - Memory preallocation

Exact expression

M_pre = M_request + M_sync + M_residual + M_evidence + M_headroom

Meaning. Preallocate before reserve exhaustion.
Bound manifestations. J0, M3, SISTER
Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_016
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.SISTER
Declaration	formula F-016 'Memory preallocation'
Definition	Preallocate before reserve exhaustion.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	J0, M3, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	M_pre = M_request + M_sync + M_residual + M_evidence + M_headroom
Statement	When typed inputs and evidence gates pass, evaluate F-016; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: bytes; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-016', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-016); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-016 and applicable family/product/representation white papers
Type	bytes
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

17.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_016 : Formula<bytes>
  definition "Preallocate before reserve exhaustion."
  expression `M_pre = M_request + M_sync + M_residual + M_evidence + M_headroom`
  participants ["J0", "M3", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

17.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-016 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-017 - Hard flush

Exact expression

QUIESCE -> SEAL -> CHECKPOINT -> DETACH -> RECLAIM

Meaning. No silent deletion or uncleared reuse.
Bound manifestations. J0, M3, MJOS
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_017
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.FamilyJO, MJ.PBMEF.FamilyM3, MJ.PBMEF.FamilyMJOS
Declaration	formula F-017 'Hard flush'
Definition	No silent deletion or uncleared reuse.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, M3, MJOS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	QUIESCE -> SEAL -> CHECKPOINT -> DETACH -> RECLAIM
Statement	When typed inputs and evidence gates pass, evaluate F-017; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: state sequence; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-017', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MKJO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-017); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-017 and applicable family/product/representation white papers
Type	state sequence
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

18.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_017 : Formula<state sequence>
  definition "No silent deletion or uncleared reuse."
  expression `QUIESCE -> SEAL -> CHECKPOINT -> DETACH -> RECLAIM`
  participants ["J0", "M3", "MJOS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

18.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-017 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-018 - Charge balance

Exact expression

$dQ/dt = I_{\text{intake}} - I_{\text{leak}} - I_{\text{release}}$

Meaning. Static-intake charge accounting.
Bound manifestations. JP, MK, EVE, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_018
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,EVE, MJ.PBMEF.Family,JO
Declaration	formula F-018 'Charge balance'
Definition	Static-intake charge accounting.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$dQ/dt = I_{\text{intake}} - I_{\text{leak}} - I_{\text{release}}$
Statement	When typed inputs and evidence gates pass, evaluate F-018; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: charge/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-018', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-018); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-018 and applicable family/product/representation white papers
Type	charge/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

19.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_018 : Formula<charge/time>
  definition "Static-intake charge accounting."
  expression `dQ/dt = I_intake - I_leak - I_release`
  participants ["JP", "MK", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

19.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-018 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-019 - Capacitor energy

Exact expression

E = 0.5*C*V^2

Meaning. Valid only for evidenced constant capacitance.
Bound manifestations. JP, MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_019
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,JO
Declaration	formula F-019 'Capacitor energy'
Definition	Valid only for evidenced constant capacitance.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	E = 0.5*C*V^2
Statement	When typed inputs and evidence gates pass, evaluate F-019; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-019', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-019); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0.5, 2
Reference	pathways/FORMULA-REGISTER.json#F-019 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

20.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_019 : Formula<energy>
  definition "Valid only for evidenced constant capacitance."
  expression `E = 0.5*C*V^2`
  participants ["JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

20.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-019 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-020 - General stored energy

Exact expression

E = integral V(q)dq

Meaning. General charge-storage energy.
Bound manifestations. JP, MK
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_020
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK
Declaration	formula F-020 'General stored energy'
Definition	General charge-storage energy.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	E = integral V(q)dq
Statement	When typed inputs and evidence gates pass, evaluate F-020; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-020', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-020); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-020 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

21.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_020 : Formula<energy>
  definition "General charge-storage energy."
  expression `E = integral V(q)dq`
  participants ["JP", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

21.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-020 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-021 - Energy balance

Exact expression

$$r_E = E_in - \Delta E_storage - E_delivered - E_containment - E_loss$$

Meaning. Energy residual must be inside uncertainty.
Bound manifestations. MK, JO, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_021
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-021 "Energy balance"
Definition	Energy residual must be inside uncertainty.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$r_E = E_in - \Delta E_storage - E_delivered - E_containment - E_loss$
Statement	When typed inputs and evidence gates pass, evaluate F-021; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-021', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-021); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-021 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

22.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_021 : Formula<energy>
  definition "Energy residual must be inside uncertainty."
  expression `r_E = E_in - DeltaE_storage - E_delivered - E_containment - E_loss`
  participants ["MK", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

22.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-021 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-022 - Mass balance

Exact expression

$$r_M = M_initial + M_inputs - M_final - M_outputs$$

Meaning. Physical mass conservation.
Bound manifestations. MK, EVE, JO, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_022
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-022 'Mass balance'
Definition	Physical mass conservation.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$r_M = M_initial + M_inputs - M_final - M_outputs$
Statement	When typed inputs and evidence gates pass, evaluate F-022; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-022', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-022); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-022 and applicable family/product/representation white papers
Type	mass
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

23.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_022 : Formula<mass>
  definition "Physical mass conservation."
  expression `r_M = M_initial + M_inputs - M_final - M_outputs`
  participants ["MK", "EVE", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

23.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-022 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-023 - EVE screen balance

Exact expression

M_screen_in = M_captured + M_passed + M_retained + r_screen

Meaning. Screen capture never assumes perfect retention.
Bound manifestations. EVE, MK, JO, MERMAID
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_023
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-023 'EVE screen balance'
Definition	Screen capture never assumes perfect retention.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	EVE, MK, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	M_screen_in = M_captured + M_passed + M_retained + r_screen
Statement	When typed inputs and evidence gates pass, evaluate F-023; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-023', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-023); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-023 and applicable family/product/representation white papers
Type	mass
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

24.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_023 : Formula<mass>
  definition "Screen capture never assumes perfect retention."
  expression `M_screen_in = M_captured + M_passed + M_retained + r_screen`
  participants ["EVE", "MK", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

24.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-023 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-024 - EVE evaporation

Exact expression

M_evap = integral integral J_m dA dt

Meaning. Evaporative mass from flux across area and time.
Bound manifestations. EVE, MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_024
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-024 'EVE evaporation'
Definition	Evaporative mass from flux across area and time.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	EVE, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	M_evap = integral integral J_m dA dt
Statement	When typed inputs and evidence gates pass, evaluate F-024; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-024', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-024); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-024 and applicable family/product/representation white papers
Type	mass
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

25.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_024 : Formula<mass>
  definition "Evaporative mass from flux across area and time."
  expression `M_evap = integral integral J_m dA dt`
  participants ["EVE", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

25.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-024 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-025 - Upward force

Exact expression

$$F_z = qE_z + F_b - mg - D_z - F_{\text{contact}} - F_{\text{adhesion}}$$

Meaning. Upward motion requires positive conservative lower bound.
Bound manifestations. MK, EVE, BELLE
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_025
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.BELLE
Declaration	formula F-025 'Upward force'
Definition	Upward motion requires positive conservative lower bound.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, BELLE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$F_z = qE_z + F_b - mg - D_z - F_{\text{contact}} - F_{\text{adhesion}}$
Statement	When typed inputs and evidence gates pass, evaluate F-025; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: force; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-025', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-025); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-025 and applicable family/product/representation white papers
Type	force
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

26.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_025 : Formula<force>
  definition "Upward motion requires positive conservative lower bound."
  expression `F_z = qE_z + F_b - mg - D_z - F_contact - F_adhesion`
  participants ["MK", "EVE", "BELLE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

26.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-025 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-026 - Coordinate mapping

Exact expression

$$p_P(x,y,z)=o_P+x*a_P+y*b_P+z*c_P$$

Meaning. Normalized topology to profile physical coordinates.
Bound manifestations. JP, MK, BELLE, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_026
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,BELLE, MJ.PBMEF.Family,JO
Declaration	formula F-026 `Coordinate mapping`
Definition	Normalized topology to profile physical coordinates.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, BELLE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$p_P(x,y,z)=o_P+x*a_P+y*b_P+z*c_P$
Statement	When typed inputs and evidence gates pass, evaluate F-026; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: length vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-026', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-026); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-026 and applicable family/product/representation white papers
Type	length vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

27.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_026 : Formula<length vector>
  definition "Normalized topology to profile physical coordinates."
  expression `p_P(x,y,z)=o_P+x*a_P+y*b_P+z*c_P`
  participants ["JP", "MK", "BELLE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

27.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-026 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-027 - Sister physical umbrella count

Exact expression

$$N_U = \max_k \text{ceil}(E_k / ((1-h_k) * C_{Uk}))$$

Meaning. Canonical pre-Pearl physical containment count; requires measured profile-specific capacity and headroom.

Bound manifestations. SISTER, MK, JO, M3

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_027
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.M3
Declaration	formula F-027 'Sister physical umbrella count'
Definition	Canonical pre-Pearl physical containment count; requires measured profile-specific capacity and headroom.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, MK, JO, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$N_U = \max_k \text{ceil}(E_k / ((1-h_k) * C_{Uk}))$
Statement	When typed inputs and evidence gates pass, evaluate F-027; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: count; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-027', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-027); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-027 and applicable family/product/representation white papers
Type	count
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

28.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_027 : Formula<count>
  definition "Canonical pre-Pearl physical containment count; requires measured
  ↪ profile-specific capacity and headroom."
  expression `N_U = max_k ceil(E_k / ((1-h_k) * C_Uk))`
  participants ["SISTER", "MK", "JO", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

28.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-027 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-028 - Byte balance

Exact expression

r_B = B_alloc-B_active-B_released-B_retained-B_exported-B_compacted

Meaning. Discrete memory reconciliation requires zero residual unless transformed.
Bound manifestations. J0, M3, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_028
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MERMAID
Declaration	formula F-028 'Byte balance'
Definition	Discrete memory reconciliation requires zero residual unless transformed.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	J0, M3, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	r_B = B_alloc-B_active-B_released-B_retained-B_exported-B_compacted
Statement	When typed inputs and evidence gates pass, evaluate F-028; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: bytes; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-028', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-028); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-028 and applicable family/product/representation white papers
Type	bytes
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

29.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_028 : Formula<bytes>
  definition "Discrete memory reconciliation requires zero residual unless transformed."
  expression `r_B = B_alloc-B_active-B_released-B_retained-B_exported-B_compacted`
  participants ["J0", "M3", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

29.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-028 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-029 - Residual consequence

Exact expression

C_B = integral B_residual(t)dt

Meaning. Time-weighted residual memory consequence.
Bound manifestations. J0, M3, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_029
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.FamilyJO, MJ.PBMEF.FamilyM3, MJ.PBMEF.FamilyMERMAID
Declaration	formula F-029 'Residual consequence'
Definition	Time-weighted residual memory consequence.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, M3, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	C_B = integral B_residual(t)dt
Statement	When typed inputs and evidence gates pass, evaluate F-029; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: byte-seconds; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-029', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-029); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-029 and applicable family/product/representation white papers
Type	byte-seconds
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

30.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_029 : Formula<byte-seconds>
  definition "Time-weighted residual memory consequence."
  expression `C_B = integral B_residual(t)dt`
  participants ["JO", "M3", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

30.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-029 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-030 - Protected liquidity

Exact expression

L_protected_H = 0_near_H+R_emergency_H+R_tax_H+R_fees_H+U_cash_H

Meaning. Liquidity first.
Bound manifestations. SHIVA, MERMAID, MK, JO
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_030
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-030 'Protected liquidity'
Definition	Liquidity first.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	L_protected_H = 0_near_H+R_emergency_H+R_tax_H+R_fees_H+U_cash_H
Statement	When typed inputs and evidence gates pass, evaluate F-030; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-030', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-030); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-030 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

31.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_030 : Formula<currency>
  definition "Liquidity first."
  expression `L_protected_H = 0_near_H+R_emergency_H+R_tax_H+R_fees_H+U_cash_H`
  participants ["SHIVA", "MERMAID", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

31.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-030 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-031 - Investable surplus

Exact expression

S_investable_L = max(0,L_available_L-L_protected_H)

Meaning. Only surplus may enter risk analysis.
Bound manifestations. SHIVA, MERMAID, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_031
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-031 'Investable surplus'
Definition	Only surplus may enter risk analysis.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	S_investable_L = max(0,L_available_L-L_protected_H)
Statement	When typed inputs and evidence gates pass, evaluate F-031; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-031', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-031); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-031 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

32.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_031 : Formula<currency>
  definition "Only surplus may enter risk analysis."
  expression `S_investable_L = max(0,L_available_L-L_protected_H)`
  participants ["SHIVA", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

32.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-031 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-032 - Risk-capital ceiling

Exact expression

A_risk_max = min(S_investable_L,L_risk,L_product,L_regulatory,L_custody,L_concentration)

Meaning. Hard minimum across constraints.
Bound manifestations. SHIVA, MERMAID, MK, MJ
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_032
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.MJ
Declaration	formula F-032 'Risk-capital ceiling'
Definition	Hard minimum across constraints.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, MK, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	A_risk_max = min(S_investable_L,L_risk,L_product,L_regulatory,L_custody,L_concentration)
Statement	When typed inputs and evidence gates pass, evaluate F-032; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-032', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-032); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-032 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

33.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_032 : Formula<currency>
  definition "Hard minimum across constraints."
  expression `A_risk_max =
    ↵ min(S_investable_L,L_risk,L_product,L_regulatory,L_custody,L_concentration)`
  participants ["SHIVA", "MERMAID", "MK", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

33.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-032 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-033 - Portfolio concentration

Exact expression

C_i = abs(V_i_H)/V_portfolio_L

Meaning. Asset concentration.
Bound manifestations. SHIVA, MERMAID, JO
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_033
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-033 "Portfolio concentration"
Definition	Asset concentration.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	C_i = abs(V_i_H)/V_portfolio_L
Statement	When typed inputs and evidence gates pass, evaluate F-033; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-033', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-033); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-033 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

34.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_033 : Formula<ratio>
  definition "Asset concentration."
  expression `C_i = abs(V_i_H)/V_portfolio_L`
  participants ["SHIVA", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

34.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-033 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-034 - Portfolio variance

Exact expression

$$\text{sigma_p}^2 = \text{w}^T \text{Sigma w}$$

Meaning. Portfolio variance with evidenced covariance.
Bound manifestations. SHIVA, MERMAID, MK
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_034
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.MK
Declaration	formula F-034 'Portfolio variance'
Definition	Portfolio variance with evidenced covariance.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	$\text{sigma_p}^2 = \text{w}^T \text{Sigma w}$
Statement	When typed inputs and evidence gates pass, evaluate F-034; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: return^2 ; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-034', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-034); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-034 and applicable family/product/representation white papers
Type	return^2
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

35.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_034 : Formula<return^2>
  definition "Portfolio variance with evidenced covariance."
  expression `sigma_p^2 = w^T Sigma w`
  participants ["SHIVA", "MERMAID", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

35.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-034 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-035 - Capital friction

Exact expression

F_capital_H = fees+spread+slippage+tax+custody+compliance+latency

Meaning. Typed transactional friction.
Bound manifestations. MK, SHIVA, MERMAID
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_035
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID
Declaration	formula F-035 'Capital friction'
Definition	Typed transactional friction.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, SHIVA, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	F_capital_H = fees+spread+slippage+tax+custody+compliance+latency
Statement	When typed inputs and evidence gates pass, evaluate F-035; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-035', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-035); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-035 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

36.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_035 : Formula<currency>
  definition "Typed transactional friction."
  expression `F_capital_H = fees+spread+slippage+tax+custody+compliance+latency`
  participants ["MK", "SHIVA", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

36.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-035 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-036 - Opportunity lower bound

Exact expression

O_L = Return_L-F_capital_H-RiskPenalty_H-LiquidityPenalty_H-RegulatoryUncertainty_H

Meaning. Conservative opportunity result.
Bound manifestations. SHIVA, MK, MERMAID, MJ
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_036
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.MJ
Declaration	formula F-036 'Opportunity lower bound'
Definition	Conservative opportunity result.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MK, MERMAID, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	O_L = Return_L-F_capital_H-RiskPenalty_H-LiquidityPenalty_H-RegulatoryUncertainty_H
Statement	When typed inputs and evidence gates pass, evaluate F-036; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-036', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-036); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-036 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

37.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_036 : Formula<currency>
  definition "Conservative opportunity result."
  expression `O_L =
↵ Return_L-F_capital_H-RiskPenalty_H-LiquidityPenalty_H-RegulatoryUncertainty_H`
  participants ["SHIVA", "MK", "MERMAID", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

37.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-036 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-037 - Abundance objective

Exact expression

A = sum(alpha_i*P_i)-sum(beta_j*N_j)

Meaning. Only valid with precommitted weights and compatible scales.

Bound manifestations. SHIVA, MK, JO, MJ

Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_037
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MJ
Declaration	formula F-037 'Abundance objective'
Definition	Only valid with precommitted weights and compatible scales.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MK, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	A = sum(alpha_i*P_i)-sum(beta_j*N_j)
Statement	When typed inputs and evidence gates pass, evaluate F-037; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: declared score; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-037', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-037); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-037 and applicable family/product/representation white papers
Type	declared score
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

38.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_037 : Formula<declared score>
  definition "Only valid with precommitted weights and compatible scales."
  expression `A = sum(alpha_i*P_i)-sum(beta_j*N_j)`
  participants ["SHIVA", "MK", "JO", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

38.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-037 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-038 - SHIVAS eligible value

Exact expression

V_eligible_L=max(0,V_verified_L-L_known_H-U_valuation_H)

Meaning. Internal valuation lower bound.
Bound manifestations. SHIVA, MERMAID, JO
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_038
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-038 'SHIVAS eligible value'
Definition	Internal valuation lower bound.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	V_eligible_L=max(0,V_verified_L-L_known_H-U_valuation_H)
Statement	When typed inputs and evidence gates pass, evaluate F-038; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-038', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-038); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-038 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

39.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_038 : Formula<currency>
  definition "Internal valuation lower bound."
  expression `V_eligible_L=max(0,V_verified_L-L_known_H-U_valuation_H)`
  participants ["SHIVA", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

39.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-038 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-039 - SHIVAS ceiling

Exact expression

N_max=floor(V_eligible_L/B_unit_H)

Meaning. Only when backing, rights, classification, and evidence are known.
Bound manifestations. SHIVA, MERMAID, MJ
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_039
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.MJ
Declaration	formula F-039 'SHIVAS ceiling'
Definition	Only when backing, rights, classification, and evidence are known.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	N_max=floor(V_eligible_L/B_unit_H)
Statement	When typed inputs and evidence gates pass, evaluate F-039; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: count; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-039', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-039); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-039 and applicable family/product/representation white papers
Type	count
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

40.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_039 : Formula<count>
  definition "Only when backing, rights, classification, and evidence are known."
  expression `N_max=floor(V_eligible_L/B_unit_H)`
  participants ["SHIVA", "MERMAID", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

40.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-039 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-040 - MK state model

Exact expression

$$x[t+1]=F(x[t],u[t],\theta,e[t])+w[t];\; y[t]=H(x[t])+v[t]$$

Meaning. General physics state and observation representation.
Bound manifestations. MK, JP, J0
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_040
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.J0
Declaration	formula F-040 'MK state model'
Definition	General physics state and observation representation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JP, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$x[t+1]=F(x[t],u[t],\theta,e[t])+w[t];\; y[t]=H(x[t])+v[t]$
Statement	When typed inputs and evidence gates pass, evaluate F-040; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed state; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-040', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-040); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-040 and applicable family/product/representation white papers
Type	typed state
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

41.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_040 : Formula<typed state>
  definition "General physics state and observation representation."
  expression `x[t+1]=F(x[t],u[t],theta,e[t])+w[t]; y[t]=H(x[t])+v[t]`
  participants ["MK", "JP", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

41.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-040 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-041 - Dimensional integrity

Exact expression

dim(LHS)=dim(RHS)

Meaning. Every physical equality must be dimensionally valid.
Bound manifestations. MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_041
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-041 "Dimensional integrity"
Definition	Every physical equality must be dimensionally valid.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	dim(LHS)=dim(RHS)
Statement	When typed inputs and evidence gates pass, evaluate F-041; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimension equality; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-041', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-041); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-041 and applicable family/product/representation white papers
Type	dimension equality
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

42.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_041 : Formula<dimension equality>
  definition "Every physical equality must be dimensionally valid."
  expression `dim(LHS)=dim(RHS)`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

42.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-041 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-042 - Conservation residual

Exact expression

r_q=q_in-q_out-Deltaq-q_loss

Meaning. Pass only when $|r_q| \leq U_q$.
Bound manifestations. MK, JO, EVE, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_042
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID
Declaration	formula F-042 'Conservation residual'
Definition	Pass only when $ r_q \leq U_q$.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, EVE, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$r_q = q_{in} - q_{out} - \Delta q - q_{loss}$
Statement	When typed inputs and evidence gates pass, evaluate F-042; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: quantity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-042', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-042); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-042 and applicable family/product/representation white papers
Type	quantity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

43.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_042 : Formula<quantity>
  definition "Pass only when  $|r_q| \leq U_q$ ."
  expression `r_q=q_in-q_out-Deltaq-q_loss`
  participants ["MK", "JO", "EVE", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

43.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-042 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-043 - Pearl simulation ellipsoid volume

Exact expression

$$V_P=(4/3)*\pi*a*b*c$$

Meaning. Hypothetical pearl-shaped simulation geometry; no physical container or dimension claim.

Bound manifestations. MK, SISTER, EVE, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_043
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-043 'Pearl simulation ellipsoid volume'
Definition	Hypothetical pearl-shaped simulation geometry; no physical container or dimension claim.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, SISTER, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$V_P=(4/3)*\pi*a*b*c$
Statement	When typed inputs and evidence gates pass, evaluate F-043; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-043', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-043); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	4, 3
Reference	pathways/FORMULA-REGISTER.json#F-043 and applicable family/product/representation white papers
Type	volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

44.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_043 : Formula<volume>
  definition "Hypothetical pearl-shaped simulation geometry; no physical container or
  ↪ dimension claim."
  expression `V_P=(4/3)*pi*a*b*c`
  participants ["MK", "SISTER", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

44.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-043 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-044 - Pearl simulation surface-area approximation

Exact expression

$$A_P \sim 4 \pi * ((a^p * b^p + a^p * c^p + b^p * c^p) / 3)^{(1/p)}, \quad p = 1.6075$$

Meaning. Hypothetical simulation geometry approximation; no physical wall or surface claim.

Bound manifestations. MK, BELLE, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_044
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.BELLE, MJ.PBMEF.Family.JO
Declaration	formula F-044 "Pearl simulation surface-area approximation"
Definition	Hypothetical simulation geometry approximation; no physical wall or surface claim.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, BELLE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$A_P \sim 4 \pi * ((a^p * b^p + a^p * c^p + b^p * c^p) / 3)^{(1/p)}, \quad p = 1.6075$
Statement	When typed inputs and evidence gates pass, evaluate F-044; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: area; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-044', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-044); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	4, 3, 1, 1.6075
Reference	pathways/FORMULA-REGISTER.json#F-044 and applicable family/product/representation white papers
Type	area
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

45.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_044 : Formula<area>
  definition "Hypothetical simulation geometry approximation; no physical wall or surface
  ↵ claim."
  expression `A_P~4*pi*((a^p*b^p+a^p*c^p+b^p*c^p)/3)^(1/p), p=1.6075`
  participants ["MK", "BELLE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

45.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-044 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-045 - Pearl simulation exposure ratio

Exact expression

chi_P=A_P/V_P

Meaning. Simulation comparison metric only; not physical breach or exposure evidence.
Bound manifestations. MK, BELLE, EVE
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_045
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.BELLE, MJ.PBMEF.Family.EVE
Declaration	formula F-045 'Pearl simulation exposure ratio'
Definition	Simulation comparison metric only; not physical breach or exposure evidence.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, BELLE, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	chi_P=A_P/V_P
Statement	When typed inputs and evidence gates pass, evaluate F-045; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: 1/length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-045', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-045); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-045 and applicable family/product/representation white papers
Type	1/length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

46.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_045 : Formula<1/length>
  definition "Simulation comparison metric only; not physical breach or exposure evidence."
  expression `chi_P=A_P/V_P`
  participants ["MK", "BELLE", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

46.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-045 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-046 - Pearl simulation capacity slack

Exact expression

$$S_Pk=(1-h_Pk)*C_Pk-L_Pk$$

Meaning. Remaining typed simulation/information capacity after declared headroom.
Bound manifestations. SISTER, EVE, M3, MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_046
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK
Declaration	formula F-046 'Pearl simulation capacity slack'
Definition	Remaining typed simulation/information capacity after declared headroom.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, EVE, M3, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$S_Pk=(1-h_Pk)*C_Pk-L_Pk$
Statement	When typed inputs and evidence gates pass, evaluate F-046; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: quantity_k; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-046', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-046); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-046 and applicable family/product/representation white papers
Type	quantity_k
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

47.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_046 : Formula<quantity_k>
  definition "Remaining typed simulation/information capacity after declared headroom."
  expression `S_Pk=(1-h_Pk)*C_Pk-L_Pk`
  participants ["SISTER", "EVE", "M3", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

47.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-046 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-047 - Pearl simulation saturation ratio

Exact expression

$$\text{beta_P}=\text{max_k}(\text{L_Pk}/((1-\text{h_Pk})*\text{C_Pk}))$$

Meaning. Simulation saturation condition only; not physical breach resistance.

Bound manifestations. MK, ANGELS, BELLATRIX, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F 047
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.BELLATRIX, MJ.PBMEF.Family.JO
Declaration	formula F-047 'Pearl simulation saturation ratio'
Definition	Simulation saturation condition only; not physical breach resistance.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, ANGELS, BELLATRIX, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	beta_P=max_k(L_Pk/((1-h_Pk)*C_Pk))
Statement	When typed inputs and evidence gates pass, evaluate F-047; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-047', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-047); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-047 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

48.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_047 : Formula<ratio>
  definition "Simulation saturation condition only; not physical breach resistance."
  expression `beta_P=max_k(L_Pk/((1-h_Pk)*C_Pk))`
  participants ["MK", "ANGELS", "BELLATRIX", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

48.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-047 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-048 - Pearl simulation object count

Exact expression

$$N_P = \max_k \text{ ceil}(E_k / ((1 - h_Pk) * C_Pk))$$

Meaning. Number of hypothetical simulation objects needed for declared information/resource dimensions.

Bound manifestations. SISTER, EVE, M3, MK, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_048
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK
Declaration	formula F-048 'Pearl simulation object count'
Definition	Number of hypothetical simulation objects needed for declared information/resource dimensions.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, EVE, M3, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$N_P = \max_k \text{ ceil}(E_k / ((1 - h_Pk) * C_Pk))$
Statement	When typed inputs and evidence gates pass, evaluate F-048; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: count; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-048', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-048); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-048 and applicable family/product/representation white papers
Type	count
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

49.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_048 : Formula<count>
  definition "Number of hypothetical simulation objects needed for declared
  ↪ information/resource dimensions."
  expression `N_P=max_k ceil(E_k/((1-h_Pk)*C_Pk))`
  participants ["SISTER", "EVE", "M3", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

49.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-048 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-049 - Pearl simulation accounting balance

Exact expression

r_Pk=q_in-q_captured-q_transferred-q_retained-q_escaped-Deltaq_stored

Meaning. Simulation/accounting conservation across retained, transferred, escaped-observation, and stored information.

Bound manifestations. EVE, MK, J0, MERMAID

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_049
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.MERMAID
Declaration	formula F-049 'Pearl simulation accounting balance'
Definition	Simulation/accounting conservation across retained, transferred, escaped-observation, and stored information.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	EVE, MK, J0, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	r_Pk=q_in-q_captured-q_transferred-q_retained-q_escaped-Deltaq_stored
Statement	When typed inputs and evidence gates pass, evaluate F-049; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: quantity_k; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-049', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-049); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-049 and applicable family/product/representation white papers
Type	quantity_k
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

50.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_049 : Formula<quantity_k>
  definition "Simulation/accounting conservation across retained, transferred,
  ↵ escaped-observation, and stored information."
  expression `r_Pk=q_in-q_captured-q_transferred-q_retained-q_escaped-Deltaq_stored`
  participants ["EVE", "MK", "J0", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
```

}

50.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-049 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-050 - Pearl simulated transfer opportunity

Exact expression

$$T_{ij,k} = \min([S_{jk}]_+, [Q_{ik} - Q_{reserve_ik}]_+, C_{route_k})$$

Meaning. Simulated transfer opportunity bounded by declared logical capacities; no physical transfer.

Bound manifestations. SISTER, EVE, M3, MK, J0

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_050
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK
Declaration	formula F-050 'Pearl simulated transfer opportunity'
Definition	Simulated transfer opportunity bounded by declared logical capacities; no physical transfer.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, EVE, M3, MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	$T_{ij,k} = \min([S_{jk}]_+, [Q_{ik} - Q_{reserve_ik}]_+, C_{route_k})$
Statement	When typed inputs and evidence gates pass, evaluate F-050; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: quantity k; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-050', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-050); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-050 and applicable family/product/representation white papers
Type	quantity k
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

51.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_050 : Formula<quantity_k>
  definition "Simulated transfer opportunity bounded by declared logical capacities; no
  ↪ physical transfer."
  expression `T_ij,k=min([S_jk]_+, [Q_ik-Q_reserve_ik]_+,C_route_k)`
  participants ["SISTER", "EVE", "M3", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

51.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-050 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

MJ-PBMEF Pink Paper - Volume III
Formula Gateway Bindings F-051 through F-100

Michael Bangel - Author and Architect

August 2026

Contents

1

Verification method

5

2

F-051 - Pearl simulated regeneration vector

6

2.1

Gateway life-cycle example

6

2.2

Lifecycle from request to final output

7

3

F-052 - Pearl acoustic simulation wavelength

8

3.1

Gateway life-cycle example

8

3.2

Lifecycle from request to final output

9

4

F-053 - Pearl acoustic simulation intensity

10

4.1

Gateway life-cycle example

10

4.2

Lifecycle from request to final output

11

5

F-054 - Pearl acoustic simulation energy

12

5.1

Gateway life-cycle example

12

5.2

Lifecycle from request to final output

13

6

F-055 - Pearl acoustic simulation observability gate

14

6.1

Gateway life-cycle example

14

6.2

Lifecycle from request to final output

15

7

F-056 - Pearl acoustic simulation signal-to-noise

16

7.1

Gateway life-cycle example

16

7.2

Lifecycle from request to final output

17

8

F-057 - Pearl acoustic simulation transfer function

18

8.1

Gateway life-cycle example

18

8.2

Lifecycle from request to final output

19

9

F-058 - Pearl acoustic simulation setpoint

20

9.1

Gateway life-cycle example

20

9.2

Lifecycle from request to final output

21

10

F-059 - Bounded Pearl acoustic simulation adjustment

22

10.1

Gateway life-cycle example

22

10.2

Lifecycle from request to final output

23

11

F-060 - Pearl simulation registry reconciliation

24

11.1

Gateway life-cycle example

24

11.2

Lifecycle from request to final output

25

12

F-061 - Bangel Sheet cell state

26

12.1

Gateway life-cycle example

26

12.2

Lifecycle from request to final output

27

13

F-062 - Affected dependency closure

28

13.1

Gateway life-cycle example

28

13.2Lifecycle from request to final output	29
14F-063 - Incremental recompute cost	30
14.1Gateway life-cycle example	30
14.2Lifecycle from request to final output	31
15F-064 - Concurrent edit arrival	32
15.1Gateway life-cycle example	32
15.2Lifecycle from request to final output	33
16F-065 - Spreadsheet service utilization	34
16.1Gateway life-cycle example	34
16.2Lifecycle from request to final output	35
17F-066 - Spreadsheet worker requirement	36
17.1Gateway life-cycle example	36
17.2Lifecycle from request to final output	37
18F-067 - Recalculation latency	38
18.1Gateway life-cycle example	38
18.2Lifecycle from request to final output	39
19F-068 - Spreadsheet data cost	40
19.1Gateway life-cycle example	40
19.2Lifecycle from request to final output	41
20F-069 - Pearl simulation partition objective	42
20.1Gateway life-cycle example	42
20.2Lifecycle from request to final output	43
21F-070 - Sheet revision root	44
21.1Gateway life-cycle example	44
21.2Lifecycle from request to final output	45
22F-071 - Audit-particle completeness	46
22.1Gateway life-cycle example	46
22.2Lifecycle from request to final output	47
23F-072 - Iterative recalculation stability	48
23.1Gateway life-cycle example	48
23.2Lifecycle from request to final output	49
24F-073 - Revision conflict gate	50
24.1Gateway life-cycle example	50
24.2Lifecycle from request to final output	51
25F-074 - Freshness age	52
25.1Gateway life-cycle example	52
25.2Lifecycle from request to final output	53
26F-075 - Staleness gate	54
26.1Gateway life-cycle example	54
26.2Lifecycle from request to final output	55
27F-076 - Data-performance correlation	56
27.1Gateway life-cycle example	56
27.2Lifecycle from request to final output	57
28F-077 - Silo unification gate	58
28.1Gateway life-cycle example	58
28.2Lifecycle from request to final output	59

29F-078 - Formula verification residual	60
29.1 Gateway life-cycle example	60
29.2 Lifecycle from request to final output	61
30F-079 - Operational intake completeness	62
30.1 Gateway life-cycle example	62
30.2 Lifecycle from request to final output	63
31F-080 - Spreadsheet capacity gate	64
31.1 Gateway life-cycle example	64
31.2 Lifecycle from request to final output	65
32F-081 - First-noise rectangle height	66
32.1 Gateway life-cycle example	66
32.2 Lifecycle from request to final output	67
33F-082 - Reference gas density	68
33.1 Gateway life-cycle example	68
33.2 Lifecycle from request to final output	69
34F-083 - 24 mg reference volume	70
34.1 Gateway life-cycle example	70
34.2 Lifecycle from request to final output	71
35F-084 - Rectangle depth	72
35.1 Gateway life-cycle example	72
35.2 Lifecycle from request to final output	73
36F-085 - Cone height ratio	74
36.1 Gateway life-cycle example	74
36.2 Lifecycle from request to final output	75
37F-086 - Cone top-width ratio	76
37.1 Gateway life-cycle example	76
37.2 Lifecycle from request to final output	77
38F-087 - Cone area by height	78
38.1 Gateway life-cycle example	78
38.2 Lifecycle from request to final output	79
39F-088 - Cone partial volume	80
39.1 Gateway life-cycle example	80
39.2 Lifecycle from request to final output	81
40F-089 - Full conical-frustum volume	82
40.1 Gateway life-cycle example	82
40.2 Lifecycle from request to final output	83
41F-090 - Pearl cone-top anchor	84
41.1 Gateway life-cycle example	84
41.2 Lifecycle from request to final output	85
42F-091 - Observed gas mass	86
42.1 Gateway life-cycle example	86
42.2 Lifecycle from request to final output	87
43F-092 - Gas mass-flow from height	88
43.1 Gateway life-cycle example	88
43.2 Lifecycle from request to final output	89

44F-093 - Observed gas-height predictor	90
44.1 Gateway life-cycle example	90
44.2 Lifecycle from request to final output	91
45F-094 - Gas net-force balance	92
45.1 Gateway life-cycle example	92
45.2 Lifecycle from request to final output	93
46F-095 - Buoyancy force	94
46.1 Gateway life-cycle example	94
46.2 Lifecycle from request to final output	95
47F-096 - Drag force	96
47.1 Gateway life-cycle example	96
47.2 Lifecycle from request to final output	97
48F-097 - Flow continuity	98
48.1 Gateway life-cycle example	98
48.2 Lifecycle from request to final output	99
49F-098 - Residual reservoir capacity	100
49.1 Gateway life-cycle example	100
49.2 Lifecycle from request to final output	101
50F-099 - Umbrella/EVE/reservoir balance	102
50.1 Gateway life-cycle example	102
50.2 Lifecycle from request to final output	103
51F-100 - Containment modification predicate	104
51.1 Gateway life-cycle example	104
51.2 Lifecycle from request to final output	105

Document control

Project	MJos Predictive Model
Project ID	MJ - PBMEF - 001
Source build	MJ - PBMEF - DAY0 - R5 - REVIEW - CANDIDATE
Document ID	MJ - PBMEF - PINK - PAPER - 001 / VOL - III
Author and architect	Michael Bangel
Status	FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE
Scope	Formula-level gateway bindings for F-051 through F-100.

Claims ceiling

This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Verification method

Each formula receives the same twenty-construct Bangel identity, a gateway-stage assignment, a life-cycle example, and explicit evidence and ethics boundaries. The repetitive structure is intentional: it allows formula-by-formula founder review and later automated completeness checking.

F-051 - Pearl simulated regeneration vector

Exact expression

G_P=[G_mass,G_energy,G_bytes,G_time,G_capital]

Meaning. Hypothetical opportunity vector; creates no physical or capital value.

Bound manifestations. EVE, MERMAID, SHIVA, MK, JO

Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_051
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MK
Declaration	formula F-051 "Pearl simulated regeneration vector"
Definition	Hypothetical opportunity vector; creates no physical or capital value.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	EVE, MERMAID, SHIVA, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	G_P=[G_mass,G_energy,G_bytes,G_time,G_capital]
Statement	When typed inputs and evidence gates pass, evaluate F-051; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-051', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-051); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; MJ.receive; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-051 and applicable family/product/representation white papers
Type	typed vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

2.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_051 : Formula<typed vector>
  definition "Hypothetical opportunity vector; creates no physical or capital value."
  expression `G_P=[G_mass,G_energy,G_bytes,G_time,G_capital]`
  participants ["EVE", "MERMAID", "SHIVA", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receive(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

2.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-051 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-052 - Pearl acoustic simulation wave-length

Exact expression

lambda_ac=c_medium/f_control

Meaning. Acoustic simulation variable under declared medium assumptions; no cohesion claim.

Bound manifestations. MK, EVE, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_052
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-052 'Pearl acoustic simulation wavelength'
Definition	Acoustic simulation variable under declared medium assumptions; no cohesion claim.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	lambda_ac=c_medium/f_control
Statement	When typed inputs and evidence gates pass, evaluate F-052; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-052', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-052); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-052 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

3.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_052 : Formula<length>
  definition "Acoustic simulation variable under declared medium assumptions; no cohesion
  ↪ claim."
  expression `lambda_ac=c_medium/f_control`
  participants ["MK", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

3.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-052 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-053 - Pearl acoustic simulation intensity

Exact expression

$$I_{ac}=p_{rms}^2/(rho_medium*c_medium)$$

Meaning. Reference simulation intensity only; no physical actuation claim.

Bound manifestations. MK, EVE, J0

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_053
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.J0
Declaration	formula F-053 'Pearl acoustic simulation intensity'
Definition	Reference simulation intensity only; no physical actuation claim.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, EVE, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	$I_{ac}=p_{rms}^2/(rho_medium*c_medium)$
Statement	When typed inputs and evidence gates pass, evaluate F-053; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: power/area; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-053', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-053); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-053 and applicable family/product/representation white papers
Type	power/area
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

4.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_053 : Formula<power/area>
  definition "Reference simulation intensity only; no physical actuation claim."
  expression `I_ac=p_rms^2/(rho_medium*c_medium)`
  participants ["MK", "EVE", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

4.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-053 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-054 - Pearl acoustic simulation energy

Exact expression

E_ac=integral(I_ac*A_effective)dt

Meaning. Hypothetical energy accounting for a future separately permitted experiment.
Bound manifestations. MK, EVE, MERMAID, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_054
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-054 'Pearl acoustic simulation energy'
Definition	Hypothetical energy accounting for a future separately permitted experiment.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	E_ac=integral(I_ac*A_effective)dt
Statement	When typed inputs and evidence gates pass, evaluate F-054; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-054', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-054); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-054 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

5.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_054 : Formula<energy>
  definition "Hypothetical energy accounting for a future separately permitted experiment."
  expression `E_ac=integral(I_ac*A_effective)dt`
  participants ["MK", "EVE", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

5.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-054 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-055 - Pearl acoustic simulation observability gate

Exact expression

f_sample>=2*gamma*f_control AND f_control in calibrated_band AND SNR_f>=SNR_min

Meaning. Simulation input must be measurable to be accounted for; observability is not actuation.

Bound manifestations. MK, JO, ANGELS

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_055
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.ANGELS
Declaration	formula F-055 'Pearl acoustic simulation observability gate'
Definition	Simulation input must be measurable to be accounted for; observability is not actuation.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	MK, JO, ANGELS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	f_sample>=2*gamma*f_control AND f_control in calibrated_band AND SNR_f>=SNR_min
Statement	When typed inputs and evidence gates pass, evaluate F-055; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-055', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-055); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-055 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

6.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_055 : Formula<logical>
  definition "Simulation input must be measurable to be accounted for; observability is not
  ↪ actuation."
  expression `f_sample>=2*gamma*f_control AND f_control in calibrated_band AND
  ↪ SNR_f>=SNR_min`
  participants ["MK", "JO", "ANGELS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
```

}

6.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-055 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-056 - Pearl acoustic simulation signal-to-noise

Exact expression

SNR_f=P_signal(f)/P_noise(f)

Meaning. Simulation signal-to-noise ratio; advisory and non-authorizing.

Bound manifestations. MK, SISTER, EVE, JO

Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_056
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-056 'Pearl acoustic simulation signal-to-noise'
Definition	Simulation signal-to-noise ratio; advisory and non-authorizing.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, SISTER, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	SNR_f=P_signal(f)/P_noise(f)
Statement	When typed inputs and evidence gates pass, evaluate F-056; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-056', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-056); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-056 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

7.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_056 : Formula<ratio>
  definition "Simulation signal-to-noise ratio; advisory and non-authorizing."
  expression `SNR_f=P_signal(f)/P_noise(f)`
  participants ["MK", "SISTER", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

7.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-056 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-057 - Pearl acoustic simulation transfer function

Exact expression

$$H_P(f)=Y_P(f)/U_P(f)$$

Meaning. Hypothetical or measured-later response mapping; no physical Pearl article exists.

Bound manifestations. MK, EVE, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_057
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-057 'Pearl acoustic simulation transfer function'
Definition	Hypothetical or measured-later response mapping; no physical Pearl article exists.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$H_P(f)=Y_P(f)/U_P(f)$
Statement	When typed inputs and evidence gates pass, evaluate F-057; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: output/input; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-057', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-057); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-057 and applicable family/product/representation white papers
Type	output/input
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

8.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_057 : Formula<output/input>
  definition "Hypothetical or measured-later response mapping; no physical Pearl article
↵ exists."
  expression `H_P(f)=Y_P(f)/U_P(f)`
  participants ["MK", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

8.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-057 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-058 - Pearl acoustic simulation set-point

Exact expression

$$f^* = \operatorname{argmin}_{\{f \text{ in } F_{\text{safe}}\}} (J_{\text{breach}} + \lambda E_{\text{ac}} + \lambda T_{\text{transfer}})$$

Meaning. Simulation candidate only; no physical control setpoint.

Bound manifestations. MK, BELLE, JO, MJ

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_058
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.BELLE, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MJ
Declaration	formula F-058 'Pearl acoustic simulation setpoint'
Definition	Simulation candidate only; no physical control setpoint.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, BELLE, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$f^* = \operatorname{argmin}_{\{f \text{ in } F_{\text{safe}}\}} (J_{\text{breach}} + \lambda E_{\text{ac}} + \lambda T_{\text{transfer}})$
Statement	When typed inputs and evidence gates pass, evaluate F-058; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: frequency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-058', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-058); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-058 and applicable family/product/representation white papers
Type	frequency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

9.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_058 : Formula<frequency>
  definition "Simulation candidate only; no physical control setpoint."
  expression `f*=argmin_{f in F_safe}(J_breach+lambda_E*E_ac+lambda_T*T_transfer)`
  participants ["MK", "BELLE", "JO", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

9.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-058 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-059 - Bounded Pearl acoustic simulation adjustment

Exact expression

f_next=clip((2/3)f+(1/3)f_target,f-df_max,f+df_max,f_min,f_max)

Meaning. One-third-damped simulation update only.

Bound manifestations. MK, J0, M3

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_059
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3
Declaration	formula F-059 'Bounded Pearl acoustic simulation adjustment'
Definition	One-third-damped simulation update only.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, J0, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	f_next=clip((2/3)f+(1/3)f_target,f-df_max,f+df_max,f_min,f_max)
Statement	When typed inputs and evidence gates pass, evaluate F-059; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: frequency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-059', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-059); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2, 3, 1
Reference	pathways/FORMULA-REGISTER.json#F-059 and applicable family/product/representation white papers
Type	frequency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

10.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_059 : Formula<frequency>
  definition "One-third-damped simulation update only."
  expression `f_next=clip((2/3)f+(1/3)f_target,f-df_max,f+df_max,f_min,f_max)`
  participants ["MK", "J0", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

10.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-059 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-060 - Pearl simulation registry reconciliation

Exact expression

r_registry=N_allocated+N_received-N_transferred-N_closed-N_active

Meaning. Registry count reconciliation for simulation records, not physical containers.
Bound manifestations. MERMAID, SHIVA, M3, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_060
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.JO
Declaration	formula F-060 'Pearl simulation registry reconciliation'
Definition	Registry count reconciliation for simulation records, not physical containers.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MERMAID, SHIVA, M3, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	r_registry=N_allocated+N_received-N_transferred-N_closed-N_active
Statement	When typed inputs and evidence gates pass, evaluate F-060; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: count; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-060', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JPMK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-060); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-060 and applicable family/product/representation white papers
Type	count
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

11.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_060 : Formula<count>
  definition "Registry count reconciliation for simulation records, not physical containers."
  expression `r_registry=N_allocated+N_received-N_transferred-N_closed-N_active`
  participants ["MERMAID", "SHIVA", "M3", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

11.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-060 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-061 - Bangel Sheet cell state

Exact expression

C_ij=<value,unit,uncertainty,formula,revision,lineage,authority,evidence>

Meaning. Every cell is a governed measurement object, not an untyped mutable value.

Bound manifestations. Bangel , JP, MK, JO

Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_061
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-061 "Bangel Sheet cell state"
Definition	Every cell is a governed measurement object, not an untyped mutable value.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	Bangel , JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	C_ij=<value,unit,uncertainty,formula,revision,lineage,authority,evidence>
Statement	When typed inputs and evidence gates pass, evaluate F-061; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed object; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-061', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-061); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-061 and applicable family/product/representation white papers
Type	typed object
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

12.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_061 : Formula<typed object>
  definition "Every cell is a governed measurement object, not an untyped mutable value."
  expression `C_ij=<value,unit,uncertainty,formula,revision,lineage,authority,evidence>`
  participants ["Bangel ", "JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

12.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-061 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-062 - Affected dependency closure

Exact expression

A(U)=Reachable_G(U)

Meaning. Only cells reachable from changed cells are eligible for incremental recomputation.

Bound manifestations. JP, JO, M3

Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_062
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.FamilyJP, MJ.PBMEF.FamilyJO, MJ.PBMEF.FamilyM3
Declaration	formula F-062 'Affected dependency closure'
Definition	Only cells reachable from changed cells are eligible for incremental recomputation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, JO, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	A(U)=Reachable_G(U)
Statement	When typed inputs and evidence gates pass, evaluate F-062; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: cell set; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-062', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-062); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-062 and applicable family/product/representation white papers
Type	cell set
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

13.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_062 : Formula<cell set>
  definition "Only cells reachable from changed cells are eligible for incremental
↵ recomputation."
  expression `A(U)=Reachable_G(U)`
  participants ["JP", "JO", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

13.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-062 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-063 - Incremental recompute cost

Exact expression

C_recalc=sum_{v in A}c_v+sum_{e in E(A)}t_e

Meaning. Measured compute and transfer work for an affected dependency closure.
Bound manifestations. MK, JO, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_063
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-063 'Incremental recompute cost'
Definition	Measured compute and transfer work for an affected dependency closure.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	C_recalc=sum_{v in A}c_v+sum_{e in E(A)}t_e
Statement	When typed inputs and evidence gates pass, evaluate F-063; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: work units; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-063', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-063); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-063 and applicable family/product/representation white papers
Type	work units
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

14.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_063 : Formula<work units>
  definition "Measured compute and transfer work for an affected dependency closure."
  expression `C_recalc=sum_{v in A}c_v+sum_{e in E(A)}t_e`
  participants ["MK", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

14.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-063 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-064 - Concurrent edit arrival

Exact expression

lambda_total=N_users*lambda_user

Meaning. Aggregate update arrival rate from measured concurrent-user activity.
Bound manifestations. J0, M3, MK
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_064
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK
Declaration	formula F-064 'Concurrent edit arrival'
Definition	Aggregate update arrival rate from measured concurrent-user activity.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JO, M3, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	lambda_total=N_users*lambda_user
Statement	When typed inputs and evidence gates pass, evaluate F-064; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: operations/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-064', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-064); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-064 and applicable family/product/representation white papers
Type	operations/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

15.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_064 : Formula<operations/time>
  definition "Aggregate update arrival rate from measured concurrent-user activity."
  expression `lambda_total=N_users*lambda_user`
  participants ["J0", "M3", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

15.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-064 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-065 - Spreadsheet service utilization

Exact expression

rho=lambda_total/(W*mu_worker)

Meaning. Capacity utilization for W deterministic workers.

Bound manifestations. J0, M3, MK

Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_065
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.FamilyJO, MJ.PBMEF.FamilyM3, MJ.PBMEF.FamilyMK
Declaration	formula F-065 'Spreadsheet service utilization'
Definition	Capacity utilization for W deterministic workers.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, M3, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	rho=lambda_total/(W*mu_worker)
Statement	When typed inputs and evidence gates pass, evaluate F-065; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-065', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-065); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-065 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

16.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_065 : Formula<ratio>
  definition "Capacity utilization for W deterministic workers."
  expression `rho=lambda_total/(W*mu_worker)`
  participants ["J0", "M3", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

16.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-065 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-066 - Spreadsheet worker requirement

Exact expression

$$W_{min} = \text{ceil}(\lambda_{total} / (\rho_{max} \cdot \mu_{worker}))$$

Meaning. Minimum worker count for a precommitted utilization ceiling.

Bound manifestations. J0, M3, MJOS

Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_066
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MJOS
Declaration	formula F-066 'Spreadsheet worker requirement'
Definition	Minimum worker count for a precommitted utilization ceiling.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, M3, MJOS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	$W_{min} = \text{ceil}(\lambda_{total} / (\rho_{max} \cdot \mu_{worker}))$
Statement	When typed inputs and evidence gates pass, evaluate F-066; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: count; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-066', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-066); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-066 and applicable family/product/representation white papers
Type	count
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

17.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_066 : Formula<count>
  definition "Minimum worker count for a precommitted utilization ceiling."
  expression `W_min=ceil(lambda_total/(rho_max*mu_worker))`
  participants ["JO", "M3", "MJOS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

17.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-066 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-067 - Recalculation latency

Exact expression

T_recalc=T_parse+T_dependency+max_p(T_partition,p)+T_commit

Meaning. End-to-end recalculation latency across logical Pearl simulation partitions.

Bound manifestations. MK, J0, M3

Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_067
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.M3
Declaration	formula F-067 "Recalculation latency"
Definition	End-to-end recalculation latency across logical Pearl simulation partitions.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	T_recalc=T_parse+T_dependency+max_p(T_partition,p)+T_commit
Statement	When typed inputs and evidence gates pass, evaluate F-067; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-067', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-067); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-067 and applicable family/product/representation white papers
Type	time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

18.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_067 : Formula<time>
  definition "End-to-end recalculation latency across logical Pearl simulation partitions."
  expression `T_recalc=T_parse+T_dependency+max_p(T_partition,p)+T_commit`
  participants ["MK", "J0", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

18.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-067 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-068 - Spreadsheet data cost

Exact expression

C_data=B_store*c_store+B_transfer*c_transfer+t_cpu*c_cpu

Meaning. Storage, transfer, and compute cost remain separately evidenced before aggregation.
Bound manifestations. MERMAID, SHIVA, MK, JO
Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_068
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-068 'Spreadsheet data cost'
Definition	Storage, transfer, and compute cost remain separately evidenced before aggregation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MERMAID, SHIVA, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	C_data=B_store*c_store+B_transfer*c_transfer+t_cpu*c_cpu
Statement	When typed inputs and evidence gates pass, evaluate F-068; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: cost unit; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-068', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-068); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-068 and applicable family/product/representation white papers
Type	cost unit
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

19.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_068 : Formula<cost unit>
  definition "Storage, transfer, and compute cost remain separately evidenced before
  ↵ aggregation."
  expression `C_data=B_store*c_store+B_transfer*c_transfer+t_cpu*c_cpu`
  participants ["MERMAID", "SHIVA", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

19.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-068 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-069 - Pearl simulation partition objective

Exact expression

J_partition=alpha*max_p(L_p)+beta*sum_cut(w_e)+gamma*R_breach+delta*R_stale

Meaning. Logical partition objective with precommitted weights; breach term is simulation risk, not physical containment.

Bound manifestations. JP, MK, J0, SISTER

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_069
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.SISTER
Declaration	formula F-069 'Pearl simulation partition objective'
Definition	Logical partition objective with precommitted weights; breach term is simulation risk, not physical containment.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, MK, J0, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	J_partition=alpha*max_p(L_p)+beta*sum_cut(w_e)+gamma*R_breach+delta*R_stale
Statement	When typed inputs and evidence gates pass, evaluate F-069; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: declared score; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-069', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-069); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-069 and applicable family/product/representation white papers
Type	declared score
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

20.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_069 : Formula<declared score>
  definition "Logical partition objective with precommitted weights; breach term is
  ↪ simulation risk, not physical containment."
  expression `J_partition=alpha*max_p(L_p)+beta*sum_cut(w_e)+gamma*R_breach+delta*R_stale`
  participants ["JP", "MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
```

}

20.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-069 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-070 - Sheet revision root

Exact expression

H_rev=SHA256(parent_root||canonical_deltas||policy_epoch)

Meaning. Every committed change creates immutable content-addressed lineage.

Bound manifestations. Bangel , JP, JO, MERMAID

Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_070
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JP, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-070 'Sheet revision root'
Definition	Every committed change creates immutable content-addressed lineage.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	Bangel , JP, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	H_rev=SHA256(parent_root canonical_deltas policy_epoch)
Statement	When typed inputs and evidence gates pass, evaluate F-070; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: digest; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-070', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-070); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	56
Reference	pathways/FORMULA-REGISTER.json#F-070 and applicable family/product/representation white papers
Type	digest
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

21.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_070 : Formula<digest>
  definition "Every committed change creates immutable content-addressed lineage."
  expression `H_rev=SHA256(parent_root||canonical_deltas||policy_epoch)`
  participants ["Bangel ", "JP", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

21.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-070 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-071 - Audit-particle completeness

Exact expression

AuditPass=AND(required_fields_present,receipts_valid)

Meaning. A critical spreadsheet command fails closed when its audit particle is incomplete.
Bound manifestations. J0, ANGELS, BELLATRIX, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_071
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.BELLATRIX, MJ.PBMEF.Family.MERMAID
Declaration	formula F-071 'Audit-particle completeness'
Definition	A critical spreadsheet command fails closed when its audit particle is incomplete.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	J0, ANGELS, BELLATRIX, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	AuditPass=AND(required_fields_present,receipts_valid)
Statement	When typed inputs and evidence gates pass, evaluate F-071; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-071', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-071); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-071 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

22.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_071 : Formula<logical>
  definition "A critical spreadsheet command fails closed when its audit particle is
  ↪ incomplete."
  expression `AuditPass=AND(required_fields_present,receipts_valid)`
  participants ["J0", "ANGELS", "BELLATRIX", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

22.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-071 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-072 - Iterative recalculation stability

Exact expression

spectral_radius(J_F)<1

Meaning. Declared iterative formulas require an evidenced locally stable fixed-point regime.
Bound manifestations. JP, MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_072
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-072 "Iterative recalculation stability"
Definition	Declared iterative formulas require an evidenced locally stable fixed-point regime.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	spectral_radius(J_F)<1
Statement	When typed inputs and evidence gates pass, evaluate F-072; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-072', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-072); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-072 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

23.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_072 : Formula<logical>
  definition "Declared iterative formulas require an evidenced locally stable fixed-point regime."
  expression `spectral_radius(J_F)<1`
  participants ["JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

23.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-072 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-073 - Revision conflict gate

Exact expression

base_revision=head_revision OR valid_merge_receipt

Meaning. Stale writes cannot silently overwrite a newer revision.
Bound manifestations. Bangel , JO, ANGELS
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_073
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JO, MJ.PBMEF.Family.ANGELS
Declaration	formula F-073 'Revision conflict gate'
Definition	Stale writes cannot silently overwrite a newer revision.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , JO, ANGELS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	base_revision=head_revision OR valid_merge_receipt
Statement	When typed inputs and evidence gates pass, evaluate F-073; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-073', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-073); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-073 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

24.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_073 : Formula<logical>
  definition "Stale writes cannot silently overwrite a newer revision."
  expression `base_revision=head_revision OR valid_merge_receipt`
  participants ["Bangel ", "JO", "ANGELS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

24.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-073 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-074 - Freshness age

Exact expression

Age=now-observed_at

Meaning. Age of a source observation or derived cell.
Bound manifestations. J0, MK, SISTER
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_074
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER
Declaration	formula F-074 'Freshness age'
Definition	Age of a source observation or derived cell.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	J0, MK, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	Age=now-observed_at
Statement	When typed inputs and evidence gates pass, evaluate F-074; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-074', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-074); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-074 and applicable family/product/representation white papers
Type	time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

25.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_074 : Formula<time>
  definition "Age of a source observation or derived cell."
  expression `Age=now-observed_at`
  participants ["J0", "MK", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

25.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-074 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-075 - Staleness gate

Exact expression

Age<=freshness_limit

Meaning. A cell is current only inside its declared freshness policy.
Bound manifestations. JO, ANGELS, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_075
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.MERMAID
Declaration	formula F-075 'Staleness gate'
Definition	A cell is current only inside its declared freshness policy.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	JO, ANGELS, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	Age<=freshness_limit
Statement	When typed inputs and evidence gates pass, evaluate F-075; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-075', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-075); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-075 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

26.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_075 : Formula<logical>
  definition "A cell is current only inside its declared freshness policy."
  expression `Age<=freshness_limit`
  participants ["JO", "ANGELS", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

26.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-075 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-076 - Data-performance correlation

Exact expression

$$r_{xy} = \text{Cov}(X, Y) / (\sigma_x * \sigma_y)$$

Meaning. Descriptive correlation between data characteristics and performance; not a causal claim.
Bound manifestations. MK, JO, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_076
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-076 "Data-performance correlation"
Definition	Descriptive correlation between data characteristics and performance; not a causal claim.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$r_{xy} = \text{Cov}(X, Y) / (\sigma_x * \sigma_y)$
Statement	When typed inputs and evidence gates pass, evaluate F-076; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-076', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-076); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-076 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

27.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_076 : Formula<ratio>
  definition "Descriptive correlation between data characteristics and performance; not a
  ↪ causal claim."
  expression `r_xy=Cov(X,Y)/(sigma_x*sigma_y)`
  participants ["MK", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

27.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-076 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-077 - Silo unification gate

Exact expression

UnifiedMetric=SameMeaning AND SameUnit AND SamePeriod AND SameAuthority AND SameLineage

Meaning. Departmental sources unify only when semantic, unit, period, authority, and lineage conditions agree.

Bound manifestations. ELSA, JP, JO, MERMAID

Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_077
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.ELSA, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-077 'Silo unification gate'
Definition	Departmental sources unify only when semantic, unit, period, authority, and lineage conditions agree.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	ELSA, JP, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	UnifiedMetric=SameMeaning AND SameUnit AND SamePeriod AND SameAuthority AND SameLineage
Statement	When typed inputs and evidence gates pass, evaluate F-077; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-077', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-077); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-077 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

28.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_077 : Formula<logical>
  definition "Departmental sources unify only when semantic, unit, period, authority, and
  ↳ lineage conditions agree."
  expression `UnifiedMetric=SameMeaning AND SameUnit AND SamePeriod AND SameAuthority AND
  ↳ SameLineage`
  participants ["ELSA", "JP", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

28.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-077 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-078 - Formula verification residual

Exact expression

r_formula=y_reported-y_recomputed

Meaning. Silent formula corruption is detected by independent deterministic recomputation.
Bound manifestations. J0, MK, ANGELS
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_078
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.ANGELS
Declaration	formula F-078 'Formula verification residual'
Definition	Silent formula corruption is detected by independent deterministic recomputation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, MK, ANGELS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	r_formula=y_reported-y_recomputed
Statement	When typed inputs and evidence gates pass, evaluate F-078; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: output unit; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-078', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-078); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-078 and applicable family/product/representation white papers
Type	output unit
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

29.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_078 : Formula<output unit>
  definition "Silent formula corruption is detected by independent deterministic
↵ recomputation."
  expression `r_formula=y_reported-y_recomputed`
  participants ["JO", "MK", "ANGELS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

29.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-078 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-079 - Operational intake completeness

Exact expression

IntakePass=process_defined AND users_known AND workload_known AND SLA_known AND authority_known

Meaning. Scaling work begins only after the process, concurrency, workload, service target, and authority are explicit.

Bound manifestations. Bangel , ELSA, JP, JO, MJ

Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_079
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.ELSA, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.JO
Declaration	formula F-079 'Operational intake completeness'
Definition	Scaling work begins only after the process, concurrency, workload, service target, and authority are explicit.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , ELSA, JP, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	IntakePass=process_defined AND users_known AND workload_known AND SLA_known AND authority_known
Statement	When typed inputs and evidence gates pass, evaluate F-079; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-079', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-079); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-079 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

30.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_079 : Formula<logical>
  definition "Scaling work begins only after the process, concurrency, workload, service
  ↪ target, and authority are explicit."
  expression `IntakePass=process_defined AND users_known AND workload_known AND SLA_known
  ↪ AND authority_known`
  participants ["Bangel ", "ELSA", "JP", "JO", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
```

```
    output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

30.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-079 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-080 - Spreadsheet capacity gate

Exact expression

lambda_total<=rho_max*sum_p(mu_p) AND memory_required<=memory_available AND
↪ cross_partition_edges<=cut_limit

Meaning. Admission requires throughput, memory, and partition-boundary capacity to pass together.
Bound manifestations. MK, JO, M3, SISTER, MJOS
Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_080
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.SISTER
Declaration	formula F-080 'Spreadsheet capacity gate'
Definition	Admission requires throughput, memory, and partition-boundary capacity to pass together.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	MK, JO, M3, SISTER, MJOS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	lambda_total<=rho_max*sum_p(mu_p) AND memory_required<=memory_available AND cross_partition_edges<=cut_limit
Statement	When typed inputs and evidence gates pass, evaluate F-080; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-080', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-080); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-080 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED.CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

31.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {  
  import MJ.PBMEF.Manifest  
  import MJ.PBMEF.Formulas  
  declaration F_080 : Formula<logical>  
  definition "Admission requires throughput, memory, and partition-boundary capacity to pass  
  ↪ together."  
  expression `lambda_total<=rho_max*sum_p(mu_p) AND memory_required<=memory_available AND  
  ↪ cross_partition_edges<=cut_limit`  
  participants ["MK", "JO", "M3", "SISTER", "MJOS"]  
  constraint UNKNOWN != 0  
  constraint authority == MJ.only  
  directive JP.represent -> MK.classify -> JO.verify  
  directive N1.allocate when resource_path_applicable  
  directive M3.route when handoff_applicable  
  directive Mermaid.reconcile when balance_applicable  
  directive Shiva.analyze when capital_applicable  
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)  
}
```

31.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-080 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-081 - First-noise rectangle height

Exact expression

H_R=h_noise,1

Meaning. Rectangle maximum height is the first validated noise-detection plane.
Bound manifestations. SISTER, MK, JO
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_081
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-081 'First-noise rectangle height'
Definition	Rectangle maximum height is the first validated noise-detection plane.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	H_R=h_noise,1
Statement	When typed inputs and evidence gates pass, evaluate F-081; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-081', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-081); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-081 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

32.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_081 : Formula<length>
  definition "Rectangle maximum height is the first validated noise-detection plane."
  expression `H_R=h_noise,1`
  participants ["SISTER", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

32.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-081 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-082 - Reference gas density

Exact expression

rho_g=P*M/(Z*R*T)

Meaning. Actual gas density depends on measured pressure, temperature, molar mass, and compressibility.

Bound manifestations. MK, J0, JP

Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_082
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.JP
Declaration	formula F-082 'Reference gas density'
Definition	Actual gas density depends on measured pressure, temperature, molar mass, and compressibility.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0, JP
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	rho_g=P*M/(Z*R*T)
Statement	When typed inputs and evidence gates pass, evaluate F-082; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass/volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-082', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JPrepresent(F-082); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-082 and applicable family/product/representation white papers
Type	mass/volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

33.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_082 : Formula<mass/volume>
  definition "Actual gas density depends on measured pressure, temperature, molar mass, and
  ↵ compressibility."
  expression `rho_g=P*M/(Z*R*T)`
  participants ["MK", "J0", "JP"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

33.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-082 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-083 - 24 mg reference volume

Exact expression

V_24=m_24/rho_ref

Meaning. 24 mg defines a reference gas volume under a declared state and does not replace the 23 mg floor.

Bound manifestations. JP, MK, J0

Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_083
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,J0
Declaration	formula F-083 '24 mg reference volume'
Definition	24 mg defines a reference gas volume under a declared state and does not replace the 23 mg floor.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	V_24=m_24/rho_ref
Statement	When typed inputs and evidence gates pass, evaluate F-083; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-083', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-083); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	4
Reference	pathways/FORMULA-REGISTER.json#F-083 and applicable family/product/representation white papers
Type	volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

34.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_083 : Formula<volume>
  definition "24 mg defines a reference gas volume under a declared state and does not
  ↪ replace the 23 mg floor."
  expression `V_24=m_24/rho_ref`
  participants ["JP", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

34.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-083 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-084 - Rectangle depth

Exact expression

D_R=V_24/(W_R*H_R)

Meaning. Reference depth adapts to measured height and declared width.
Bound manifestations. SISTER, MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_084
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-084 'Rectangle depth'
Definition	Reference depth adapts to measured height and declared width.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	D_R=V_24/(W_R*H_R)
Statement	When typed inputs and evidence gates pass, evaluate F-084; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-084', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-084); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	4
Reference	pathways/FORMULA-REGISTER.json#F-084 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

35.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_084 : Formula<length>
  definition "Reference depth adapts to measured height and declared width."
  expression `D_R=V_24/(W_R*H_R)`
  participants ["SISTER", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

35.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-084 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-085 - Cone height ratio

Exact expression

H_C=k_H*H_R; k_H,std=2

Meaning. Standard cone height is twice rectangle height.
Bound manifestations. JP, MK, J0
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_085
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,JO
Declaration	formula F-085 'Cone height ratio'
Definition	Standard cone height is twice rectangle height.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	H_C=k_H*H_R; k_H,std=2
Statement	When typed inputs and evidence gates pass, evaluate F-085; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-085', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-085); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-085 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

36.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_085 : Formula<length>
  definition "Standard cone height is twice rectangle height."
  expression `H_C=k_H*H_R; k_H,std=2`
  participants ["JP", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

36.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-085 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-086 - Cone top-width ratio

Exact expression

$$W_T=k_WW_B; k_W, std=2$$

Meaning. Standard top characteristic width is twice bottom width.
Bound manifestations. JP, MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_086
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,JO
Declaration	formula F-086 'Cone top-width ratio'
Definition	Standard top characteristic width is twice bottom width.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$W_T=k_WW_B; k_W, std=2$
Statement	When typed inputs and evidence gates pass, evaluate F-086; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-086', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-086); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-086 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

37.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_086 : Formula<length>
  definition "Standard top characteristic width is twice bottom width."
  expression `W_T=k_WW_B; k_W,std=2`
  participants ["JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

37.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-086 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-087 - Cone area by height

Exact expression

$$A(z)=A_B*(1+(k_W-1)*z/H_C)^2$$

Meaning. Similar-section conical expansion area.
Bound manifestations. MK, J0, SISTER
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_087
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.SISTER
Declaration	formula F-087 "Cone area by height"
Definition	Similar-section conical expansion area.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$A(z)=A_B*(1+(k_W-1)*z/H_C)^2$
Statement	When typed inputs and evidence gates pass, evaluate F-087; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: area; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-087', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel, begin; R1.predict; JP.represent(F-087); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1, 2
Reference	pathways/FORMULA-REGISTER.json#F-087 and applicable family/product/representation white papers
Type	area
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

38.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_087 : Formula<area>
  definition "Similar-section conical expansion area."
  expression `A(z)=A_B*(1+(k_W-1)*z/H_C)^2`
  participants ["MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

38.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-087 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-088 - Cone partial volume

Exact expression

$$V_C(z)=A_B*(z+(k_W-1)z^2/H_C+(k_W-1)^2*z^3/(3H_C^2))$$

Meaning. Volume up to observed gas height.
Bound manifestations. MK, JO, SISTER
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_088
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.SISTER
Declaration	formula F-088 'Cone partial volume'
Definition	Volume up to observed gas height.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$V_C(z)=A_B*(z+(k_W-1)z^2/H_C+(k_W-1)^2*z^3/(3H_C^2))$
Statement	When typed inputs and evidence gates pass, evaluate F-088; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-088', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-088); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1, 2, 3
Reference	pathways/FORMULA-REGISTER.json#F-088 and applicable family/product/representation white papers
Type	volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

39.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_088 : Formula<volume>
  definition "Volume up to observed gas height."
  expression `V_C(z)=A_B*(z+(k_W-1)z^2/H_C+(k_W-1)^2*z^3/(3H_C^2))`
  participants ["MK", "JO", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

39.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-088 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-089 - Full conical-frustum volume

Exact expression

$$V_C=H_C/3*(A_B+sqrt(A_B*A_T)+A_T)$$

Meaning. Full conical expansion volume.
Bound manifestations. MK, J0, JP
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_089
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.JP
Declaration	formula F-089 'Full conical-frustum volume'
Definition	Full conical expansion volume.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, JP
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$V_C=H_C/3*(A_B+sqrt(A_B*A_T)+A_T)$
Statement	When typed inputs and evidence gates pass, evaluate F-089; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-089', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-089); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	3
Reference	pathways/FORMULA-REGISTER.json#F-089 and applicable family/product/representation white papers
Type	volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

40.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_089 : Formula<volume>
  definition "Full conical expansion volume."
  expression `V_C=H_C/3*(A_B+sqrt(A_B*A_T)+A_T)`
  participants ["MK", "JO", "JP"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

40.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-089 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-090 - Pearl cone-top anchor

Exact expression

z_P0=H_R+H_C; standard=3H_R

Meaning. Pearl simulation begins at the top-of-cone information plane.
Bound manifestations. PEARL, MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_090
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.PEARL, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-090 "Pearl cone-top anchor"
Definition	Pearl simulation begins at the top-of-cone information plane.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	PEARL, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	z_P0=H_R+H_C; standard=3H_R
Statement	When typed inputs and evidence gates pass, evaluate F-090; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-090', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-090); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	3
Reference	pathways/FORMULA-REGISTER.json#F-090 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

41.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_090 : Formula<length>
  definition "Pearl simulation begins at the top-of-cone information plane."
  expression `z_P0=H_R+H_C; standard=3H_R`
  participants ["PEARL", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

41.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-090 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-091 - Observed gas mass

Exact expression

$$m_g = \rho_g \cdot V_C(h_g)$$

Meaning. Gas mass from observed height and state-dependent density.
Bound manifestations. MK, EVE, J0
Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_091
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.J0
Declaration	formula F-091 "Observed gas mass"
Definition	Gas mass from observed height and state-dependent density.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	$m_g = \rho_g \cdot V_C(h_g)$
Statement	When typed inputs and evidence gates pass, evaluate F-091; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-091', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-091); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-091 and applicable family/product/representation white papers
Type	mass
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

42.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_091 : Formula<mass>
  definition "Gas mass from observed height and state-dependent density."
  expression `m_g=rho_g*V_C(h_g)`
  participants ["MK", "EVE", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

42.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-091 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-092 - Gas mass-flow from height

Exact expression

$$m_dot=rho*A(h_g)*h_dot_g+V_C(h_g)*rho_dot$$

Meaning. Mass-flow accounting includes density changes.
Bound manifestations. MK, EVE, J0
Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_092
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.J0
Declaration	formula F-092 'Gas mass-flow from height'
Definition	Mass-flow accounting includes density changes.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	$m_dot=rho*A(h_g)*h_dot_g+V_C(h_g)*rho_dot$
Statement	When typed inputs and evidence gates pass, evaluate F-092; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-092', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-092); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-092 and applicable family/product/representation white papers
Type	mass/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

43.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_092 : Formula<mass/time>
  definition "Mass-flow accounting includes density changes."
  expression `m_dot=rho*A(h_g)*h_dot_g+V_C(h_g)*rho_dot`
  participants ["MK", "EVE", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

43.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-092 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-093 - Observed gas-height predictor

Exact expression

$$h_hat=clip(h+v*dt+0.5*a*dt^2,0,H_C)$$

Meaning. Bounded prediction of observed gas-front height.
Bound manifestations. SISTER, MK, JO
Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_093
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-093 "Observed gas-height predictor"
Definition	Bounded prediction of observed gas-front height.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	$h_hat=clip(h+v*dt+0.5*a*dt^2,0,H_C)$
Statement	When typed inputs and evidence gates pass, evaluate F-093; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-093', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-093); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0.5, 2, 0
Reference	pathways/FORMULA-REGISTER.json#F-093 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

44.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_093 : Formula<length>
  definition "Bounded prediction of observed gas-front height."
  expression `h_hat=clip(h+v*dt+0.5*a*dt^2,0,H_C)`
  participants ["SISTER", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

44.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-093 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-094 - Gas net-force balance

Exact expression

m_eff*a_z=F_b+F_p+F_act-F_d-F_wall-F_mix

Meaning. Geometry alone does not guarantee acceleration.
Bound manifestations. MK, J0, SISTER
Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_094
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.SISTER
Declaration	formula F-094 "Gas net-force balance"
Definition	Geometry alone does not guarantee acceleration.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	m_eff*a_z=F_b+F_p+F_act-F_d-F_wall-F_mix
Statement	When typed inputs and evidence gates pass, evaluate F-094; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: force; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-094', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-094); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-094 and applicable family/product/representation white papers
Type	force
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

45.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_094 : Formula<force>
  definition "Geometry alone does not guarantee acceleration."
  expression `m_eff*a_z=F_b+F_p+F_act-F_d-F_wall-F_mix`
  participants ["MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

45.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-094 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-095 - Buoyancy force

Exact expression

$$F_b=(\rho_{\text{ambient}}-\rho_g)*g*V_g$$

Meaning. Reference buoyancy term under declared environment.
Bound manifestations. MK, J0, EVE
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_095
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE
Declaration	formula F-095 'Buoyancy force'
Definition	Reference buoyancy term under declared environment.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$F_b=(\rho_{\text{ambient}}-\rho_g)*g*V_g$
Statement	When typed inputs and evidence gates pass, evaluate F-095; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: force; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-095', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-095); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-095 and applicable family/product/representation white papers
Type	force
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

46.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_095 : Formula<force>
  definition "Reference buoyancy term under declared environment."
  expression `F_b=(rho_ambient-rho_g)*g*V_g`
  participants ["MK", "JO", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

46.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-095 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-096 - Drag force

Exact expression

$$F_d=0.5*C_d*rho_{ambient}*A_{projected}*u*abs(u)$$

Meaning. Reference drag term under declared coefficient and flow.
Bound manifestations. MK, J0, EVE
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_096
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE
Declaration	formula F-096 'Drag force'
Definition	Reference drag term under declared coefficient and flow.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$F_d=0.5*C_d*rho_{ambient}*A_{projected}*u*abs(u)$
Statement	When typed inputs and evidence gates pass, evaluate F-096; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: force; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-096', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-096); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0.5
Reference	pathways/FORMULA-REGISTER.json#F-096 and applicable family/product/representation white papers
Type	force
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

47.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_096 : Formula<force>
  definition "Reference drag term under declared coefficient and flow."
  expression `F_d=0.5*C_d*rho_ambient*A_projected*u*abs(u)`
  participants ["MK", "JO", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

47.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-096 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-097 - Flow continuity

Exact expression

$$Q=A(z)*u(z)$$

Meaning. For fixed flow, increasing area does not itself accelerate the gas.
Bound manifestations. MK, J0, SISTER
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_097
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.SISTER
Declaration	formula F-097 'Flow continuity'
Definition	For fixed flow, increasing area does not itself accelerate the gas.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$Q=A(z)*u(z)$
Statement	When typed inputs and evidence gates pass, evaluate F-097; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: volume/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-097', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-097); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-097 and applicable family/product/representation white papers
Type	volume/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

48.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_097 : Formula<volume/time>
  definition "For fixed flow, increasing area does not itself accelerate the gas."
  expression `Q=A(z)*u(z)`
  participants ["MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

48.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-097 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-098 - Residual reservoir capacity

Exact expression

C_res,k=gamma_k*C_rect,k; 0<=gamma_k<1

Meaning. Residual reservoir remains smaller than rectangle reference capacity.
Bound manifestations. SISTER, EVE, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_098
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-098 'Residual reservoir capacity'
Definition	Residual reservoir remains smaller than rectangle reference capacity.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	C_res,k=gamma_k*C_rect,k; 0<=gamma_k<1
Statement	When typed inputs and evidence gates pass, evaluate F-098; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed capacity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-098', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-098); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0, 1
Reference	pathways/FORMULA-REGISTER.json#F-098 and applicable family/product/representation white papers
Type	typed capacity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

49.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_098 : Formula<typed capacity>
  definition "Residual reservoir remains smaller than rectangle reference capacity."
  expression `C_res,k=gamma_k*C_rect,k; 0<=gamma_k<1`
  participants ["SISTER", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

49.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-098 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-099 - Umbrella/EVE/reservoir balance

Exact expression

q_cone=q_down+q_EVE+q_res+q_escape+r

Meaning. Downward redistribution, EVE evidence, reservoir admission, and escape are separately accounted.

Bound manifestations. EVE, SISTER, MERMAID

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_099
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MERMAID
Declaration	formula F-099 'Umbrella/EVE/reservoir balance'
Definition	Downward redistribution, EVE evidence, reservoir admission, and escape are separately accounted.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	EVE, SISTER, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	q_cone=q_down+q_EVE+q_res+q_escape+r
Statement	When typed inputs and evidence gates pass, evaluate F-099; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed quantity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-099', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-099); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-099 and applicable family/product/representation white papers
Type	typed quantity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

50.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_099 : Formula<typed quantity>
  definition "Downward redistribution, EVE evidence, reservoir admission, and escape are
↵ separately accounted."
  expression `q_cone=q_down+q_EVE+q_res+q_escape+r`
  participants ["EVE", "SISTER", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

50.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-099 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-100 - Containment modification predicate

Exact expression

Valid(theta)=typed&positive&recomputed&conserved&bounded&evidenced&MK&JO&MJ

Meaning. Size changes preserve core logic but require full recalculation and gates.

Bound manifestations. Bangel , JP, MK, JO, MJ

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_100
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-100 'Containment modification predicate'
Definition	Size changes preserve core logic but require full recalculation and gates.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , JP, MK, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	Valid(theta)=typed&positive&recomputed&conserved&bounded&evidenced&MK&JO&MJ
Statement	When typed inputs and evidence gates pass, evaluate F-100; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-100', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-100); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-100 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

51.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_100 : Formula<logical>
  definition "Size changes preserve core logic but require full recalculation and gates."
  expression `Valid(theta)=typed&positive&recomputed&conserved&bounded&evidenced&MK&JO&MJ`
  participants ["Bangel ", "JP", "MK", "JO", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

51.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-100 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

MJ-PBMEF Pink Paper - Volume IV
Formula Gateway Bindings F-101 through F-145

Michael Bangel - Author and Architect

August 2026

Contents

1	Verification method	5
2	F-101 - Rear outlet elevation	6
2.1	Gateway life-cycle example	6
2.2	Lifecycle from request to final output	7
3	F-102 - Pearl simulation exclusion radius	8
3.1	Gateway life-cycle example	8
3.2	Lifecycle from request to final output	9
4	F-103 - Outward-tangential outlet direction	10
4.1	Gateway life-cycle example	10
4.2	Lifecycle from request to final output	11
5	F-104 - Outside-circle outlet path	12
5.1	Gateway life-cycle example	12
5.2	Lifecycle from request to final output	13
6	F-105 - Reservoir volume balance	14
6.1	Gateway life-cycle example	14
6.2	Lifecycle from request to final output	15
7	F-106 - Typed reservoir quantity balance	16
7.1	Gateway life-cycle example	16
7.2	Lifecycle from request to final output	17
8	F-107 - Required buffer volume	18
8.1	Gateway life-cycle example	18
8.2	Lifecycle from request to final output	19
9	F-108 - Outlet area lower bound	20
9.1	Gateway life-cycle example	20
9.2	Lifecycle from request to final output	21
10	F-109 - Circular outlet radius lower bound	22
10.1	Gateway life-cycle example	22
10.2	Lifecycle from request to final output	23
11	F-110 - Bounded drip impulse	24
11.1	Gateway life-cycle example	24
11.2	Lifecycle from request to final output	25
12	F-111 - Small-wave energy reference	26
12.1	Gateway life-cycle example	26
12.2	Lifecycle from request to final output	27
13	F-112 - Froude reference	28
13.1	Gateway life-cycle example	28

13.2Lifecycle from request to final output	29
14F-113 - Circular return-port area	30
14.1Gateway life-cycle example	30
14.2Lifecycle from request to final output	31
15F-114 - Inward-tangential reentry components	32
15.1Gateway life-cycle example	32
15.2Lifecycle from request to final output	33
16F-115 - Spiral compatibility ratio	34
16.1Gateway life-cycle example	34
16.2Lifecycle from request to final output	35
17F-116 - Return continuity	36
17.1Gateway life-cycle example	36
17.2Lifecycle from request to final output	37
18F-117 - Relative-frame velocity	38
18.1Gateway life-cycle example	38
18.2Lifecycle from request to final output	39
19F-118 - Frictional dissipation	40
19.1Gateway life-cycle example	40
19.2Lifecycle from request to final output	41
20F-119 - Recoverable friction-energy bound	42
20.1Gateway life-cycle example	42
20.2Lifecycle from request to final output	43
21F-120 - Reservoir transaction gate	44
21.1Gateway life-cycle example	44
21.2Lifecycle from request to final output	45
22F-121 - Re-entry swirl ratio	46
22.1Gateway life-cycle example	46
22.2Lifecycle from request to final output	47
23F-122 - Re-entry processing cycle	48
23.1Gateway life-cycle example	48
23.2Lifecycle from request to final output	49
24F-123 - Perspective transform residual	50
24.1Gateway life-cycle example	50
24.2Lifecycle from request to final output	51
25F-124 - Physical pressure-flow dissipation	52
25.1Gateway life-cycle example	52
25.2Lifecycle from request to final output	53
26F-125 - Information friction	54
26.1Gateway life-cycle example	54
26.2Lifecycle from request to final output	55
27F-126 - Rotational setpoint damping	56
27.1Gateway life-cycle example	56
27.2Lifecycle from request to final output	57
28F-127 - Rotational step cap	58
28.1Gateway life-cycle example	58
28.2Lifecycle from request to final output	59

29F-128 - Outlet transfer conservation	60
29.1 Gateway life-cycle example	60
29.2 Lifecycle from request to final output	61
30F-129 - Re-entry recalculation vector	62
30.1 Gateway life-cycle example	62
30.2 Lifecycle from request to final output	63
31F-130 - Re-entry admissibility predicate	64
31.1 Gateway life-cycle example	64
31.2 Lifecycle from request to final output	65
32F-131 - Uncertainty-aware Pearl reference clearance	66
32.1 Gateway life-cycle example	66
32.2 Lifecycle from request to final output	67
33F-132 - Outward angular-gap predicate	68
33.1 Gateway life-cycle example	68
33.2 Lifecycle from request to final output	69
34F-133 - Available outlet pressure	70
34.1 Gateway life-cycle example	70
34.2 Lifecycle from request to final output	71
35F-134 - Outlet pressure margin	72
35.1 Gateway life-cycle example	72
35.2 Lifecycle from request to final output	73
36F-135 - Minimum outlet grade	74
36.1 Gateway life-cycle example	74
36.2 Lifecycle from request to final output	75
37F-136 - Selected positive outlet grade	76
37.1 Gateway life-cycle example	76
37.2 Lifecycle from request to final output	77
38F-137 - Incompressible reference outlet flow	78
38.1 Gateway life-cycle example	78
38.2 Lifecycle from request to final output	79
39F-138 - Mean outlet velocity	80
39.1 Gateway life-cycle example	80
39.2 Lifecycle from request to final output	81
40F-139 - Weber number reference	82
40.1 Gateway life-cycle example	82
40.2 Lifecycle from request to final output	83
41F-140 - Wave amplitude ratio	84
41.1 Gateway life-cycle example	84
41.2 Lifecycle from request to final output	85
42F-141 - Small-wave observation gate	86
42.1 Gateway life-cycle example	86
42.2 Lifecycle from request to final output	87
43F-142 - Discrete reservoir inventory	88
43.1 Gateway life-cycle example	88
43.2 Lifecycle from request to final output	89

44F-143 - Vector reservoir headroom	90
44.1 Gateway life-cycle example	90
44.2 Lifecycle from request to final output	91
45F-144 - Vector reservoir admission	92
45.1 Gateway life-cycle example	92
45.2 Lifecycle from request to final output	93
46F-145 - No same-cycle feedback predicate	94
46.1 Gateway life-cycle example	94
46.2 Lifecycle from request to final output	95

Document control	
Project	MJos Predictive Model
Project ID	MJ - PBMEF - 001
Source build	MJ - PBMEF - DAY0 - R5 - REVIEW - CANDIDATE
Document ID	MJ - PBMEF - PINK - PAPER - 001 / VOL - IV
Author and architect	Michael Bangel
Status	FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE
Scope	Formula-level gateway bindings for F-101 through F-145.

Claims ceiling

This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Verification method

Each formula receives the same twenty-construct Bangel identity, a gateway-stage assignment, a life-cycle example, and explicit evidence and ethics boundaries. The repetitive structure is intentional: it allows formula-by-formula founder review and later automated completeness checking.

F-101 - Rear outlet elevation

Exact expression

`z_out=H_P-delta_z; 0<delta_z<H_P`

Meaning. Outlet is below the containment maximum height.
Bound manifestations. SISTER, MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_101
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-101 'Rear outlet elevation'
Definition	Outlet is below the containment maximum height.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	<code>z_out=H_P-delta_z; 0<delta_z<H_P</code>
Statement	When typed inputs and evidence gates pass, evaluate F-101; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-101', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-101); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-101 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

2.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_101 : Formula<length>
  definition "Outlet is below the containment maximum height."
  expression `z_out=H_P-delta_z; 0<delta_z<H_P`
  participants ["SISTER", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

2.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-101 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-102 - Pearl simulation exclusion radius

Exact expression

R_P,sim=R_top+c_P; c_P>=0

Meaning. Nonphysical reference circle plus declared clearance.

Bound manifestations. PEARL, MK, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_102
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.PEARL, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-102 'Pearl simulation exclusion radius'
Definition	Nonphysical reference circle plus declared clearance.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	PEARL, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	R_P,sim=R_top+c_P; c_P>=0
Statement	When typed inputs and evidence gates pass, evaluate F-102; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-102', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-102); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-102 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

3.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_102 : Formula<length>
  definition "Nonphysical reference circle plus declared clearance."
  expression `R_P,sim=R_top+c_P; c_P>=0`
  participants ["PEARL", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

3.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-102 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-103 - Outward-tangential outlet direc- tion

Exact expression

d_out=cos(alpha_out)t+sin(alpha_out)n_out; 0<alpha_out<pi/2

Meaning. Slight positive outward cant from the local tangent.

Bound manifestations. JP, MK, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_103
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,JO
Declaration	formula F-103 'Outward-tangential outlet direction'
Definition	Slight positive outward cant from the local tangent.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	d_out=cos(alpha_out)t+sin(alpha_out)n_out; 0<alpha_out<pi/2
Statement	When typed inputs and evidence gates pass, evaluate F-103; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-103', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-103); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0, 2
Reference	pathways/FORMULA-REGISTER.json#F-103 and applicable family/product/representation white papers
Type	dimensionless vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

4.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_103 : Formula<dimensionless vector>
  definition "Slight positive outward cant from the local tangent."
  expression `d_out=cos(alpha_out)t+sin(alpha_out)n_out; 0<alpha_out<pi/2`
  participants ["JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

4.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-103 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-104 - Outside-circle outlet path

Exact expression

$$||\gamma(s)-c_P||^2=R_P^2+2R_Ps\sin(\alpha_{out})+s^2$$

Meaning. Path remains outside the Pearl simulation circle for $s>0$.
Bound manifestations. PEARL, MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_104
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.PEARL, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-104 "Outside-circle outlet path"
Definition	Path remains outside the Pearl simulation circle for $s>0$.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	PEARL, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$ \gamma(s)-c_P ^2=R_P^2+2R_Ps\sin(\alpha_{out})+s^2$
Statement	When typed inputs and evidence gates pass, evaluate F-104; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length^2; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-104', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-104); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-104 and applicable family/product/representation white papers
Type	length^2
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

5.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_104 : Formula<length^2>
  definition "Path remains outside the Pearl simulation circle for s>0."
  expression `||gamma(s)-c_P||^2=R_P^2+2R_P*s*sin(alpha_out)+s^2`
  participants ["PEARL", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

5.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-104 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-105 - Reservoir volume balance

Exact expression

$$dV_L/dt=Q_{out}-Q_{return}-Q_{drain}-Q_{escape}$$

Meaning. Connected lake-like buffer control-volume balance.

Bound manifestations. SISTER, EVE, MERMAID, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_105
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-105 'Reservoir volume balance'
Definition	Connected lake-like buffer control-volume balance.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, EVE, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$dV_L/dt=Q_{out}-Q_{return}-Q_{drain}-Q_{escape}$
Statement	When typed inputs and evidence gates pass, evaluate F-105; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: volume/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-105', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-105); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-105 and applicable family/product/representation white papers
Type	volume/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

6.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_105 : Formula<volume/time>
  definition "Connected lake-like buffer control-volume balance."
  expression `dV_L/dt=Q_out-Q_return-Q_drain-Q_escape`
  participants ["SISTER", "EVE", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

6.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-105 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-106 - Typed reservoir quantity balance

Exact expression

$$dq_L, k/dt = q_{out}, k - q_{return}, k - q_{drain}, k - q_{escape}, k$$

Meaning. Per-dimension balance prevents cross-unit collapse.

Bound manifestations. SISTER, EVE, MERMAID, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_106
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-106 'Typed reservoir quantity balance'
Definition	Per-dimension balance prevents cross-unit collapse.
Capability	MEASURE, REFERENCE, SIMULATE, VERIFY, UNITS, RECONCILE
Participant	SISTER, EVE, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$dq_L, k/dt = q_{out}, k - q_{return}, k - q_{drain}, k - q_{escape}, k$
Statement	When typed inputs and evidence gates pass, evaluate F-106; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed quantity/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-106', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-106); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-106 and applicable family/product/representation white papers
Type	typed quantity/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

7.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_106 : Formula<typed quantity/time>
  definition "Per-dimension balance prevents cross-unit collapse."
  expression `dq_L, k/dt = q_out, k - q_return, k - q_drain, k - q_escape, k`
  participants ["SISTER", "EVE", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

7.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-106 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-107 - Required buffer volume

Exact expression

$$V_L, req=T_hold*max(0,Q_out,H-Q_return,L)+V_residual,H$$

Meaning. Conservative buffer capacity from inflow-return mismatch and residual.
Bound manifestations. MK, SISTER, JO
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_107
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.JO
Declaration	formula F-107 'Required buffer volume'
Definition	Conservative buffer capacity from inflow-return mismatch and residual.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, SISTER, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	$V_L, req=T_hold*max(0,Q_out,H-Q_return,L)+V_residual,H$
Statement	When typed inputs and evidence gates pass, evaluate F-107; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-107', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-107); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-107 and applicable family/product/representation white papers
Type	volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

8.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_107 : Formula<volume>
  definition "Conservative buffer capacity from inflow-return mismatch and residual."
  expression `V_L, req=T_hold*max(0,Q_out,H-Q_return,L)+V_residual,H`
  participants ["MK", "SISTER", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

8.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-107 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-108 - Outlet area lower bound

Exact expression

A_out>=Q_design/u_out,max

Meaning. Area sizing from conservative design flow and allowable velocity.
Bound manifestations. MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_108
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-108 'Outlet area lower bound'
Definition	Area sizing from conservative design flow and allowable velocity.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	A_out>=Q_design/u_out,max
Statement	When typed inputs and evidence gates pass, evaluate F-108; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: area; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-108', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-108); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-108 and applicable family/product/representation white papers
Type	area
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

9.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_108 : Formula<area>
  definition "Area sizing from conservative design flow and allowable velocity."
  expression `A_out>=Q_design/u_out,max`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

9.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-108 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-109 - Circular outlet radius lower bound

Exact expression

$$r_{out} \geq \sqrt{A_{out}/\pi}$$

Meaning. Circular outlet radius derived from required area.

Bound manifestations. MK, J0

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_109
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-109 "Circular outlet radius lower bound"
Definition	Circular outlet radius derived from required area.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	$r_{out} \geq \sqrt{A_{out}/\pi}$
Statement	When typed inputs and evidence gates pass, evaluate F-109; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-109', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-109); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-109 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

10.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_109 : Formula<length>
  definition "Circular outlet radius derived from required area."
  expression `r_out>=sqrt(A_out/pi)`
  participants ["MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

10.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-109 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-110 - Bounded drip impulse

Exact expression

J_drop=m_drop*v_drop<=J_drop,max

Meaning. Small-discharge reference objective; threshold requires evidence.
Bound manifestations. MK, ANGELS, JO
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 110
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.JO
Declaration	formula F-110 'Bounded drip impulse'
Definition	Small-discharge reference objective; threshold requires evidence.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, ANGELS, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	J_drop=m_drop*v_drop<=J_drop,max
Statement	When typed inputs and evidence gates pass, evaluate F-110; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: impulse; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-110', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-110); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-110 and applicable family/product/representation white papers
Type	impulse
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

11.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_110 : Formula<impulse>
  definition "Small-discharge reference objective; threshold requires evidence."
  expression `J_drop=m_drop*v_drop<=J_drop,max`
  participants ["MK", "ANGELS", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

11.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-110 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-111 - Small-wave energy reference

Exact expression

E_wave~= $0.5 \cdot \rho \cdot g \cdot a_{\text{wave}}^2 \cdot A_{\text{surface}}$

Meaning. Applies only under small-amplitude liquid-surface assumptions.
Bound manifestations. MK, JO, EVE
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_111
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE
Declaration	formula F-111 'Small-wave energy reference'
Definition	Applies only under small-amplitude liquid-surface assumptions.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	E_wave~= $0.5 \cdot \rho \cdot g \cdot a_{\text{wave}}^2 \cdot A_{\text{surface}}$
Statement	When typed inputs and evidence gates pass, evaluate F-111; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-111', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-111); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0.5, 2
Reference	pathways/FORMULA-REGISTER.json#F-111 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

12.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_111 : Formula<energy>
  definition "Applies only under small-amplitude liquid-surface assumptions."
  expression `E_wave~= $0.5 \cdot \rho \cdot g \cdot a_{\text{wave}}^2 \cdot A_{\text{surface}}$ `
  participants ["MK", "JO", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

12.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-111 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-112 - Froude reference

Exact expression

Fr=U/sqrt(gL)

Meaning. Flow-regime reference; Fr<1 is a conditional subcritical target.

Bound manifestations. MK, JO

Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 112
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-112 'Froude reference'
Definition	Flow-regime reference; Fr<1 is a conditional subcritical target.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	Fr=U/sqrt(gL)
Statement	When typed inputs and evidence gates pass, evaluate F-112; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-112', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-112); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-112 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

13.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_112 : Formula<dimensionless>
  definition "Flow-regime reference; Fr<1 is a conditional subcritical target."
  expression `Fr=U/sqrt(gL)`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

13.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-112 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-113 - Circular return-port area

Exact expression

A_in=pi*r_in^2

Meaning. Circular re-entry cross-section.
Bound manifestations. MK, JO
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_113
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-113 'Circular return-port area'
Definition	Circular re-entry cross-section.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	A_in=pi*r_in^2
Statement	When typed inputs and evidence gates pass, evaluate F-113; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: area; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-113', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-113); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-113 and applicable family/product/representation white papers
Type	area
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

14.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_113 : Formula<area>
  definition "Circular re-entry cross-section."
  expression `A_in=pi*r_in^2`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

14.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-113 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-114 - Inward-tangential reentry components

Exact expression

$$u_r = -U \sin(\beta_{in}); u_{\theta} = \sigma U \cos(\beta_{in})$$

Meaning. Small inward angle plus tangential component; no vortex proof.

Bound manifestations. SISTER, MK, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_114
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-114 'Inward-tangential reentry components'
Definition	Small inward angle plus tangential component; no vortex proof.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$u_r = -U \sin(\beta_{in}); u_{\theta} = \sigma U \cos(\beta_{in})$
Statement	When typed inputs and evidence gates pass, evaluate F-114; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: velocity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-114', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-114); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-114 and applicable family/product/representation white papers
Type	velocity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

15.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_114 : Formula<velocity>
  definition "Small inward angle plus tangential component; no vortex proof."
  expression `u_r=-U*sin(beta_in); u_theta=sigma*U*cos(beta_in)`
  participants ["SISTER", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

15.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-114 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-115 - Spiral compatibility ratio

Exact expression

chi_spiral=|u_theta|/max(|u_r|,epsilon)

Meaning. Reference ratio for tangential-dominant reentry.
Bound manifestations. MK, J0
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_115
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-115 'Spiral compatibility ratio'
Definition	Reference ratio for tangential-dominant reentry.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	chi_spiral= u_theta /max(u_r ,epsilon)
Statement	When typed inputs and evidence gates pass, evaluate F-115; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-115', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-115); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-115 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

16.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_115 : Formula<dimensionless>
  definition "Reference ratio for tangential-dominant reentry."
  expression `chi_spiral=|u_theta|/max(|u_r|,epsilon)`
  participants ["MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

16.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-115 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-116 - Return continuity

Exact expression

Q_return=A_in*u_n

Meaning. Re-entry flow through the circular port.
Bound manifestations. MK, J0, SISTER
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_116
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.SISTER
Declaration	formula F-116 'Return continuity'
Definition	Re-entry flow through the circular port.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	Q_return=A_in*u_n
Statement	When typed inputs and evidence gates pass, evaluate F-116; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: volume/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-116', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-116); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-116 and applicable family/product/representation white papers
Type	volume/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

17.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_116 : Formula<volume/time>
  definition "Re-entry flow through the circular port."
  expression `Q_return=A_in*u_n`
  participants ["MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

17.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-116 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-117 - Relative-frame velocity

Exact expression

$$v_{rel}=v_B-v_A-\Omega_A \times r$$

Meaning. Coordinate-frame-relative motion; perspective does not create energy.

Bound manifestations. MK, J0

Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 117
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-117 'Relative-frame velocity'
Definition	Coordinate-frame-relative motion; perspective does not create energy.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	$v_{rel}=v_B-v_A-\Omega_A \times r$
Statement	When typed inputs and evidence gates pass, evaluate F-117; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: velocity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-117', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-117); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-117 and applicable family/product/representation white papers
Type	velocity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

18.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_117 : Formula<velocity>
  definition "Coordinate-frame-relative motion; perspective does not create energy."
  expression `v_rel=v_B-v_A-Ω_A x r`
  participants ["MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

18.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-117 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-118 - Frictional dissipation

Exact expression

P_diss=max(0,-F_f dot v_rel)

Meaning. Measured frame-relative frictional dissipation.
Bound manifestations. MK, JO, MERMAID
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_118
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-118 'Frictional dissipation'
Definition	Measured frame-relative frictional dissipation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	P_diss=max(0,-F_f dot v_rel)
Statement	When typed inputs and evidence gates pass, evaluate F-118; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: power; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-118', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-118); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-118 and applicable family/product/representation white papers
Type	power
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

19.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_118 : Formula<power>
  definition "Measured frame-relative frictional dissipation."
  expression `P_diss=max(0,-F_f dot v_rel)`
  participants ["MK", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

19.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-118 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-119 - Recoverable friction-energy bound

Exact expression

$$E_rec \leq \eta_rec * \int (P_diss \, dt); \, 0 \leq \eta_rec \leq 1$$

Meaning. No physical recovery without an evidenced conversion mechanism.
Bound manifestations. MK, JO, MERMAID, SHIVA
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 119
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.SHIVA
Declaration	formula F-119 'Recoverable friction-energy bound'
Definition	No physical recovery without an evidenced conversion mechanism.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, MERMAID, SHIVA
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	$E_rec \leq \eta_rec * \int (P_diss \, dt); \, 0 \leq \eta_rec \leq 1$
Statement	When typed inputs and evidence gates pass, evaluate F-119; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-119', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-119); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; MJ.receipt; }
Literal	0, 1
Reference	pathways/FORMULA-REGISTER.json#F-119 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

20.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_119 : Formula<energy>
  definition "No physical recovery without an evidenced conversion mechanism."
  expression `E_rec<=eta_rec*integral(P_diss dt); 0<=eta_rec<=1`
  participants ["MK", "JO", "MERMAID", "SHIVA"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

20.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-119 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-120 - Reservoir transaction gate

Exact expression

Admit=AngelPass&M3Lease&MKPass&JOPass&MermaidReconciled&MJPermit

Meaning. Every reservoir transfer requires safety, routing, physics, proof, reconciliation, and permit.
Bound manifestations. ANGELS, M3, MK, JO, MERMAID, MJ
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 120
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-120 'Reservoir transaction gate'
Definition	Every reservoir transfer requires safety, routing, physics, proof, reconciliation, and permit.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	ANGELS, M3, MK, JO, MERMAID, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	Admit=AngelPass&M3Lease&MKPass&JOPass&MermaidReconciled&MJPermit
Statement	When typed inputs and evidence gates pass, evaluate F-120; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-120', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-120); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-120 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

21.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_120 : Formula<logical>
  definition "Every reservoir transfer requires safety, routing, physics, proof,
  ↵ reconciliation, and permit."
  expression `Admit=AngelPass&M3Lease&MKPass&JOPass&MermaidReconciled&MJPermit`
  participants ["ANGELS", "M3", "MK", "JO", "MERMAID", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

21.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-120 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-121 - Re-entry swirl ratio

Exact expression

$$\text{chi_i} = |u_{\text{theta}}| / \max(|u_r|, \epsilon_u)$$

Meaning. Represents tangential-to-inward re-entry velocity.
Bound manifestations. MK, JO
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 121
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-121 'Re-entry swirl ratio'
Definition	Represents tangential-to-inward re-entry velocity.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	$\text{chi_i} = u_{\text{theta}} / \max(u_r , \epsilon_u)$
Statement	When typed inputs and evidence gates pass, evaluate F-121; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-121', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-121); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-121 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

22.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_121 : Formula<dimensionless>
  definition "Represents tangential-to-inward re-entry velocity."
  expression `chi_i=|u_theta|/max(|u_r|,epsilon_u)`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

22.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-121 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-122 - Re-entry processing cycle

Exact expression

cycle_reentry=cycle_exit+1

Meaning. Prohibits same-cycle feedback and creates a new receipt chain.
Bound manifestations. J0, M3, SISTER
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 122
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.SISTER
Declaration	formula F-122 'Re-entry processing cycle'
Definition	Prohibits same-cycle feedback and creates a new receipt chain.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	J0, M3, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	cycle_reentry=cycle_exit+1
Statement	When typed inputs and evidence gates pass, evaluate F-122; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: cycle identifier; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-122', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-122); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-122 and applicable family/product/representation white papers
Type	cycle identifier
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

23.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_122 : Formula<cycle identifier>
  definition "Prohibits same-cycle feedback and creates a new receipt chain."
  expression `cycle_reentry=cycle_exit+1`
  participants ["J0", "M3", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

23.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-122 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-123 - Perspective transform residual

Exact expression

$$r_Pi=x_B-T_A_to_B*x_A$$

Meaning. Measures disagreement after transforming observations between reference frames.
Bound manifestations. MK, JO, EVE, MERMAID
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_123
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID
Declaration	formula F-123 'Perspective transform residual'
Definition	Measures disagreement after transforming observations between reference frames.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, EVE, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	$r_Pi=x_B-T_A_to_B*x_A$
Statement	When typed inputs and evidence gates pass, evaluate F-123; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-123', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-123); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-123 and applicable family/product/representation white papers
Type	typed vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

24.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_123 : Formula<typed vector>
  definition "Measures disagreement after transforming observations between reference
↵ frames."
  expression `r_Pi=x_B-T_A_to_B*x_A`
  participants ["MK", "JO", "EVE", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

24.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-123 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-124 - Physical pressure-flow dissipation

Exact expression

E_diss=int(Delta_p(t)*Q(t)dt)

Meaning. Stores measured physical dissipation only when pressure and flow are evidenced.

Bound manifestations. MK, JO, MERMAID

Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_124
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-124 'Physical pressure-flow dissipation'
Definition	Stores measured physical dissipation only when pressure and flow are evidenced.
Capability	MEASURE, REFERENCE, SIMULATE, VERIFY, UNITS, RECONCILE
Participant	MK, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	E_diss=int(Delta_p(t)*Q(t)dt)
Statement	When typed inputs and evidence gates pass, evaluate F-124; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-124', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel, begin; R1, predict; JP,represent(F-124); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-124 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

25.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_124 : Formula<energy>
  definition "Stores measured physical dissipation only when pressure and flow are
  ↪ evidenced."
  expression `E_diss=int(Delta_p(t)*Q(t)dt)`
  participants ["MK", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

25.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-124 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-125 - Information friction

Exact expression

C_info=int(B_residual(t)dt)

Meaning. Stores unresolved information or memory cost without treating it as energy.
Bound manifestations. J0, M3, MERMAID
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_125
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MERMAID
Declaration	formula F-125 'Information friction'
Definition	Stores unresolved information or memory cost without treating it as energy.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	J0, M3, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	C_info=int(B_residual(t)dt)
Statement	When typed inputs and evidence gates pass, evaluate F-125; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: byte*time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-125', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-125); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-125 and applicable family/product/representation white papers
Type	byte*time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

26.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_125 : Formula<byte*time>
  definition "Stores unresolved information or memory cost without treating it as energy."
  expression `C_info=int(B_residual(t)dt)`
  participants ["J0", "M3", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

26.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-125 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-126 - Rotational setpoint damping

Exact expression

$$\text{omega_tilde} = (2/3) * \text{omega} + (1/3) * \text{omega_star}$$

Meaning. Damps the desired rotational-wave setpoint.
Bound manifestations. MK, JO, SISTER
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_126
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.SISTER
Declaration	formula F-126 'Rotational setpoint damping'
Definition	Damps the desired rotational-wave setpoint.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	$\text{omega_tilde} = (2/3) * \text{omega} + (1/3) * \text{omega_star}$
Statement	When typed inputs and evidence gates pass, evaluate F-126; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: angular velocity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-126', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-126); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2, 3, 1
Reference	pathways/FORMULA-REGISTER.json#F-126 and applicable family/product/representation white papers
Type	angular velocity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

27.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_126 : Formula<angular velocity>
  definition "Damps the desired rotational-wave setpoint."
  expression `omega_tilde=(2/3)*omega+(1/3)*omega_star`
  participants ["MK", "JO", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

27.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-126 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-127 - Rotational step cap

Exact expression

|omega_next-omega|<=0.1*omega_scale

Meaning. Limits one-step rotational changes.
Bound manifestations. MK, J0, ANGELS
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 127
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.ANGELS
Declaration	formula F-127 'Rotational step cap'
Definition	Limits one-step rotational changes.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0, ANGELS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	omega_next-omega <=0.1*omega_scale
Statement	When typed inputs and evidence gates pass, evaluate F-127; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: angular velocity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-127', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-127); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	0.1
Reference	pathways/FORMULA-REGISTER.json#F-127 and applicable family/product/representation white papers
Type	angular velocity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

28.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_127 : Formula<angular velocity>
  definition "Limits one-step rotational changes."
  expression `|omega_next-omega|<=0.1*omega_scale`
  participants ["MK", "J0", "ANGELS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

28.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-127 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-128 - Outlet transfer conservation

Exact expression

q_exit=q_lake_in+q_EVE+q_escape+r_o

Meaning. Separates lake admission, EVE observation, escape, and residual.
Bound manifestations. EVE, SISTER, MERMAID, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_128
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-128 "Outlet transfer conservation"
Definition	Separates lake admission, EVE observation, escape, and residual.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	EVE, SISTER, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	q_exit=q_lake_in+q_EVE+q_escape+r_o
Statement	When typed inputs and evidence gates pass, evaluate F-128; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed quantity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-128', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-128); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-128 and applicable family/product/representation white papers
Type	typed quantity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

29.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_128 : Formula<typed quantity>
  definition "Separates lake admission, EVE observation, escape, and residual."
  expression `q_exit=q_lake_in+q_EVE+q_escape+r_o`
  participants ["EVE", "SISTER", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

29.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-128 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-129 - Re-entry recalculation vector

Exact expression

Delta_x=[Delta_m,Delta_W,Delta_V,Delta_rho,Delta_T,Delta_p,Delta_h]

Meaning. Declares the observed changes that trigger recalculation before re-entry.
Bound manifestations. MK, J0, EVE, SISTER
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_129
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.SISTER
Declaration	formula F-129 "Re-entry recalculation vector"
Definition	Declares the observed changes that trigger recalculation before re-entry.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, J0, EVE, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	Delta_x=[Delta_m,Delta_W,Delta_V,Delta_rho,Delta_T,Delta_p,Delta_h]
Statement	When typed inputs and evidence gates pass, evaluate F-129; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-129', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-129); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-129 and applicable family/product/representation white papers
Type	typed vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

30.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_129 : Formula<typed vector>
  definition "Declares the observed changes that trigger recalculation before re-entry."
  expression `Delta_x=[Delta_m,Delta_W,Delta_V,Delta_rho,Delta_T,Delta_p,Delta_h]`
  participants ["MK", "J0", "EVE", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

30.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-129 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-130 - Re-entry admissibility predicate

Exact expression

Admit_re=types&units&new_cycle&capacity&wave&MK&J0&Angels&M3&MJ

Meaning. Requires complete physics, evidence, safety, routing, and authority before physical re-entry.
Bound manifestations. Bangel , JP, MK, J0, ANGELS, M3, MJ
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_130
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family:Bangel , MJ.PBMEF.Family:JP, MJ.PBMEF.Family:MK, MJ.PBMEF.Family:J0
Declaration	formula F-130 'Re-entry admissibility predicate'
Definition	Requires complete physics, evidence, safety, routing, and authority before physical re-entry.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , JP, MK, J0, ANGELS, M3, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	Admit_re=types&units&new_cycle&capacity&wave&MK&J0&Angels&M3&MJ
Statement	When typed inputs and evidence gates pass, evaluate F-130; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-130', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-130); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-130 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

31.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_130 : Formula<logical>
  definition "Requires complete physics, evidence, safety, routing, and authority before
  ↪ physical re-entry."
  expression `Admit_re=types&units&new_cycle&capacity&wave&MK&J0&Angels&M3&MJ`
  participants ["Bangel ", "JP", "MK", "J0", "ANGELS", "M3", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

31.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-130 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-131 - Uncertainty-aware Pearl reference clearance

Exact expression

$$\min_s(||\gamma_{out}(s)-c_P||-R_P, sim) \geq c_{min}+U_{path}$$

Meaning. Path remains outside the nonphysical Pearl simulation reference circle after uncertainty is included.

Bound manifestations. PEARL, MK, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_131
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.PEARL, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-131 'Uncertainty-aware Pearl reference clearance'
Definition	Path remains outside the nonphysical Pearl simulation reference circle after uncertainty is included.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	PEARL, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$\min_s(\gamma_{out}(s)-c_P -R_P, sim) \geq c_{min}+U_{path}$
Statement	When typed inputs and evidence gates pass, evaluate F-131; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-131', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-131); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-131 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

32.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_131 : Formula<length>
  definition "Path remains outside the nonphysical Pearl simulation reference circle after
  ↪ uncertainty is included."
  expression `min_s(||gamma_out(s)-c_P||-R_P,sim) >= c_min+U_path`
  participants ["PEARL", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
```

}

32.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-131 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-132 - Outward angular-gap predicate

Exact expression

abs(wrap(alpha_out-alpha_gap)) <= Delta_alpha_gap/2

Meaning. Outlet direction remains within the declared outward-facing gap.
Bound manifestations. JP, MK, J0
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_132
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,J0
Declaration	formula F-132 'Outward angular-gap predicate'
Definition	Outlet direction remains within the declared outward-facing gap.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	JP, MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	abs(wrap(alpha_out-alpha_gap)) <= Delta_alpha_gap/2
Statement	When typed inputs and evidence gates pass, evaluate F-132; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-132', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-132); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-132 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

33.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_132 : Formula<logical>
  definition "Outlet direction remains within the declared outward-facing gap."
  expression `abs(wrap(alpha_out-alpha_gap)) <= Delta_alpha_gap/2`
  participants ["JP", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

33.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-132 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-133 - Available outlet pressure

Exact expression

Delta_p_available=p_containment-p_lake+rho*g*(z_out-z_lake)

Meaning. Pressure and elevation state available to drive a reference outlet flow.
Bound manifestations. MK, J0, SISTER
Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_133
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.SISTER
Declaration	formula F-133 'Available outlet pressure'
Definition	Pressure and elevation state available to drive a reference outlet flow.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	Delta_p_available=p_containment-p_lake+rho*g*(z_out-z_lake)
Statement	When typed inputs and evidence gates pass, evaluate F-133; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: pressure; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-133', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-133); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-133 and applicable family/product/representation white papers
Type	pressure
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

34.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_133 : Formula<pressure>
  definition "Pressure and elevation state available to drive a reference outlet flow."
  expression `Delta_p_available=p_containment-p_lake+rho*g*(z_out-z_lake)`
  participants ["MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

34.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-133 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-134 - Outlet pressure margin

Exact expression

Delta_p_margin=Delta_p_available-Delta_p_loss-U_Delta_p

Meaning. Conservative pressure margin after losses and uncertainty.
Bound manifestations. MK, J0
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_134
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-134 'Outlet pressure margin'
Definition	Conservative pressure margin after losses and uncertainty.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	Delta_p_margin=Delta_p_available-Delta_p_loss-U_Delta_p
Statement	When typed inputs and evidence gates pass, evaluate F-134; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: pressure; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-134', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-134); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-134 and applicable family/product/representation white papers
Type	pressure
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

35.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_134 : Formula<pressure>
  definition "Conservative pressure margin after losses and uncertainty."
  expression `Delta_p_margin=Delta_p_available-Delta_p_loss-U_Delta_p`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

35.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-134 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-135 - Minimum outlet grade

Exact expression

$$\alpha_{\min} = \text{atan}(\max(0, \Delta p_{\text{loss}} + U_{\Delta p} - (p_{\text{containment}} - p_{\text{lake}})) / (\rho \cdot g \cdot L_{\text{path}}))$$

Meaning. Minimum modeled grade needed to overcome pressure deficit under declared assumptions.
Bound manifestations. JP, MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_135
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,JO
Declaration	formula F-135 'Minimum outlet grade'
Definition	Minimum modeled grade needed to overcome pressure deficit under declared assumptions.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$\alpha_{\min} = \text{atan}(\max(0, \Delta p_{\text{loss}} + U_{\Delta p} - (p_{\text{containment}} - p_{\text{lake}})) / (\rho \cdot g \cdot L_{\text{path}}))$
Statement	When typed inputs and evidence gates pass, evaluate F-135; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: angle; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-135', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-135); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-135 and applicable family/product/representation white papers
Type	angle
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

36.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_135 : Formula<angle>
  definition "Minimum modeled grade needed to overcome pressure deficit under declared
  ↪ assumptions."
  expression
  ↪ `alpha_min=atan(max(0,Delta_p_loss+U_Delta_p-(p_containment-p_lake))/(rho*g*L_path))`
  participants ["JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

36.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-135 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-136 - Selected positive outlet grade

Exact expression

alpha_selected=alpha_min+delta_alpha; delta_alpha>0

Meaning. Slight positive increase above the modeled minimum; no universal value is asserted.

Bound manifestations. JP, MK, JO, MJ

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_136
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MJ
Declaration	formula F-136 'Selected positive outlet grade'
Definition	Slight positive increase above the modeled minimum; no universal value is asserted.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	alpha_selected=alpha_min+delta_alpha; delta_alpha>0
Statement	When typed inputs and evidence gates pass, evaluate F-136; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: angle; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-136', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-136); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-136 and applicable family/product/representation white papers
Type	angle
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

37.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_136 : Formula<angle>
  definition "Slight positive increase above the modeled minimum; no universal value is
↵ asserted."
  expression `alpha_selected=alpha_min+delta_alpha; delta_alpha>0`
  participants ["JP", "MK", "JO", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

37.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-136 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-137 - Incompressible reference outlet flow

Exact expression

$$Q_{ref}=C_dA_{out}\sqrt{2\max(0,\Delta p_{available}-\Delta p_{loss})/\rho}$$

Meaning. Conditional reference flow under evidenced incompressible assumptions.

Bound manifestations. MK, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_137
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-137 'Incompressible reference outlet flow'
Definition	Conditional reference flow under evidenced incompressible assumptions.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$Q_{ref}=C_dA_{out}\sqrt{2\max(0,\Delta p_{available}-\Delta p_{loss})/\rho}$
Statement	When typed inputs and evidence gates pass, evaluate F-137; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: volume/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-137', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-137); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2, 0
Reference	pathways/FORMULA-REGISTER.json#F-137 and applicable family/product/representation white papers
Type	volume/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

38.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_137 : Formula<volume/time>
  definition "Conditional reference flow under evidenced incompressible assumptions."
  expression `Q_ref=C_d*A_out*sqrt(2*max(0,Delta_p_available-Delta_p_loss)/rho)`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

38.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-137 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-138 - Mean outlet velocity

Exact expression

U_out=Q_ref/A_out

Meaning. Conditional mean velocity for the declared outlet area.

Bound manifestations. MK, J0

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_138
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-138 'Mean outlet velocity'
Definition	Conditional mean velocity for the declared outlet area.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	U_out=Q_ref/A_out
Statement	When typed inputs and evidence gates pass, evaluate F-138; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-138', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-138); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-138 and applicable family/product/representation white papers
Type	length/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

39.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_138 : Formula<length/time>
  definition "Conditional mean velocity for the declared outlet area."
  expression `U_out=Q_ref/A_out`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

39.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-138 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-139 - Weber number reference

Exact expression

We=rho*U^2*L/sigma

Meaning. Surface-tension-to-inertia reference when the model applies.
Bound manifestations. MK, J0
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_139
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-139 "Weber number reference"
Definition	Surface-tension-to-inertia reference when the model applies.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	We=rho*U^2*L/sigma
Statement	When typed inputs and evidence gates pass, evaluate F-139; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-139', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-139); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-139 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

40.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_139 : Formula<dimensionless>
  definition "Surface-tension-to-inertia reference when the model applies."
  expression `We=rho*U^2*L/sigma`
  participants ["MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

40.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-139 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-140 - Wave amplitude ratio

Exact expression

epsilon_a=a_wave/h_L

Meaning. Dimensionless small-amplitude observation ratio.

Bound manifestations. MK, JO, EVE

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_140
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE
Declaration	formula F-140 "Wave amplitude ratio"
Definition	Dimensionless small-amplitude observation ratio.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	epsilon_a=a_wave/h_L
Statement	When typed inputs and evidence gates pass, evaluate F-140; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-140', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-140); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-140 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

41.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_140 : Formula<dimensionless>
  definition "Dimensionless small-amplitude observation ratio."
  expression `epsilon_a=a_wave/h_L`
  participants ["MK", "JO", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

41.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-140 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-141 - Small-wave observation gate

Exact expression

WaveGate=(Fr<=Fr_max)&(epsilon_a<=epsilon_a,max)&(We<=We_max when applicable)

Meaning. Reference gate for bounded low-amplitude observations; not proof of wave suppression.

Bound manifestations. MK, JO, ANGELS

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_141
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.ANGELS
Declaration	formula F-141 'Small-wave observation gate'
Definition	Reference gate for bounded low-amplitude observations; not proof of wave suppression.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	MK, JO, ANGELS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	WaveGate=(Fr<=Fr_max)&(epsilon_a<=epsilon_a,max)&(We<=We_max when applicable)
Statement	When typed inputs and evidence gates pass, evaluate F-141; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-141', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-141); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-141 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

42.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_141 : Formula<logical>
  definition "Reference gate for bounded low-amplitude observations; not proof of wave
  ↪ suppression."
  expression `WaveGate=(Fr<=Fr_max)&(epsilon_a<=epsilon_a,max)&(We<=We_max when applicable)`
  participants ["MK", "JO", "ANGELS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

42.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-141 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-142 - Discrete reservoir inventory

Exact expression

$$q_L, t+1=q_L, t+q_{out}-q_{return}-q_{drain}-q_{escape}-r_L$$

Meaning. Receipted discrete update for the separate lake/buffer control volume.

Bound manifestations. EVE, M3, MERMAID, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_142
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-142 'Discrete reservoir inventory'
Definition	Receipted discrete update for the separate lake/buffer control volume.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	EVE, M3, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$q_L, t+1=q_L, t+q_{out}-q_{return}-q_{drain}-q_{escape}-r_L$
Statement	When typed inputs and evidence gates pass, evaluate F-142; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed quantity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-142', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-142); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-142 and applicable family/product/representation white papers
Type	typed quantity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

43.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_142 : Formula<typed quantity>
  definition "Receipted discrete update for the separate lake/buffer control volume."
  expression `q_L,t+1=q_L,t+q_out-q_return-q_drain-q_escape-r_L`
  participants ["EVE", "M3", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

43.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-142 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-143 - Vector reservoir headroom

Exact expression

$H_L, k = C_L, k - q_L, k$

Meaning. Headroom remains separate for every resource dimension.
Bound manifestations. SISTER, EVE, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_143
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-143 'Vector reservoir headroom'
Definition	Headroom remains separate for every resource dimension.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$H_L, k = C_L, k - q_L, k$
Statement	When typed inputs and evidence gates pass, evaluate F-143; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed capacity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-143', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-143); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-143 and applicable family/product/representation white papers
Type	typed capacity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

44.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_143 : Formula<typed capacity>
  definition "Headroom remains separate for every resource dimension."
  expression `H_L,k=C_L,k-q_L,k`
  participants ["SISTER", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

44.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-143 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-144 - Vector reservoir admission

Exact expression

Admit_L=AND_k[q_L,k+q_in,k <= (1-h_L,k)C_L,k]

Meaning. Admission fails when any resource dimension lacks required headroom.
Bound manifestations. ANGELS, M3, MK, J0, MJ
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_144
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-144 "Vector reservoir admission"
Definition	Admission fails when any resource dimension lacks required headroom.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	ANGELS, M3, MK, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	Admit_L=AND_k[q_L,k+q_in,k <= (1-h_L,k)C_L,k]
Statement	When typed inputs and evidence gates pass, evaluate F-144; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-144', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-144); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-144 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

45.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_144 : Formula<logical>
  definition "Admission fails when any resource dimension lacks required headroom."
  expression `Admit_L=AND_k[q_L,k+q_in,k <= (1-h_L,k)C_L,k]`
  participants ["ANGELS", "M3", "MK", "J0", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

45.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-144 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-145 - No same-cycle feedback predicate

Exact expression

ReentryValid=(cycle_reentry=cycle_exit+1)&no_uncleared_generation_reuse

Meaning. Re-entry starts a new receipted cycle and cannot feed the same active generation.

Bound manifestations. M3, J0, ANGELS, MJ

Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_145
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.MJ
Declaration	formula F-145 'No same-cycle feedback predicate'
Definition	Re-entry starts a new receipted cycle and cannot feed the same active generation.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	M3, J0, ANGELS, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	ReentryValid=(cycle_reentry=cycle_exit+1)&no_uncleared_generation_reuse
Statement	When typed inputs and evidence gates pass, evaluate F-145; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-145', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predit; JP.represent(F-145); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-145 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

46.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_145 : Formula<logical>
  definition "Re-entry starts a new receipted cycle and cannot feed the same active
↵ generation."
  expression `ReentryValid=(cycle_reentry=cycle_exit+1)&no_uncleared_generation_reuse`
  participants ["M3", "J0", "ANGELS", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

46.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-145 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

MJ-PBMEF Pink Paper - Volume V
Family Manifestations and Governed Object Gateway Bindings

Michael Bangel - Author and Architect

August 2026

Contents

1 Family manifestation verification	4
2 MJ - MJ	5
2.1 Command-life-cycle role	5
3 Bangel - Bangel	6
3.1 Command-life-cycle role	6
4 Elsa - ELSA	7
4.1 Command-life-cycle role	7
5 JP - JP	8
5.1 Command-life-cycle role	8
6 Mika / MK - MK	9
6.1 Command-life-cycle role	9
7 JO - JO	10
7.1 Command-life-cycle role	10
8 MJOS - MJOS	11
8.1 Command-life-cycle role	11
9 Angels - ANGELS	12
9.1 Command-life-cycle role	12
10 Bellatrix - BELLATRIX	13
10.1 Command-life-cycle role	13
11 Sister - SISTER	14
11.1 Command-life-cycle role	14
12 EVE - EVE	15
12.1 Command-life-cycle role	15
13 Mary / M3 - M3	16
13.1 Command-life-cycle role	16
14 Mermaid - MERMAID	17
14.1 Command-life-cycle role	17
15 Shiva - SHIVA	18
15.1 Command-life-cycle role	18
16 Shekina - SHEKINA	19
16.1 Command-life-cycle role	19

17 Belle - BELLE	20
17.1 Command-life-cycle role	20
18 Lecanto - LECANTO	21
18.1 Command-life-cycle role	21
19 Moana - MOANA	22
19.1 Command-life-cycle role	22
20 Aviator - AVIATOR	23
20.1 Command-life-cycle role	23
21 CHI - CHI	24
21.1 Command-life-cycle role	24
22 WATER - WATER	25
22.1 Command-life-cycle role	25
23 Governed object verification	26
23.1 JP_CAPO	27
23.2 MK_PHYSICS_CAPO	27
23.3 JO_PROOF_RECEIPT	28
23.4 MJ_PERMIT	28
23.5 EVE_OBSERVATION	29
23.6 M3_ROUTE_RECEIPT	29
23.7 MERMAID_ACCOUNT	30
23.8 SHIVA_SHELL	30
23.9 SHIVAS_INTERNAL_REFLECTION	31
23.10 HI_VARIANCE_OBJECT	31
23.11 WATER_INTERVAL_STATE	32
23.12 PASSKEY_PUBLIC_RECEIPT	32
23.13 PEARL_VARIANCE_CONTAINER	33
23.14 PEARL_ALLOCATION_RECEIPT	33
23.15 PEARL_ACOUSTIC_PROFILE	34
23.16 PEARL_SYMPORIUM_REGISTRY	34
23.17 Bangel_SHEET	35
23.18 Bangel_SHEET_CELL	35
23.19 Bangel_SHEET_REVISION	36
23.20 Bangel_SHEET_AUDIT_PARTICLE	36
23.21 POSMJ_PRODUCT_ENVELOPE	37
23.22 RISTER_PHYSICAL_CONTAINMENT_PROFILE	37
23.23 STANDARD_CONTAINMENT_GEOMETRY_PROFILE	38
23.24 REFERENCE_GAS_PROFILE_H2	38
23.25 CONTAINMENT_MODIFICATION_RECEIPT	39
23.26 ONE_TOP_PEARL_ANCHOR	39
23.27 GAS_HEIGHT_OBSERVATION	40
23.28 RESERVOIR_RETURN_LOOP_PROFILE	40
23.29 OUTWARD_GAP_PATH_RECEIPT	41
23.30 RESERVOIR_BUFFER_ACCOUNT	41
23.31 CIRCULAR_REENTRY_RECEIPT	42
23.32 RELATIVE_FRAME_FRICTION_LEDGER	42
23.33 RESERVOIR_LAKE_BUFFER	43
23.34 BACKSIDE_OUTLET_PORT	43
23.35 OUTWARD_GAP_ARC	44
23.36 PEARL_REFERENCE_CIRCLE	44
23.37 CIRCULAR_REENTRY_PORT	45
23.38 RESERVOIR_TRANSFER_RECEIPT	45
23.39 PERSPECTIVE_FRICTION_RECEIPT	46

Document control

Project	MJos Predictive Model
Project ID	MJ - PBMEF - 001
Source build	MJ - PBMEF - DAY0 - R5 - REVIEW - CANDIDATE
Document ID	MJ - PBMEF - PINK - PAPER - 001 / VOL - V
Author and architect	Michael Bangel
Status	FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE
Scope	All family manifestations and governed objects in gateway and life-cycle context.

Claims ceiling

This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Family manifestation verification

MJ - MJ

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.MJ
Namespace	MJ.PBMEF.Family.MJ.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant MJ
Definition	Project root, founder-governed authority and final bounded permit decision.
Capability	bounded permit, hold, deny, project state
Participant	MJ
Relationship	Incoming: MICHAEL_BANGEL; outgoing: Bangel
Function	Project root, founder-governed authority and final bounded permit decision.
Expression	Applicable formula set and bounded family receipt
Statement	MJ contributes its role but cannot substitute for another participant.
Measurement	founder purpose, verified evidence, family receipts, Pearl and Bangel Spreadsheets decision packets
Constraint	Cannot convert unknown evidence into permission or claim external authority.
Annotation	@family(id='MJ', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant MJ { input; verify; output; boundary; }
Literal	truth, measurement, human authority, stewardship, non-weaponization
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	ROOT
Attribute	full_family_identity=true; self_authority=false

2.1 Command-life-cycle role

At R0/R1, MJ receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Cannot convert unknown evidence into permission or claim external authority.

Bangel - Bangel

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.Bangel
Namespace	MJ.PBMEF.Family.Bangel .Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant Bangel
Definition	Human-facing governed language that preserves purpose and command structure.
Capability	typed command envelope, source representation, Bangel Sheet source, if/how/then operational intake
Participant	Bangel
Relationship	Incoming: MJ; outgoing: ELSA
Function	Human-facing governed language that preserves purpose and command structure.
Expression	Applicable formula set and bounded family receipt
Statement	Bangel contributes its role but cannot substitute for another participant.
Measurement	human purpose, declared scope
Constraint	No independent execution, financial issuance, or physical truth.
Annotation	@family(id='Bangel ', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant Bangel { input; verify; output; boundary; }
Literal	intent integrity, explicit types, traceability
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

3.1 Command-life-cycle role

At R0/R1, Bangel receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No independent execution, financial issuance, or physical truth.

Elsa - ELSA

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.ELSA
Namespace	MJ.PBMEF.Family.ELSA.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant ELSA
Definition	Deterministic semantic recovery and purpose-preservation layer.
Capability	semantic envelope, ambiguity hold
Participant	Elsa
Relationship	Incoming: Bangel ; outgoing: JP
Function	Deterministic semantic recovery and purpose-preservation layer.
Expression	Applicable formula set and bounded family receipt
Statement	Elsa contributes its role but cannot substitute for another participant.
Measurement	Bangel source, context evidence
Constraint	No execution, permit, finance, or invented intent.
Annotation	@family(id='ELSA', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant ELSA { input; verify; output; boundary; }
Literal	meaning fidelity, purpose confinement, clarity
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

4.1 Command-life-cycle role

At R0/R1, Elsa receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No execution, permit, finance, or invented intent.

JP - JP

Construct	Formula-specific expression
Module	MJ.PBMEF.FamilyJP
Namespace	MJ.PBMEF.FamilyJP.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant JP
Definition	Canonical mathematical, algorithmic, topology, CAPO, and architecture representation.
Capability	math CAPO, algorithm CAPO, architecture CAPO, Pearl CAPO, Bangel Sheet dependency CAPO, JPOSMJ product envelope
Participant	JP
Relationship	Incoming: ELSA; outgoing: MK
Function	Canonical mathematical, algorithmic, topology, CAPO, and architecture representation.
Expression	Applicable formula set and bounded family receipt
Statement	JP contributes its role but cannot substitute for another participant.
Measurement	semantic envelope, founder laws
Constraint	Representation is not admission, execution, or authority.
Annotation	@family(id='JP', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant JP { input; verify; output; boundary; }
Literal	mathematical rigor, provenance, equivalence
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

5.1 Command-life-cycle role

At R0/R1, JP receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Representation is not admission, execution, or authority.

Mika / MK - MK

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.MK
Namespace	MJ.PBMEF.Family.MK.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant MK
Definition	Physics Modulator System for dimensional, conservation, boundary, scale, and evidence representation.
Capability	physics CAPO, not-applicable receipt, hold, technical fail, Pearl physics receipt, spreadsheet resource-physics receipt
Participant	Mika / MK
Relationship	Incoming: JP; outgoing: JO, BELLE
Function	Physics Modulator System for dimensional, conservation, boundary, scale, and evidence representation.
Expression	Applicable formula set and bounded family receipt
Statement	Mika / MK contributes its role but cannot substitute for another participant.
Measurement	JP math CAPO, environment, control volume, evidence, Pearl simulation geometry/acoustic profile, Bangel Sheet workload and dependency field
Constraint	No MJ permit, coordinate approval, physical validation, or evidence invention.
Annotation	@family(id='MK', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant MK { input; verify; output; boundary; }
Literal	physical truth, unit integrity, conservation, uncertainty honesty
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

6.1 Command-life-cycle role

At R0/R1, Mika / MK receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No MJ permit, coordinate approval, physical validation, or evidence invention.

JO - JO

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.JO
Namespace	MJ.PBMEF.Family.JO.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant JO
Definition	Deterministic type, unit, proof, validation, runtime, and evidence engine.
Capability	proof receipt, runtime result, hold, deny, sheet revision receipt, Pearl balance receipt
Participant	JO
Relationship	Incoming: MK; outgoing: ANGELS, BELLATRIX, SISTER, EVE
Function	Deterministic type, unit, proof, validation, runtime, and evidence engine.
Expression	Applicable formula set and bounded family receipt
Statement	JO contributes its role but cannot substitute for another participant.
Measurement	typed CAPOs, authority receipts, evidence, Bangel Sheet revisions, Pearl lifecycle packets
Constraint	No invented purpose, physics, authority, finance, or external effect.
Annotation	@family(id='JO', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant JO { input; verify; output; boundary; }
Literal	fail closed, reproducibility, auditability
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

7.1 Command-life-cycle role

At R0/R1, JO receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No invented purpose, physics, authority, finance, or external effect.

MJOS - MJOS

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.MJOS
Namespace	MJ.PBMEF.Family.MJOS.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant MJOS
Definition	Operating-system and infrastructure substrate inside MJ.
Capability	resource service, infrastructure evidence
Participant	MJOS
Relationship	Incoming: JO_EXECUTION; outgoing: receipt to MJ/JO
Function	Operating-system and infrastructure substrate inside MJ.
Expression	Applicable formula set and bounded family receipt
Statement	MJOS contributes its role but cannot substitute for another participant.
Measurement	MJ leases, JO execution plan
Constraint	Not a second authority principal.
Annotation	@family(id='MJOS', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant MJOS { input; verify; output; boundary; }
Literal	bounded resources, continuity, isolation
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

8.1 Command-life-cycle role

At R0/R1, MJOS receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Not a second authority principal.

Angels - ANGELS

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.ANGELS
Namespace	MJ.PBMEF.Family.ANGELS.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant ANGELS
Definition	Domain-specific observation, telemetry, hold, denial, and corrective-command family.
Capability	safety receipt, hold, deny, correction request
Participant	Angels
Relationship	Incoming: JO; outgoing: M3
Function	Domain-specific observation, telemetry, hold, denial, and corrective-command family.
Expression	Applicable formula set and bounded family receipt
Statement	Angels contributes its role but cannot substitute for another participant.
Measurement	commands, evidence, state
Constraint	No self-admission, ordinary execution, or scope expansion.
Annotation	@family(id='ANGELS', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant ANGELS { input; verify; output; boundary; }
Literal	safety, watchfulness, correction
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION_FAMILY
Attribute	full_family_identity=true; self_authority=false

9.1 Command-life-cycle role

At R0/R1, Angels receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No self-admission, ordinary execution, or scope expansion.

Bellatrix - BELLATRIX

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.BELLATRIX
Namespace	MJ.PBMEF.Family.BELLATRIX.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant BELLATRIX
Definition	Independent defense, challenge, quarantine, hostile-deviation analysis, and denial.
Capability	deny, quarantine, challenge receipt
Participant	Bellatrix
Relationship	Incoming: JO; outgoing: M3
Function	Independent defense, challenge, quarantine, hostile-deviation analysis, and denial.
Expression	Applicable formula set and bounded family receipt
Statement	Bellatrix contributes its role but cannot substitute for another participant.
Measurement	commands, threat evidence
Constraint	No positive general admission.
Annotation	@family(id='BELLATRIX', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant BELLATRIX { input; verify; output; boundary; }
Literal	defense, independence, containment
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

10.1 Command-life-cycle role

At R0/R1, Bellatrix receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No positive general admission.

Sister - SISTER

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.SISTER
Namespace	MJ.PBMEF.Family.SISTER.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant SISTER
Definition	Predictive digital twin, preallocation evidence, anomaly detection, umbrella collection, and canonical physical containment request.
Capability	forecast, containment request, digital-twin receipt, physical containment request and Pearl simulation request
Participant	Sister
Relationship	Incoming: JO; outgoing: M3
Function	Predictive digital twin, preallocation evidence, anomaly detection, umbrella collection, and canonical physical containment request.
Expression	Applicable formula set and bounded family receipt
Statement	Sister contributes its role but cannot substitute for another participant.
Measurement	state stream, request trend, variance
Constraint	Prediction is not permission.
Annotation	@family(id='SISTER', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant SISTER { input; verify; output; boundary; }
Literal	prediction, redundancy, early warning
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

11.1 Command-life-cycle role

At R0/R1, Sister receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Prediction is not permission.

EVE - EVE

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.EVE
Namespace	MJ.PBMEF.Family.EVE.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant EVE
Definition	Variance, evaporative effect, screen capture, leakage, smoke-like egress, and boundary-accounting evidence.
Capability	EVE observation, capture/egress ledger, hold, Pearl escape/capture observation
Participant	EVE
Relationship	Incoming: JO; outgoing: M3
Function	Variance, evaporative effect, screen capture, leakage, smoke-like egress, and boundary-accounting evidence.
Expression	Applicable formula set and bounded family receipt
Statement	EVE contributes its role but cannot substitute for another participant.
Measurement	mass/weight states, flows, screen measurements, residuals
Constraint	No release, pricing, minting, or execution.
Annotation	@family(id='EVE', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant EVE { input; verify; output; boundary; }
Literal	diligence, respect, loss accounting, boundary truth
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

12.1 Command-life-cycle role

At R0/R1, EVE receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No release, pricing, minting, or execution.

Mary / M3 - M3

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.M3
Namespace	MJ.PBMEF.Family.M3.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant M3
Definition	Bounded routing, API gateway, load balancing, connection pooling, and allocation stewardship.
Capability	route receipt, allocation lease use, return receipt, Pearl allocation/transfer receipt, Bangel Sheet partition route receipt
Participant	Mary / M3
Relationship	Incoming: ANGELS, BELLATRIX, SISTER, EVE; outgoing: MERMAID, SHIVA
Function	Bounded routing, API gateway, load balancing, connection pooling, and allocation stewardship.
Expression	Applicable formula set and bounded family receipt
Statement	Mary / M3 contributes its role but cannot substitute for another participant.
Measurement	admitted command, MJ lease, capacity evidence
Constraint	No authority minting, lease widening, or denial bypass.
Annotation	@family(id='M3', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant M3 { input; verify; output; boundary; }
Literal	fair allocation, resource hygiene, bounded routing
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

13.1 Command-life-cycle role

At R0/R1, Mary / M3 receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No authority minting, lease widening, or denial bypass.

Mermaid - MERMAID

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.MERMAID
Namespace	MJ.PBMEF.Family.MERMAID.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant MERMAID
Definition	Accounting, reconciliation, exposure, custody evidence, statements, tax lots, and financial consequence.
Capability	account, balance, exposure, reconciliation receipt
Participant	Mermaid
Relationship	Incoming: M3; outgoing: MJ_DECISION
Function	Accounting, reconciliation, exposure, custody evidence, statements, tax lots, and financial consequence.
Expression	Applicable formula set and bounded family receipt
Statement	Mermaid contributes its role but cannot substitute for another participant.
Measurement	transaction evidence, EVE evidence, Shiva proposal, Pearl lifecycle and Bangel Sheet audit particles
Constraint	No source-truth invention, minting, or final permit.
Annotation	@family(id='MERMAID', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant MERMAID { input; verify; output; boundary; }
Literal	ledger truth, reconciliation, transparency
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

14.1 Command-life-cycle role

At R0/R1, Mermaid receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No source-truth invention, minting, or final permit.

Shiva - SHIVA

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.SHIVA
Namespace	MJ.PBMEF.Family.SHIVA.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant SHIVA
Definition	Finance, money, treasury, liquidity, capital-job classification, risk/opportunity analysis, and distribution proposal.
Capability	capital proposal, job-of-money classification, distribution plan
Participant	Shiva
Relationship	Incoming: M3; outgoing: MJ_DECISION
Function	Finance, money, treasury, liquidity, capital-job classification, risk/opportunity analysis, and distribution proposal.
Expression	Applicable formula set and bounded family receipt
Statement	Shiva contributes its role but cannot substitute for another participant.
Measurement	capital purpose, Mermaid account, MK friction, risk evidence, Pearl regeneration opportunity vectors
Constraint	No banking, investment advice, custody, exchange, minting, or external operation authority.
Annotation	@family(id='SHIVA', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant SHIVA { input; verify; output; boundary; }
Literal	liquidity first, stability, abundance with discipline, auditability
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

15.1 Command-life-cycle role

At R0/R1, Shiva receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No banking, investment advice, custody, exchange, minting, or external operation authority.

Shekina - SHEKINA

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.SHEKINA
Namespace	MJ.PBMEF.Family.SHEKINA.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant SHEKINA
Definition	Distributed placement, replication, continuity, and infrastructure evidence.
Capability	placement receipt, continuity evidence
Participant	Shekina
Relationship	Incoming: JO_EXECUTION; outgoing: receipt to MJ/JO
Function	Distributed placement, replication, continuity, and infrastructure evidence.
Expression	Applicable formula set and bounded family receipt
Statement	Shekina contributes its role but cannot substitute for another participant.
Measurement	placement request, MJ lease
Constraint	No authority from location and no scope widening.
Annotation	@family(id='SHEKINA', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant SHEKINA { input; verify; output; boundary; }
Literal	continuity, bounded placement, resilience
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

16.1 Command-life-cycle role

At R0/R1, Shekina receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No authority from location and no scope widening.

Belle - BELLE

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.BELLE
Namespace	MJ.PBMEF.Family.BELLE.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant BELLE
Definition	Engineering analysis, feasibility, topology review, and bounded proposals.
Capability	engineering proposal, risk note
Participant	Belle
Relationship	Incoming: MK; outgoing: receipt to MJ/JO
Function	Engineering analysis, feasibility, topology review, and bounded proposals.
Expression	Applicable formula set and bounded family receipt
Statement	Belle contributes its role but cannot substitute for another participant.
Measurement	design CAPO, physics CAPO
Constraint	Proposal is not execution or permit.
Annotation	@family(id='BELLE', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant BELLE { input; verify; output; boundary; }
Literal	engineering clarity, feasibility, benchmarking
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

17.1 Command-life-cycle role

At R0/R1, Belle receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Proposal is not execution or permit.

Lecanto - LECANTO

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.LECANTO
Namespace	MJ.PBMEF.Family.LECANTO.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant LECANTO
Definition	Truthful governed visualization of state, provenance, uncertainty, and system structure.
Capability	visual representation
Participant	Lecanto
Relationship	Incoming: JO_EXECUTION; outgoing: MOANA
Function	Truthful governed visualization of state, provenance, uncertainty, and system structure.
Expression	Applicable formula set and bounded family receipt
Statement	Lecanto contributes its role but cannot substitute for another participant.
Measurement	JO evidence, Mermaid account, MK physics receipt, Bangel Sheet lineage and Pearl state
Constraint	Cannot manufacture certainty or underlying effects.
Annotation	@family(id='LECANTO', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant LECANTO { input; verify; output; boundary; }
Literal	visibility, truth, uncertainty disclosure
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

18.1 Command-life-cycle role

At R0/R1, Lecanto receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Cannot manufacture certainty or underlying effects.

Moana - MOANA

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.MOANA
Namespace	MJ.PBMEF.Family.MOANA.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant MOANA
Definition	Browser and interaction presentation of governed applications and evidence.
Capability	interaction surface
Participant	Moana
Relationship	Incoming: LECANTO; outgoing: receipt to MJ/JO
Function	Browser and interaction presentation of governed applications and evidence.
Expression	Applicable formula set and bounded family receipt
Statement	Moana contributes its role but cannot substitute for another participant.
Measurement	Lecanto views, JO evidence
Constraint	No underlying effect or credential authority.
Annotation	@family(id='MOANA', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant MOANA { input; verify; output; boundary; }
Literal	interaction truth, accessibility, bounded presentation
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

19.1 Command-life-cycle role

At R0/R1, Moana receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No underlying effect or credential authority.

Aviator - AVIATOR

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.AVIATOR
Namespace	MJ.PBMEF.Family.AVIATOR.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant AVIATOR
Definition	Organizational workspace, projects, decisions, roles, knowledge, and governed workflow.
Capability	workspace state, decision records
Participant	Aviator
Relationship	Incoming: JO_EXECUTION; outgoing: receipt to MJ/JO
Function	Organizational workspace, projects, decisions, roles, knowledge, and governed workflow.
Expression	Applicable formula set and bounded family receipt
Statement	Aviator contributes its role but cannot substitute for another participant.
Measurement	member purpose, governed records, Bangel Spreadsheets workbooks and reports
Constraint	No root authority, cross-tenant scope, or unadmitted finance.
Annotation	@family(id='AVIATOR', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant AVIATOR { input; verify; output; boundary; }
Literal	understanding first, organization, decision trace
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

20.1 Command-life-cycle role

At R0/R1, Aviator receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No root authority, cross-tenant scope, or unadmitted finance.

CHI - CHI

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.CHI
Namespace	MJ.PBMEF.Family.CHI.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant CHI
Definition	Temporal variance and expected-observed-delivered-reconciled difference state.
Capability	variance object
Participant	CHI
Relationship	Incoming: MJ/root context; outgoing: receipt to MJ/JO
Function	Temporal variance and expected-observed-delivered-reconciled difference state.
Expression	Applicable formula set and bounded family receipt
Statement	CHI contributes its role but cannot substitute for another participant.
Measurement	timestamps, expected/observed states
Constraint	No pricing, punishment, rank, or execution.
Annotation	@family(id='CHI', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant CHI { input; verify; output; boundary; }
Literal	variance truth, time awareness
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	STATE_ENTITY
Attribute	full_family_identity=true; self_authority=false

21.1 Command-life-cycle role

At R0/R1, CHI receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No pricing, punishment, rank, or execution.

WATER - WATER

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.WATER
Namespace	MJ.PBMEF.Family.WATER.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant WATER
Definition	Interval uncertainty, verified floor, and bounded unknown-state classification.
Capability	state classification
Participant	WATER
Relationship	Incoming: MJ/root context; outgoing: receipt to MJ/JO
Function	Interval uncertainty, verified floor, and bounded unknown-state classification.
Expression	Applicable formula set and bounded family receipt
Statement	WATER contributes its role but cannot substitute for another participant.
Measurement	measurement intervals, evidence limits
Constraint	No authority or value from classification.
Annotation	@family(id='WATER', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant WATER { input; verify; output; boundary; }
Literal	uncertainty honesty, bounded intervals
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	STATE_CLASS
Attribute	full_family_identity=true; self_authority=false

22.1 Command-life-cycle role

At R0/R1, WATER receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No authority or value from classification.

Governed object verification

23.1 JP_CAPO

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.JP_CAPO
Namespace	MJ.PBMEF.Object.JP_CAPO.Day0
Declaration	object JP_CAPO
Definition	Canonical math, algorithm, topology, or architecture representation
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Canonical math, algorithm, topology, or architecture representation
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='JP_CAPO')
Directive	validate schema and provenance before use
Block	object JP_CAPO { fields; invariants; evidence; }
Literal	JP_CAPO
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.2 MK_PHYSICS_CAPO

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.MK_PHYSICS_CAPO
Namespace	MJ.PBMEF.Object.MK_PHYSICS_CAPO.Day0
Declaration	object MK_PHYSICS_CAPO
Definition	Physics applicability, quantities, units, boundaries, equations, uncertainty, and evidence
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Physics applicability, quantities, units, boundaries, equations, uncertainty, and evidence
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='MK_PHYSICS_CAPO')
Directive	validate schema and provenance before use
Block	object MK_PHYSICS_CAPO { fields; invariants; evidence; }
Literal	MK_PHYSICS_CAPO
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.3 JO_PROOF_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.JO_PROOF_RECEIPT
Namespace	MJ.PBMEF.Object.JO_PROOF_RECEIPT.Day0
Declaration	object JO_PROOF_RECEIPT
Definition	Executed verification result
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Executed verification result
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='JO_PROOF_RECEIPT')
Directive	validate schema and provenance before use
Block	object JO_PROOF_RECEIPT { fields; invariants; evidence; }
Literal	JO_PROOF_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.4 MJ_PERMIT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.MJ_PERMIT
Namespace	MJ.PBMEF.Object.MJ_PERMIT.Day0
Declaration	object MJ_PERMIT
Definition	Bounded permit decision issued only by MJ
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Bounded permit decision issued only by MJ
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='MJ_PERMIT')
Directive	validate schema and provenance before use
Block	object MJ_PERMIT { fields; invariants; evidence; }
Literal	MJ_PERMIT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.5 EVE_OBSERVATION

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.EVE_OBSERVATION
Namespace	MJ.PBMEF.Object.EVE_OBSERVATION.Day0
Declaration	object EVE_OBSERVATION
Definition	Variance, screen, capture, egress, or residual evidence
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Variance, screen, capture, egress, or residual evidence
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='EVE_OBSERVATION')
Directive	validate schema and provenance before use
Block	object EVE_OBSERVATION { fields; invariants; evidence; }
Literal	EVE_OBSERVATION
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.6 M3_ROUTE_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.M3_ROUTE_RECEIPT
Namespace	MJ.PBMEF.Object.M3_ROUTE_RECEIPT.Day0
Declaration	object M3_ROUTE_RECEIPT
Definition	Bounded routing and resource-use receipt
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Bounded routing and resource-use receipt
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='M3_ROUTE_RECEIPT')
Directive	validate schema and provenance before use
Block	object M3_ROUTE_RECEIPT { fields; invariants; evidence; }
Literal	M3_ROUTE_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.7 MERMAID_ACCOUNT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.MERMAID_ACCOUNT
Namespace	MJ.PBMEF.Object.MERMAID_ACCOUNT.Day0
Declaration	object MERMAID_ACCOUNT
Definition	Accounting, custody, exposure, tax, and reconciliation record
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Accounting, custody, exposure, tax, and reconciliation record
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id="MERMAID_ACCOUNT")
Directive	validate schema and provenance before use
Block	object MERMAID_ACCOUNT { fields; invariants; evidence; }
Literal	MERMAID_ACCOUNT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.8 SHIVA_SHELL

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.SHIVA_SHELL
Namespace	MJ.PBMEF.Object.SHIVA_SHELL.Day0
Declaration	object SHIVA_SHELL
Definition	Governed account envelope for typed financial representations
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Governed account envelope for typed financial representations
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id="SHIVA_SHELL")
Directive	validate schema and provenance before use
Block	object SHIVA_SHELL { fields; invariants; evidence; }
Literal	SHIVA_SHELL
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.9 SHIVAS_INTERNAL_REFLECTION

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.SHIVAS_INTERNAL_REFLECTION
Namespace	MJ.PBMEF.Object.SHIVAS_INTERNAL_REFLECTION.Day0
Declaration	object SHIVAS_INTERNAL_REFLECTION
Definition	Internal non-transferable capital-reflection object
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Internal non-transferable capital-reflection object
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='SHIVAS_INTERNAL_REFLECTION')
Directive	validate schema and provenance before use
Block	object SHIVAS_INTERNAL_REFLECTION { fields; invariants; evidence; }
Literal	SHIVAS_INTERNAL_REFLECTION
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.10 CHI_VARIANCE_OBJECT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.CHI_VARIANCE_OBJECT
Namespace	MJ.PBMEF.Object.CHI_VARIANCE_OBJECT.Day0
Declaration	object CHI_VARIANCE_OBJECT
Definition	Temporal difference object
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Temporal difference object
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='CHI_VARIANCE_OBJECT')
Directive	validate schema and provenance before use
Block	object CHI_VARIANCE_OBJECT { fields; invariants; evidence; }
Literal	CHI_VARIANCE_OBJECT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.11 WATER_INTERVAL_STATE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.WATER_INTERVAL_STATE
Namespace	MJ.PBMEF.Object.WATER_INTERVAL_STATE.Day0
Declaration	object WATER_INTERVAL_STATE
Definition	Uncertainty interval state
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Uncertainty interval state
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='WATER_INTERVAL_STATE')
Directive	validate schema and provenance before use
Block	object WATER_INTERVAL_STATE { fields; invariants; evidence; }
Literal	WATER_INTERVAL_STATE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.12 PASSKEY_PUBLIC_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PASSKEY_PUBLIC_RECEIPT
Namespace	MJ.PBMEF.Object.PASSKEY_PUBLIC_RECEIPT.Day0
Declaration	object PASSKEY_PUBLIC_RECEIPT
Definition	Public verification of founder signature over a bounded content root
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Public verification of founder signature over a bounded content root
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='PASSKEY_PUBLIC_RECEIPT')
Directive	validate schema and provenance before use
Block	object PASSKEY_PUBLIC_RECEIPT { fields; invariants; evidence; }
Literal	PASSKEY_PUBLIC_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.13 PEARL_VARIANCE_CONTAINER

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PEARL_VARIANCE_CONTAINER
Namespace	MJ.PBMEF.Object.PEARL_VARIANCE_CONTAINER.Day0
Declaration	object PEARL_VARIANCE_CONTAINER
Definition	Legacy stable ID for a pearl-shaped hypothetical simulation and information-retention object; never a physical container
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Legacy stable ID for a pearl-shaped hypothetical simulation and information-retention object; never a physical container
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id="PEARL_VARIANCE_CONTAINER")
Directive	validate schema and provenance before use
Block	object PEARL_VARIANCE_CONTAINER { fields; invariants; evidence; }
Literal	PEARL_VARIANCE_CONTAINER
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.14 PEARL_ALLOCATION_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PEARL_ALLOCATION_RECEIPT
Namespace	MJ.PBMEF.Object.PEARL_ALLOCATION_RECEIPT.Day0
Declaration	object PEARL_ALLOCATION_RECEIPT
Definition	M3/JO receipt for simulated Pearl allocation, scenario capacity, source, destination, and lifecycle state; no physical effect
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	M3/JO receipt for simulated Pearl allocation, scenario capacity, source, destination, and lifecycle state; no physical effect
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id="PEARL_ALLOCATION_RECEIPT")
Directive	validate schema and provenance before use
Block	object PEARL_ALLOCATION_RECEIPT { fields; invariants; evidence; }
Literal	PEARL_ALLOCATION_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.15 PEARL_ACOUSTIC_PROFILE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PEARL_ACOUSTIC_PROFILE
Namespace	MJ.PBMEF.Object.PEARL_ACOUSTIC_PROFILE.Day0
Declaration	object PEARL_ACOUSTIC_PROFILE
Definition	Hypothetical acoustic simulation profile with declared frequency, medium, observability, uncertainty, and no physical cohesion claim
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Hypothetical acoustic simulation profile with declared frequency, medium, observability, uncertainty, and no physical cohesion claim
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='PEARL_ACOUSTIC_PROFILE')
Directive	validate schema and provenance before use
Block	object PEARL_ACOUSTIC_PROFILE { fields; invariants; evidence; }
Literal	PEARL_ACOUSTIC_PROFILE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.16 PEARL_SYMPOSIUM_REGISTRY

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PEARL_SYMPOSIUM_REGISTRY
Namespace	MJ.PBMEF.Object.PEARL_SYMPOSIUM_REGISTRY.Day0
Declaration	object PEARL_SYMPOSIUM_REGISTRY
Definition	Mermaid/Shiva record of Pearl simulation scenarios, quantities, costs, implications, and regeneration opportunities under MJ
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Mermaid/Shiva record of Pearl simulation scenarios, quantities, costs, implications, and regeneration opportunities under MJ
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='PEARL_SYMPOSIUM_REGISTRY')
Directive	validate schema and provenance before use
Block	object PEARL_SYMPOSIUM_REGISTRY { fields; invariants; evidence; }
Literal	PEARL_SYMPOSIUM_REGISTRY
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.17 Bangel _SHEET

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.Bangel _SHEET
Namespace	MJ.PBMEF.Object.Bangel _SHEET.Day0
Declaration	object Bangel _SHEET
Definition	Governed spreadsheet-like workbook with immutable revisions, typed cells, dependency graph, and authority scopes
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Governed spreadsheet-like workbook with immutable revisions, typed cells, dependency graph, and authority scopes
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='Bangel _SHEET')
Directive	validate schema and provenance before use
Block	object Bangel _SHEET { fields; invariants; evidence; }
Literal	Bangel _SHEET
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.18 Bangel _SHEET_CELL

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.Bangel _SHEET_CELL
Namespace	MJ.PBMEF.Object.Bangel _SHEET_CELL.Day0
Declaration	object Bangel _SHEET_CELL
Definition	Typed measurement cell with value, unit, uncertainty, formula, evidence, lineage, and revision
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Typed measurement cell with value, unit, uncertainty, formula, evidence, lineage, and revision
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='Bangel _SHEET_CELL')
Directive	validate schema and provenance before use
Block	object Bangel _SHEET_CELL { fields; invariants; evidence; }
Literal	Bangel _SHEET_CELL
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.19 Bangel _SHEET_REVISION

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.Bangel _SHEET_REVISION
Namespace	MJ.PBMEF.Object.Bangel _SHEET_REVISION.Day0
Declaration	object Bangel _SHEET_REVISION
Definition	Content-addressed immutable workbook revision and conflict/merge evidence
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Content-addressed immutable workbook revision and conflict/merge evidence
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='Bangel _SHEET_REVISION')
Directive	validate schema and provenance before use
Block	object Bangel _SHEET_REVISION { fields; invariants; evidence; }
Literal	Bangel _SHEET_REVISION
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.20 Bangel _SHEET_AUDIT_PARTICLE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.Bangel _SHEET_AUDIT_PARTICLE
Namespace	MJ.PBMEF.Object.Bangel _SHEET_AUDIT_PARTICLE.Day0
Declaration	object Bangel _SHEET_AUDIT_PARTICLE
Definition	Complete audit record for critical spreadsheet edits, formulas, recomputation, and reports
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Complete audit record for critical spreadsheet edits, formulas, recomputation, and reports
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='Bangel _SHEET_AUDIT_PARTICLE')
Directive	validate schema and provenance before use
Block	object Bangel _SHEET_AUDIT_PARTICLE { fields; invariants; evidence; }
Literal	Bangel _SHEET_AUDIT_PARTICLE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.21 JPOSMJ_PRODUCT_ENVELOPE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.JPOSMJ_PRODUCT_ENVELOPE
Namespace	MJ.PBMEF.Object.JPOSMJ_PRODUCT_ENVELOPE.Day0
Declaration	object JPOSMJ_PRODUCT_ENVELOPE
Definition	Portfolio envelope binding JP-origin product logic through MK physics, JO proof, and MJ permit
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Portfolio envelope binding JP-origin product logic through MK physics, JO proof, and MJ permit
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='JPOSMJ_PRODUCT_ENVELOPE')
Directive	validate schema and provenance before use
Block	object JPOSMJ_PRODUCT_ENVELOPE { fields; invariants; evidence; }
Literal	JPOSMJ_PRODUCT_ENVELOPE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.22 SISTER_PHYSICAL_CONTAINMENT_PROFILE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.SISTER_PHYSICAL_CONTAINMENT_PROFILE
Namespace	MJ.PBMEF.Object.SISTER_PHYSICAL_CONTAINMENT_PROFILE.Day0
Declaration	object SISTER_PHYSICAL_CONTAINMENT_PROFILE
Definition	Pre-Pearl physical umbrella/descent/containment profile with normalized topology and profile-specific unknown physical size/capacity
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Pre-Pearl physical umbrella/descent/containment profile with normalized topology and profile-specific unknown physical size/capacity
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='SISTER_PHYSICAL_CONTAINMENT_PROFILE')
Directive	validate schema and provenance before use
Block	object SISTER_PHYSICAL_CONTAINMENT_PROFILE { fields; invariants; evidence; }
Literal	SISTER_PHYSICAL_CONTAINMENT_PROFILE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.23 STANDARD_CONTAINMENT_GEOMETRY_PROFILE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.STANDARD_CONTAINMENT_GEOMETRY_PROFILE
Namespace	MJ.PBMEF.Object.STANDARD_CONTAINMENT_GEOMETRY_PROFILE.Day0
Declaration	object STANDARD_CONTAINMENT_GEOMETRY_PROFILE
Definition	Typed scale-independent rectangle/cone/umbrella/descent/EVE/reservoir geometry and modification parameters
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Typed scale-independent rectangle/cone/umbrella/descent/EVE/reservoir geometry and modification parameters
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='STANDARD_CONTAINMENT_GEOMETRY_PROFILE')
Directive	validate schema and provenance before use
Block	object STANDARD_CONTAINMENT_GEOMETRY_PROFILE { fields; invariants; evidence; }
Literal	STANDARD_CONTAINMENT_GEOMETRY_PROFILE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.24 REFERENCE_GAS_PROFILE_H2

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.REFERENCE_GAS_PROFILE_H2
Namespace	MJ.PBMEF.Object.REFERENCE_GAS_PROFILE_H2.Day0
Declaration	object REFERENCE_GAS_PROFILE_H2
Definition	H2 equation/reference profile for density, equivalent volume, observed gas height, and motion calculations; no physical use authority
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	H2 equation/reference profile for density, equivalent volume, observed gas height, and motion calculations; no physical use authority
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='REFERENCE_GAS_PROFILE_H2')
Directive	validate schema and provenance before use
Block	object REFERENCE_GAS_PROFILE_H2 { fields; invariants; evidence; }
Literal	REFERENCE_GAS_PROFILE_H2
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.25 CONTAINMENT_MODIFICATION_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.CONTAINMENT_MODIFICATION_RECEIPT
Namespace	MJ.PBMEF.Object.CONTAINMENT_MODIFICATION_RECEIPT.Day0
Declaration	object CONTAINMENT_MODIFICATION_RECEIPT
Definition	Recalculation and revalidation receipt for command/profile-specific geometry changes
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Recalculation and revalidation receipt for command/profile-specific geometry changes
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='CONTAINMENT_MODIFICATION_RECEIPT')
Directive	validate schema and provenance before use
Block	object CONTAINMENT_MODIFICATION_RECEIPT { fields; invariants; evidence; }
Literal	CONTAINMENT_MODIFICATION_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.26 CONE_TOP_PEARL_ANCHOR

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.CONE_TOP_PEARL_ANCHOR
Namespace	MJ.PBMEF.Object.CONE_TOP_PEARL_ANCHOR.Day0
Declaration	object CONE_TOP_PEARL_ANCHOR
Definition	Hypothetical information coordinate at the top-of-cone observation plane; no physical placement
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Hypothetical information coordinate at the top-of-cone observation plane; no physical placement
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='CONE_TOP_PEARL_ANCHOR')
Directive	validate schema and provenance before use
Block	object CONE_TOP_PEARL_ANCHOR { fields; invariants; evidence; }
Literal	CONE_TOP_PEARL_ANCHOR
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.27 GAS_HEIGHT_OBSERVATION

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.GAS_HEIGHT_OBSERVATION
Namespace	MJ.PBMEF.Object.GAS_HEIGHT_OBSERVATION.Day0
Declaration	object GAS_HEIGHT_OBSERVATION
Definition	Calibrated pressure/temperature/density/height/time observation for gas-front reference calculations
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Calibrated pressure/temperature/density/height/time observation for gas-front reference calculations
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='GAS_HEIGHT_OBSERVATION')
Directive	validate schema and provenance before use
Block	object GAS_HEIGHT_OBSERVATION { fields; invariants; evidence; }
Literal	GAS_HEIGHT_OBSERVATION
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.28 RESERVOIR_RETURN_LOOP_PROFILE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.RESERVOIR_RETURN_LOOP_PROFILE
Namespace	MJ.PBMEF.Object.RESERVOIR_RETURN_LOOP_PROFILE.Day0
Declaration	object RESERVOIR_RETURN_LOOP_PROFILE
Definition	Typed rear outlet, external reservoir, and circular reentry geometry/profile.
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Typed rear outlet, external reservoir, and circular reentry geometry/profile.
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='RESERVOIR_RETURN_LOOP_PROFILE')
Directive	validate schema and provenance before use
Block	object RESERVOIR_RETURN_LOOP_PROFILE { fields; invariants; evidence; }
Literal	RESERVOIR_RETURN_LOOP_PROFILE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.29 OUTWARD_GAP_PATH_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.OUTWARD_GAP_PATH_RECEIPT
Namespace	MJ.PBMEF.Object.OUTWARD_GAP_PATH_RECEIPT.Day0
Declaration	object OUTWARD_GAP_PATH_RECEIPT
Definition	JO/MK proof that the outlet path remains outside the nonphysical Pearl reference circle.
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	JO/MK proof that the outlet path remains outside the nonphysical Pearl reference circle.
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='OUTWARD_GAP_PATH_RECEIPT')
Directive	validate schema and provenance before use
Block	object OUTWARD_GAP_PATH_RECEIPT { fields; invariants; evidence; }
Literal	OUTWARD_GAP_PATH_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.30 RESERVOIR_BUFFER_ACCOUNT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.RESERVOIR_BUFFER_ACCOUNT
Namespace	MJ.PBMEF.Object.RESERVOIR_BUFFER_ACCOUNT.Day0
Declaration	object RESERVOIR_BUFFER_ACCOUNT
Definition	EVE/Mermaid typed balance of admitted, returned, drained, escaped, and retained quantities.
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	EVE/Mermaid typed balance of admitted, returned, drained, escaped, and retained quantities.
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='RESERVOIR_BUFFER_ACCOUNT')
Directive	validate schema and provenance before use
Block	object RESERVOIR_BUFFER_ACCOUNT { fields; invariants; evidence; }
Literal	RESERVOIR_BUFFER_ACCOUNT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.31 CIRCULAR_REENTRY_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.CIRCULAR_REENTRY_RECEIPT
Namespace	MJ.PBMEF.Object.CIRCULAR_REENTRY_RECEIPT.Day0
Declaration	object CIRCULAR_REENTRY_RECEIPT
Definition	Circular port, inward angle, tangential component, continuity, and spiral-compatibility evidence.
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Circular port, inward angle, tangential component, continuity, and spiral-compatibility evidence.
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='CIRCULAR_REENTRY_RECEIPT')
Directive	validate schema and provenance before use
Block	object CIRCULAR_REENTRY_RECEIPT { fields; invariants; evidence; }
Literal	CIRCULAR_REENTRY_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.32 RELATIVE_FRAME_FRICTION_LEDGER

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.RELATIVE_FRAME_FRICTION_LEDGER
Namespace	MJ.PBMEF.Object.RELATIVE_FRAME_FRICTION_LEDGER.Day0
Declaration	object RELATIVE_FRAME_FRICTION_LEDGER
Definition	MK/JO/Mermaid record of frame-relative velocity, dissipation, and any bounded recoverable-energy claim.
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	MK/JO/Mermaid record of frame-relative velocity, dissipation, and any bounded recoverable-energy claim.
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='RELATIVE_FRAME_FRICTION_LEDGER')
Directive	validate schema and provenance before use
Block	object RELATIVE_FRAME_FRICTION_LEDGER { fields; invariants; evidence; }
Literal	RELATIVE_FRAME_FRICTION_LEDGER
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.33 RESERVOIR_LAKE_BUFFER

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.RESERVOIR_LAKE_BUFFER
Namespace	MJ.PBMEF.Object.RESERVOIR_LAKE_BUFFER.Day0
Declaration	object RESERVOIR_LAKE_BUFFER
Definition	Bounded post-containment buffer candidate for retention, redistribution, and receipted re-entry
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Bounded post-containment buffer candidate for retention, redistribution, and receipted re-entry
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='RESERVOIR_LAKE_BUFFER')
Directive	validate schema and provenance before use
Block	object RESERVOIR_LAKE_BUFFER { fields; invariants; evidence; }
Literal	RESERVOIR_LAKE_BUFFER
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.34 BACKSIDE_OUTLET_PORT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.BACKSIDE_OUTLET_PORT
Namespace	MJ.PBMEF.Object.BACKSIDE_OUTLET_PORT.Day0
Declaration	object BACKSIDE_OUTLET_PORT
Definition	High backside outlet candidate located below containment maximum height
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	High backside outlet candidate located below containment maximum height
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='BACKSIDE_OUTLET_PORT')
Directive	validate schema and provenance before use
Block	object BACKSIDE_OUTLET_PORT { fields; invariants; evidence; }
Literal	BACKSIDE_OUTLET_PORT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.35 OUTWARD_GAP_ARC

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.OUTWARD_GAP_ARC
Namespace	MJ.PBMEF.Object.OUTWARD_GAP_ARC.Day0
Declaration	object OUTWARD_GAP_ARC
Definition	Outward-facing angular reference through which the outlet clears the nonphysical Pearl reference circle
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Outward-facing angular reference through which the outlet clears the nonphysical Pearl reference circle
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='OUTWARD_GAP_ARC')
Directive	validate schema and provenance before use
Block	object OUTWARD_GAP_ARC { fields; invariants; evidence; }
Literal	OUTWARD_GAP_ARC
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.36 PEARL_REFERENCE_CIRCLE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PEARL_REFERENCE_CIRCLE
Namespace	MJ.PBMEF.Object.PEARL_REFERENCE_CIRCLE.Day0
Declaration	object PEARL_REFERENCE_CIRCLE
Definition	Hypothetical simulation/measurement circle used for path-clearance calculations; no physical wall or capacity
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Hypothetical simulation/measurement circle used for path-clearance calculations; no physical wall or capacity
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='PEARL_REFERENCE_CIRCLE')
Directive	validate schema and provenance before use
Block	object PEARL_REFERENCE_CIRCLE { fields; invariants; evidence; }
Literal	PEARL_REFERENCE_CIRCLE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.37 CIRCULAR_REENTRY_PORT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.CIRCULAR_REENTRY_PORT
Namespace	MJ.PBMEF.Object.CIRCULAR_REENTRY_PORT.Day0
Declaration	object CIRCULAR_REENTRY_PORT
Definition	Circular inward-angled port candidate supplying measured radial and tangential re-entry components
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Circular inward-angled port candidate supplying measured radial and tangential re-entry components
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='CIRCULAR_REENTRY_PORT')
Directive	validate schema and provenance before use
Block	object CIRCULAR_REENTRY_PORT { fields; invariants; evidence; }
Literal	CIRCULAR_REENTRY_PORT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.38 RESERVOIR_TRANSFER_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.RESERVOIR_TRANSFER_RECEIPT
Namespace	MJ.PBMEF.Object.RESERVOIR_TRANSFER_RECEIPT.Day0
Declaration	object RESERVOIR_TRANSFER_RECEIPT
Definition	Per-transaction outlet/lake/re-entry/cycle/participant evidence receipt
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Per-transaction outlet/lake/re-entry/cycle/participant evidence receipt
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='RESERVOIR_TRANSFER_RECEIPT')
Directive	validate schema and provenance before use
Block	object RESERVOIR_TRANSFER_RECEIPT { fields; invariants; evidence; }
Literal	RESERVOIR_TRANSFER_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.39 PERSPECTIVE_FRICTION_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PERSPECTIVE_FRICTION_RECEIPT
Namespace	MJ.PBMEF.Object.PERSPECTIVE_FRICTION_RECEIPT.Day0
Declaration	object PERSPECTIVE_FRICTION_RECEIPT
Definition	Separates coordinate-transform residual, physical dissipation, and information friction
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Separates coordinate-transform residual, physical dissipation, and information friction
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id="PERSPECTIVE_FRICTION_RECEIPT")
Directive	validate schema and provenance before use
Block	object PERSPECTIVE_FRICTION_RECEIPT { fields; invariants; evidence; }
Literal	PERSPECTIVE_FRICTION_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

MJ-PBMEF Pink Paper - Volume VI
Product Manifestations, White-Paper Lineage, and Verification Crosswalk

Michael Bangel - Author and Architect

August 2026

Contents

1

Product gateway verification

5

2

MJ Physics Based Measurement Engineering Framework - PBMEF-CORE

6

2.1

Application and life-cycle potential

6

3

Bangel Governed Measurement Language - Bangel -LANGUAGE

7

3.1

Application and life-cycle potential

7

4

Elsa Deterministic Semantic Recovery - ELSA-SEMANTICS

8

4.1

Application and life-cycle potential

8

5

JP Mathematical and Architectural Canon - JP-CANON

9

5.1

Application and life-cycle potential

9

6

Mika/MK Physics Modulator System - MK-PHYSICS

10

6.1

Application and life-cycle potential

10

7

JO Deterministic Proof and Runtime - JO-RUNTIME

11

7.1

Application and life-cycle potential

11

8

MJOS Operating Substrate - MJOS-SUBSTRATE

12

8.1

Application and life-cycle potential

12

9

JP Semiconductor Phone Battery and OS Candidate - JP-SC-PHONE

13

9.1

Application and life-cycle potential

13

10

JP Large-Scale Boating Power Candidate - JP-LS-BOAT

14

10.1

Application and life-cycle potential

14

11

JP Peaceful High-Energy Propulsion Research Candidate - JP-PEACEFUL-PROPULSION

15

11.1

Application and life-cycle potential

15

12

Sister Predictive Containment System - SISTER-CONTAINMENT

16

12.1

Application and life-cycle potential

16

13

EVE Variance Screen and Egress Accounting - EVE-SCREEN

17

13.1

Application and life-cycle potential

17

14

Angels Safety and Corrective Command System - ANGELS-SAFETY

18

14.1

Application and life-cycle potential

18

15

Mermaid Accounting and Reconciliation System - MERMAID-RECON

19

15.1

Application and life-cycle potential

19

16

Shiva Dual Financial Rails - SHIVA-RAILS

20

16.1

Application and life-cycle potential

20

17SHIVAS Internal Settlement Reflection - SHIVAS-INTERNAL	21
17.1Application and life-cycle potential	21
18Shiva Crypto External-Market Candidate - SHIVA-CRYPTO	22
18.1Application and life-cycle potential	22
19Shiva Exchange Rule Reference - SHIVA-EXCHANGE	23
19.1Application and life-cycle potential	23
20Moana Governed Browser - MOANA-BROWSER	24
20.1Application and life-cycle potential	24
21Aviator Organizational Workspace - AVIATOR-WORKSPACE	25
21.1Application and life-cycle potential	25
22Lecanto Truthful Visualization - LECANTO-VISUAL	26
22.1Application and life-cycle potential	26
23Elsa Governed Marketplace Reference - ELSA-MARKETPLACE	27
23.1Application and life-cycle potential	27
24Shekina Distributed Continuity - SHEKINA-CONTINUITY	28
24.1Application and life-cycle potential	28
25Pearl Hypothetical Simulation and Information-Retention System - PEARL-CONTAINMENT	29
25.1Application and life-cycle potential	29
26Bangel Spreadsheets - Bangel -SPREADSHEETS	30
26.1Application and life-cycle potential	30
27JPOSMJ Product Portfolio Envelope - JPOSMJ-PORTFOLIO	31
27.1Application and life-cycle potential	31
28MJ Standard Containment Geometry and Reference Gas Model - STANDARD-CONTAINMENT-GEOMETRY	32
28.1Application and life-cycle potential	32
29MJ Reservoir Collection, Lake Buffer, and Spiral-Compatible Re-entry - RESERVOIR-COLLECTION-MODULATION	33
29.1Application and life-cycle potential	33
30Registered white-paper verification crosswalk	34
30.1MJ — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-01	35
30.2Bangel — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-02	35
30.3Elsa — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-03	36
30.4JP — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-04	36
30.5Mika / MK — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-05	37
30.6JO — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-06	37
30.7MJOS — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-07	38
30.8Angels — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-08	38
30.9Bellatrix — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-09	39
30.10Sister — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-10	39
30.11EVE — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-11	40
30.12Mary / M3 — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-12	40
30.13Mermaid — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-13	41
30.14Shiva — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-14	41
30.15Shekina — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-15	42
30.16Belle — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-16	42
30.17Lecanto — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-17	43
30.18Moana — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-18	43
30.19Aviator — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-19	44

30.2CHI — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-20	44
30.2WATER — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-21	45
30.2MJ Physics Based Measurement Engineering Framework - MJ-PBMEF-PRODUCT-WP-01	45
30.23 Bangel Governed Measurement Language - MJ-PBMEF-PRODUCT-WP-02	46
30.24Elsa Deterministic Semantic Recovery - MJ-PBMEF-PRODUCT-WP-03	46
30.25P Mathematical and Architectural Canon - MJ-PBMEF-PRODUCT-WP-04	47
30.26Mika/MK Physics Modulator System - MJ-PBMEF-PRODUCT-WP-05	47
30.27O Deterministic Proof and Runtime - MJ-PBMEF-PRODUCT-WP-06	48
30.28MJOS Operating Substrate - MJ-PBMEF-PRODUCT-WP-07	48
30.29P Semiconductor Phone Battery and OS Candidate - MJ-PBMEF-PRODUCT-WP-08	49
30.30P Large-Scale Boating Power Candidate - MJ-PBMEF-PRODUCT-WP-09	49
30.31P Peaceful High-Energy Propulsion Research Candidate - MJ-PBMEF-PRODUCT-WP-10	50
30.32Sister Predictive Containment System - MJ-PBMEF-PRODUCT-WP-11	50
30.33EVE Variance Screen and Egress Accounting - MJ-PBMEF-PRODUCT-WP-12	51
30.34Angels Safety and Corrective Command System - MJ-PBMEF-PRODUCT-WP-13	51
30.35Mermaid Accounting and Reconciliation System - MJ-PBMEF-PRODUCT-WP-14	52
30.36Shiva Dual Financial Rails - MJ-PBMEF-PRODUCT-WP-15	52
30.38HIVAS Internal Settlement Reflection - MJ-PBMEF-PRODUCT-WP-16	53
30.38Shiva Crypto External-Market Candidate - MJ-PBMEF-PRODUCT-WP-17	53
30.38Shiva Exchange Rule Reference - MJ-PBMEF-PRODUCT-WP-18	54
30.40Moana Governed Browser - MJ-PBMEF-PRODUCT-WP-19	54
30.41Aviator Organizational Workspace - MJ-PBMEF-PRODUCT-WP-20	55
30.42ecanto Truthful Visualization - MJ-PBMEF-PRODUCT-WP-21	55
30.43Elsa Governed Marketplace Reference - MJ-PBMEF-PRODUCT-WP-22	56
30.44\$hekina Distributed Continuity - MJ-PBMEF-PRODUCT-WP-23	56
30.45Pearl Hypothetical Simulation and Information-Retention System - MJ-PBMEF-PRODUCT-WP-24	57
30.46 Bangel Spreadsheets - MJ-PBMEF-PRODUCT-WP-25	57
30.47POSMJ Product Portfolio Envelope - MJ-PBMEF-PRODUCT-WP-26	58
30.48MJ Standard Containment Geometry and Reference Gas Model - MJ-PBMEF-PRODUCT-WP-27	58
30.49MJ Reservoir Collection Modulation and Return Loop - MJ-PBMEF-PRODUCT-WP-28	59
30.50R1 and R2 State Representation - MJ-PBMEF-REPRESENTATION-WP-01	59
30.51Noise Floor and 23 mg Inflection - MJ-PBMEF-REPRESENTATION-WP-02	60
30.52Upward 3x3 Node and Umbrella Representation - MJ-PBMEF-REPRESENTATION-WP-03	60
30.53Memory, Request Occultation, and Generational Handoff - MJ-PBMEF-REPRESENTATION-WP-04	61
30.54Static Intake and Energy-Wake Representation - MJ-PBMEF-REPRESENTATION-WP-05	61
30.55EVE Variance, Screen, Evaporation, and Egress - MJ-PBMEF-REPRESENTATION-WP-06	62
30.56Shiva and Mermaid Financial Rails - MJ-PBMEF-REPRESENTATION-WP-07	62
30.57Passkey, Claims Ceiling, and Repository Authentication - MJ-PBMEF-REPRESENTATION-WP-08	63
30.58Pearl Hypothetical Geometry and Acoustic Simulation Representation - MJ-PBMEF-REPRESENTATION-WP-09	63
30.59 Bangel Spreadsheets Cell, Dependency, Revision, and Pearl Simulation Field - MJ-PBMEF-REPRESENTATION-WP-10	64
30.60Standard Containment Geometry and H2 Reference Representation - MJ-PBMEF-REPRESENTATION-WP-11	64
30.61Reservoir Return Loop Physics Representation - MJ-PBMEF-REPRESENTATION-WP-12	65

Document control

Project	MJos Predictive Model
Project ID	MJ-PBMEF-001
Source build	MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE
Document ID	MJ-PBMEF-PINK-PAPER-001/VOL-VI
Author and architect	Michael Bangel
Status	FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE
Scope	All products and registered white papers mapped into the gateway lifecycle.

Claims ceiling

This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Product gateway verification

MJ Physics Based Measurement Engineering Framework - PBMEF-CORE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.PBMEF-CORE
Namespace	MJ.PBMEF.Product.PBMEF-CORE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product PBMEF-CORE
Definition	Integrate purpose, mathematics, physics, verification, safety, resource routing, accounting, finance, evidence, and bounded permit decisions.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Integrate purpose, mathematics, physics, verification, safety, resource routing, accounting, finance, evidence, and bounded permit decisions.
Expression	Product-specific composition of formula and object records
Statement	Status: DAY0_PREPASSKEY_COMPLETE_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='PBMEF-CORE', class='CORE_FRAMEWORK')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product PBMEF-CORE { purpose; formulas; families; evidence; permit; }
Literal	PBMEF-CORE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	CORE_FRAMEWORK
Attribute	status=DAY0_PREPASSKEY_COMPLETE_CANDIDATE

2.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Bangel Governed Measurement Language - Bangel -LANGUAGE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.Bangel -LANGUAGE
Namespace	MJ.PBMEF.Product.Bangel -LANGUAGE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product Bangel -LANGUAGE
Definition	Express human purpose, typed measurements, formulas, evidence, and command pathways.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Express human purpose, typed measurements, formulas, evidence, and command pathways.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='Bangel -LANGUAGE', class='LANGUAGE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product Bangel -LANGUAGE { purpose; formulas; families; evidence; permit; }
Literal	Bangel -LANGUAGE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	LANGUAGE
Attribute	status=SPECIFICATION_CANDIDATE

3.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Elsa Deterministic Semantic Recovery - ELSA-SEMANTICS

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.ELSA-SEMANTICS
Namespace	MJ.PBMEF.Product.ELSA-SEMANTICS.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product ELSA-SEMANTICS
Definition	Recover and preserve declared meaning without autonomous inference or authority.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Recover and preserve declared meaning without autonomous inference or authority.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='ELSA-SEMANTICS', class='SEMANTIC_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product ELSA-SEMANTICS { purpose; formulas; families; evidence; permit; }
Literal	ELSA-SEMANTICS
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	SEMANTIC_SYSTEM
Attribute	status=SPECIFICATION_CANDIDATE

4.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JP Mathematical and Architectural Canon - JP-CANON

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JP-CANON
Namespace	MJ.PBMEF.Product.JP-CANON.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JP-CANON
Definition	Represent equations, algorithms, CAPOs, topology, products, and proofs.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Represent equations, algorithms, CAPOs, topology, products, and proofs.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JP-CANON', class='CANONICAL_REPRESENTATION')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JP-CANON { purpose; formulas; families; evidence; permit; }
Literal	JP-CANON
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	CANONICAL_REPRESENTATION
Attribute	status=SPECIFICATION_CANDIDATE

5.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Mika/MK Physics Modulator System - MK-PHYSICS

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.MK-PHYSICS
Namespace	MJ.PBMEF.Product.MK-PHYSICS.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product MK-PHYSICS
Definition	Create physics representations and verify units, conservation, boundaries, scale, and evidence ceilings.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Create physics representations and verify units, conservation, boundaries, scale, and evidence ceilings.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_IMPLEMENTATION
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='MK-PHYSICS', class='PHYSICS_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product MK-PHYSICS { purpose; formulas; families; evidence; permit; }
Literal	MK-PHYSICS
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PHYSICS_SYSTEM
Attribute	status=REFERENCE_IMPLEMENTATION

6.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JO Deterministic Proof and Runtime - JO-RUNTIME

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JO-RUNTIME
Namespace	MJ.PBMEF.Product.JO-RUNTIME.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JO-RUNTIME
Definition	Verify types, units, authority, physics, tests, evidence, and bounded execution.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Verify types, units, authority, physics, tests, evidence, and bounded execution.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_IMPLEMENTATION
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JO-RUNTIME', class='RUNTIME')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JO-RUNTIME { purpose; formulas; families; evidence; permit; }
Literal	JO-RUNTIME
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	RUNTIME
Attribute	status=REFERENCE_IMPLEMENTATION

7.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

MJOS Operating Substrate - MJOS- SUBSTRATE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.MJOS-SUBSTRATE
Namespace	MJ.PBMEF.Product.MJOS-SUBSTRATE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product MJOS-SUBSTRATE
Definition	Provide isolated resources, memory, storage, network, scheduling, and continuity under MJ leases.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Provide isolated resources, memory, storage, network, scheduling, and continuity under MJ leases.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='MJOS-SUBSTRATE', class='OPERATING_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product MJOS-SUBSTRATE { purpose; formulas; families; evidence; permit; }
Literal	MJOS-SUBSTRATE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	OPERATING_SYSTEM
Attribute	status=SPECIFICATION_CANDIDATE

8.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JP Semiconductor Phone Battery and OS Candidate - JP-SC-PHONE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JP-SC-PHONE
Namespace	MJ.PBMEF.Product.JP-SC-PHONE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JP-SC-PHONE
Definition	Explore semiconductor-scale static intake, power wake, solar assist, battery, and operating-system integration.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	JP and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Explore semiconductor-scale static intake, power wake, solar assist, battery, and operating-system integration.
Expression	Product-specific composition of formula and object records
Statement	Status: PLANNED_ONLY_NO_PHYSICAL_ARTICLE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JP-SC-PHONE', class='PHYSICAL_PRODUCT_CANDIDATE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JP-SC-PHONE { purpose; formulas; families; evidence; permit; }
Literal	JP-SC-PHONE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PHYSICAL_PRODUCT_CANDIDATE
Attribute	status=PLANNED_ONLY_NO_PHYSICAL_ARTICLE

9.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JP Large-Scale Boating Power Candidate - JP-LS-B0AT

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JP-LS-B0AT
Namespace	MJ.PBMEF.Product.JP-LS-B0AT.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JP-LS-B0AT
Definition	Explore large-scale static intake, solar initiation, power bus, containment, and marine power integration.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	JP and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Explore large-scale static intake, solar initiation, power bus, containment, and marine power integration.
Expression	Product-specific composition of formula and object records
Statement	Status: PLANNED_ONLY_UNCLASSIFIED
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JP-LS-B0AT', class='PHYSICAL_PRODUCT_CANDIDATE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JP-LS-B0AT { purpose; formulas; families; evidence; permit; }
Literal	JP-LS-B0AT
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PHYSICAL_PRODUCT_CANDIDATE
Attribute	status=PLANNED_ONLY_UNCLASSIFIED

10.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JP Peaceful High-Energy Propulsion Research Candidate - JP-PEACEFUL-PROPULSION

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JP-PEACEFUL-PROPULSION
Namespace	MJ.PBMEF.Product.JP-PEACEFUL-PROPULSION.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JP-PEACEFUL-PROPULSION
Definition	Explore peaceful propulsion measurement and control under non-weaponization, safety, and regulatory gates.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	JP and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Explore peaceful propulsion measurement and control under non-weaponization, safety, and regulatory gates.
Expression	Product-specific composition of formula and object records
Statement	Status: PLANNED_ONLY_SAFETY_HOLD
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JP-PEACEFUL-PROPULSION', class='HIGH_RISK_PHYSICAL_RESEARCH_CANDIDATE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JP-PEACEFUL-PROPULSION { purpose; formulas; families; evidence; permit; }
Literal	JP-PEACEFUL-PROPULSION
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	HIGH_RISK_PHYSICAL_RESEARCH_CANDIDATE
Attribute	status=PLANNED_ONLY_SAFETY_HOLD

11.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Sister Predictive Containment System - SISTER-CONTAINMENT

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SISTER-CONTAINMENT
Namespace	MJ.PBMEF.Product.SISTER-CONTAINMENT.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SISTER-CONTAINMENT
Definition	Predict demand, allocate buffers, detect anomalies, and stage overflow in bounded umbrellas.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Predict demand, allocate buffers, detect anomalies, and stage overflow in bounded umbrellas.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SISTER-CONTAINMENT', class='PREDICTION_AND_CONTAINMENT')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SISTER-CONTAINMENT { purpose; formulas; families; evidence; permit; }
Literal	SISTER-CONTAINMENT
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PREDICTION_AND_CONTAINMENT
Attribute	status=SPECIFICATION_CANDIDATE

12.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

EVE Variance Screen and Egress Accounting - EVE-SCREEN

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.EVE-SCREEN
Namespace	MJ.PBMEF.Product.EVE-SCREEN.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product EVE-SCREEN
Definition	Account for variance, evaporation, leakage, capture, and natural egress without silent loss.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Account for variance, evaporation, leakage, capture, and natural egress without silent loss.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='EVE-SCREEN', class='MEASUREMENT_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product EVE-SCREEN { purpose; formulas; families; evidence; permit; }
Literal	EVE-SCREEN
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	MEASUREMENT_SYSTEM
Attribute	status=SPECIFICATION_CANDIDATE

13.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Angels Safety and Corrective Command System - ANGELS-SAFETY

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.ANGELS-SAFETY
Namespace	MJ.PBMEF.Product.ANGELS-SAFETY.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product ANGELS-SAFETY
Definition	Provide domain-bounded telemetry, hold, denial, isolation, and corrective protocols.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Provide domain-bounded telemetry, hold, denial, isolation, and corrective protocols.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='ANGELS-SAFETY', class='SAFETY_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product ANGELS-SAFETY { purpose; formulas; families; evidence; permit; }
Literal	ANGELS-SAFETY
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	SAFETY_SYSTEM
Attribute	status=SPECIFICATION_CANDIDATE

14.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Mermaid Accounting and Reconciliation System - MERMAID-RECON

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.MERMAID-RECON
Namespace	MJ.PBMEF.Product.MERMAID-RECON.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product MERMAID-RECON
Definition	Maintain balances, custody evidence, exposure, tax lots, statements, and reconciliation.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Maintain balances, custody evidence, exposure, tax lots, statements, and reconciliation.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='MERMAID-RECON', class='ACCOUNTING_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product MERMAID-RECON { purpose; formulas; families; evidence; permit; }
Literal	MERMAID-RECON
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	ACCOUNTING_SYSTEM
Attribute	status=SPECIFICATION_CANDIDATE

15.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Shiva Dual Financial Rails - SHIVA-RAILS

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SHIVA-RAILS
Namespace	MJ.PBMEF.Product.SHIVA-RAILS.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SHIVA-RAILS
Definition	Separate stability/cash functions from investment and crypto risk while preserving liquidity-first ethics.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Separate stability/cash functions from investment and crypto risk while preserving liquidity-first ethics.
Expression	Product-specific composition of formula and object records
Statement	Status: INTERNAL_MODEL_EXTERNAL_DISABLED
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SHIVA-RAILS', class='FINANCIAL_REFERENCE_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SHIVA-RAILS { purpose; formulas; families; evidence; permit; }
Literal	SHIVA-RAILS
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	FINANCIAL_REFERENCE_SYSTEM
Attribute	status=INTERNAL_MODEL_EXTERNAL_DISABLED

16.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

SHIVAS Internal Settlement Reflection - SHIVAS-INTERNAL

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SHIVAS-INTERNAL
Namespace	MJ.PBMEF.Product.SHIVAS-INTERNAL.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SHIVAS-INTERNAL
Definition	Represent internal capital reflections without minting, redemption, public offer, or value guarantee.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	SHIVA and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Represent internal capital reflections without minting, redemption, public offer, or value guarantee.
Expression	Product-specific composition of formula and object records
Statement	Status: NONTRANSFERABLE_NO_MONETARY_VALUE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SHIVAS-INTERNAL', class='CAPITAL_REFLECTION_OBJECT')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SHIVAS-INTERNAL { purpose; formulas; families; evidence; permit; }
Literal	SHIVAS-INTERNAL
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	CAPITAL_REFLECTION_OBJECT
Attribute	status=NONTRANSFERABLE_NO_MONETARY_VALUE

17.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Shiva Crypto External-Market Candidate - SHIVA-CRYPTO

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SHIVA-CRYPTO
Namespace	MJ.PBMEF.Product.SHIVA-CRYPTO.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SHIVA-CRYPTO
Definition	Model a separately governed external crypto rail subject to full classification and authorization.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	SHIVA and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Model a separately governed external crypto rail subject to full classification and authorization.
Expression	Product-specific composition of formula and object records
Statement	Status: DISABLED_ACTIVE_HOLD
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SHIVA-CRYPTO', class='EXTERNAL_FINANCIAL_CANDIDATE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SHIVA-CRYPTO { purpose; formulas; families; evidence; permit; }
Literal	SHIVA-CRYPTO
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	EXTERNAL_FINANCIAL_CANDIDATE
Attribute	status=DISABLED_ACTIVE_HOLD

18.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Shiva Exchange Rule Reference - SHIVA-EXCHANGE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SHIVA-EXCHANGE
Namespace	MJ.PBMEF.Product.SHIVA-EXCHANGE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SHIVA-EXCHANGE
Definition	Model transparent price-time, custody, audit, tax, and transfer rules without operating a market.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	SHIVA and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Model transparent price-time, custody, audit, tax, and transfer rules without operating a market.
Expression	Product-specific composition of formula and object records
Statement	Status: INTERNAL_SIMULATION_ONLY
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SHIVA-EXCHANGE', class='MARKET_REFERENCE_MODEL')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SHIVA-EXCHANGE { purpose; formulas; families; evidence; permit; }
Literal	SHIVA-EXCHANGE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	MARKET_REFERENCE_MODEL
Attribute	status=INTERNAL_SIMULATION_ONLY

19.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Moana Governed Browser - MOANA-BROWSER

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.MOANA-BROWSER
Namespace	MJ.PBMEF.Product.MOANA-BROWSER.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product MOANA-BROWSER
Definition	Present governed applications, evidence, holds, and uncertainty.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Present governed applications, evidence, holds, and uncertainty.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='MOANA-BROWSER', class='APPLICATION_PRODUCT')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product MOANA-BROWSER { purpose; formulas; families; evidence; permit; }
Literal	MOANA-BROWSER
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	APPLICATION_PRODUCT
Attribute	status=REFERENCE_CANDIDATE

20.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Aviator Organizational Workspace - AVIATOR-WORKSPACE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.AVIATOR-WORKSPACE
Namespace	MJ.PBMEF.Product.AVIATOR-WORKSPACE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product AVIATOR-WORKSPACE
Definition	Organize spaces, projects, decisions, knowledge, members, roles, and capabilities.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Organize spaces, projects, decisions, knowledge, members, roles, and capabilities.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='AVIATOR-WORKSPACE', class='APPLICATION_PRODUCT')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product AVIATOR-WORKSPACE { purpose; formulas; families; evidence; permit; }
Literal	AVIATOR-WORKSPACE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	APPLICATION_PRODUCT
Attribute	status=REFERENCE_CANDIDATE

21.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Lecanto Truthful Visualization -

LECANTO-VISUAL

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.LECANTO-VISUAL
Namespace	MJ.PBMEF.Product.LECANTO-VISUAL.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product LECANTO-VISUAL
Definition	Display system truth, provenance, topology, uncertainty, and evidence.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Display system truth, provenance, topology, uncertainty, and evidence.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='LECANTO-VISUAL', class='VISUAL_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product LECANTO-VISUAL { purpose; formulas; families; evidence; permit; }
Literal	LECANTO-VISUAL
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	VISUAL_SYSTEM
Attribute	status=REFERENCE_CANDIDATE

22.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Elsa Governed Marketplace Reference - ELSA-MARKETPLACE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.ELSA-MARKETPLACE
Namespace	MJ.PBMEF.Product.ELSA-MARKETPLACE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product ELSA-MARKETPLACE
Definition	Coordinate semantic listings, workflow, accounting, execution, and resource evidence without live market authority.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Coordinate semantic listings, workflow, accounting, execution, and resource evidence without live market authority.
Expression	Product-specific composition of formula and object records
Statement	Status: INTERNAL_REFERENCE_ONLY
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='ELSA-MARKETPLACE', class='MARKETPLACE_REFERENCE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product ELSA-MARKETPLACE { purpose; formulas; families; evidence; permit; }
Literal	ELSA-MARKETPLACE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	MARKETPLACE_REFERENCE
Attribute	status=INTERNAL_REFERENCE_ONLY

23.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Shekina Distributed Continuity - SHEKINA-CONTINUITY

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SHEKINA-CONTINUITY
Namespace	MJ.PBMEF.Product.SHEKINA-CONTINUITY.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SHEKINA-CONTINUITY
Definition	Model bounded replicas, failover, continuity, and placement evidence.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Model bounded replicas, failover, continuity, and placement evidence.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SHEKINA-CONTINUITY', class='INFRASTRUCTURE_REFERENCE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SHEKINA-CONTINUITY { purpose; formulas; families; evidence; permit; }
Literal	SHEKINA-CONTINUITY
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	INFRASTRUCTURE_REFERENCE
Attribute	status=SPECIFICATION_CANDIDATE

24.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Pearl Hypothetical Simulation and Information-Retention System - PEARL-CONTAINMENT

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.PEARL-CONTAINMENT
Namespace	MJ.PBMEF.Product.PEARL-CONTAINMENT.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product PEARL-CONTAINMENT
Definition	Acquire, retain, replay, and compare variance simulations and transfer/regeneration opportunities without asserting physical containment.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Acquire, retain, replay, and compare variance simulations and transfer/regeneration opportunities without asserting physical containment.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_SIMULATION_ONLY_PHYSICAL_NOT_APPLICABLE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='PEARL-CONTAINMENT', class='HYPOTHETICAL_SIMULATION_AND_INFORMATION_RETENTION')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product PEARL-CONTAINMENT { purpose; formulas; families; evidence; permit; }
Literal	PEARL-CONTAINMENT
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	HYPOTHETICAL_SIMULATION_AND_INFORMATION_RETENTION
Attribute	status=REFERENCE_SIMULATION_ONLY_PHYSICAL_NOT_APPLICABLE

25.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Bangel

Spreadsheets

-

Bangel

-

SPREADSHEETS

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.Bangel -SPREADSHEETS
Namespace	MJ.PBMEF.Product.Bangel -SPREADSHEETS.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product Bangel -SPREADSHEETS
Definition	Provide governed spreadsheet-like operational modeling through typed measurement cells, immutable revisions, Pearl simulation partitions, deterministic recalculation, concurrency control, and audit evidence.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	Bangel and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Provide governed spreadsheet-like operational modeling through typed measurement cells, immutable revisions, Pearl simulation partitions, deterministic recalculation, concurrency control, and audit evidence.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_MVP_PREPASKEY
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='Bangel -SPREADSHEETS', class='MEASUREMENT_SPREADSHEET_PLATFORM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product Bangel -SPREADSHEETS { purpose; formulas; families; evidence; permit; }
Literal	Bangel -SPREADSHEETS
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	MEASUREMENT_SPREADSHEET_PLATFORM
Attribute	status=REFERENCE_MVP_PREPASKEY

26.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JPOSMJ Product Portfolio Envelope - JPOSMJ-PORTFOLIO

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JPOSMJ-PORTFOLIO
Namespace	MJ.PBMEF.Product.JPOSMJ-PORTFOLIO.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JPOSMJ-PORTFOLIO
Definition	Bind every JP-origin product candidate through MK physics representation, JO verification, participant evidence, and MJ bounded permit classification.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	JP and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Bind every JP-origin product candidate through MK physics representation, JO verification, participant evidence, and MJ bounded permit classification.
Expression	Product-specific composition of formula and object records
Statement	Status: PREPASKEY_PORTFOLIO_ENVELOPE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JPOSMJ-PORTFOLIO', class='PRODUCT_FAMILY_ENVELOPE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JPOSMJ-PORTFOLIO { purpose; formulas; families; evidence; permit; }
Literal	JPOSMJ-PORTFOLIO
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PRODUCT_FAMILY_ENVELOPE
Attribute	status=PREPASKEY_PORTFOLIO_ENVELOPE

27.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

MJ Standard Containment Geometry and Reference Gas Model - STANDARD-CONTAINMENT-GEOMETRY

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.STANDARD-CONTAINMENT-GEOMETRY
Namespace	MJ.PBMEF.Product.STANDARD-CONTAINMENT-GEOMETRY.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product STANDARD-CONTAINMENT-GEOMETRY
Definition	Provide a scale-independent rectangle/cone/Sister/EVE/reservoir calculation standard and H2 reference-gas observation profile.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Provide a scale-independent rectangle/cone/Sister/EVE/reservoir calculation standard and H2 reference-gas observation profile.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_MVP_PHYSICAL_VALUES_HOLD
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='STANDARD-CONTAINMENT-GEOMETRY', class='PHYSICS_REFERENCE_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product STANDARD-CONTAINMENT-GEOMETRY { purpose; formulas; families; evidence; permit; }
Literal	STANDARD-CONTAINMENT-GEOMETRY
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PHYSICS_REFERENCE_SYSTEM
Attribute	status=REFERENCE_MVP_PHYSICAL_VALUES_HOLD

28.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

MJ Reservoir Collection, Lake Buffer, and Spiral-Compatible Re-entry - RESERVOIR-COLLECTION-MODULATION

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.RESERVOIR-COLLECTION-MODULATION
Namespace	MJ.PBMEF.Product.RESERVOIR-COLLECTION-MODULATION.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product RESERVOIR-COLLECTION-MODULATION
Definition	Model the rear reservoir loop, exterior outlet, lake-like buffer, circular inward/tangential re-entry, wave/friction references, adaptive sizing, and full Sister/EVE/Angel/M3/MK/JO/Mermaid/Shiva/MJ transaction path.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Model the rear reservoir loop, exterior outlet, lake-like buffer, circular inward/tangential re-entry, wave/friction references, adaptive sizing, and full Sister/EVE/Angel/M3/MK/JO/Mermaid/Shiva/MJ transaction path.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_MVP_PHYSICAL_VALUES_HOLD
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='RESERVOIR-COLLECTION-MODULATION', class='PHYSICS_REFERENCE_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product RESERVOIR-COLLECTION-MODULATION { purpose; formulas; families; evidence; permit; }
Literal	RESERVOIR-COLLECTION-MODULATION
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PHYSICS_REFERENCE_SYSTEM
Attribute	status=REFERENCE_MVP_PHYSICAL_VALUES_HOLD

29.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Registered white-paper verification
crosswalk

30.1 MJ — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-01

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-01
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-01
Import	whitepapers/family/01-mj.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-01
Definition	Project root, founder-governed authority and final bounded permit decision. Project root, founder-governed authority and final bounded permit decision. truth, measurement, human authority, stewardship, non-weaponization. Explain, constrain, cross-reference, and support founder review
Capability	MJ
Participant	Source documentation -> manifest coverage -> passkey documentation manifest
Relationship	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Function	Narrative and referenced formulas
Expression	Documentation does not self-verify or self-authorize
Statement	Not applicable unless the paper cites admitted measurement receipts
Measurement	Must match source hash, status, and claims ceiling
Constraint	@whitepaper(id='MJ-PBMEF-FAMILY-WP-01', path='whitepapers/family/01-mj.md')
Annotation	include or exclude with explicit manifest reason
Directive	document MJ-PBMEF-FAMILY-WP-01 { source; hash; coverage; status; }
Block	MJ-PBMEF-FAMILY-WP-01
Literal	whitepapers/family/01-mj.md
Reference	WHITE_PAPER
Type	official_pre_day0_source=true
Attribute	

30.2 Bangel — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-02

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-02
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-02
Import	whitepapers/family/02-Bangel.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-02
Definition	Human-facing governed language that preserves purpose and command structure. Human-facing governed language that preserves purpose and command structure. intent integrity, explicit types, traceability. Explain, constrain, cross-reference, and support founder review
Capability	Bangel
Participant	Source documentation -> manifest coverage -> passkey documentation manifest
Relationship	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Function	Narrative and referenced formulas
Expression	Documentation does not self-verify or self-authorize
Statement	Not applicable unless the paper cites admitted measurement receipts
Measurement	Must match source hash, status, and claims ceiling
Constraint	@whitepaper(id='MJ-PBMEF-FAMILY-WP-02', path='whitepapers/family/02-Bangel.md')
Annotation	include or exclude with explicit manifest reason
Directive	document MJ-PBMEF-FAMILY-WP-02 { source; hash; coverage; status; }
Block	MJ-PBMEF-FAMILY-WP-02
Literal	whitepapers/family/02-Bangel.md
Reference	WHITE_PAPER
Type	official_pre_day0_source=true
Attribute	

30.3 Elsa — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-03

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-03
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-03
Import	whitepapers/family/03-elsa.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-03
Definition	Deterministic semantic recovery and purpose-preservation layer. Deterministic semantic recovery and purpose-preservation layer. meaning fidelity, purpose confinement, clarity.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	ELSA
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-03', path='whitepapers/family/03-elsa.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-03 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-03
Reference	whitepapers/family/03-elsa.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.4 JP — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-04

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-04
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-04
Import	whitepapers/family/04-jp.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-04
Definition	Canonical mathematical, algorithmic, topology, CAPO, and architecture representation. Canonical mathematical, algorithmic, topology, CAPO, and architecture representation. mathematical rigor, provenance, equivalence.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JP
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-04', path='whitepapers/family/04-jp.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-04 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-04
Reference	whitepapers/family/04-jp.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.5

Mika / MK — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-05

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-05
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-05
Import	whitepapers/family/05-mk.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-05
Definition	Physics Modulator System for dimensional, conservation, boundary, scale, and evidence representation. Physics Modulator System for dimensional, conservation, boundary, scale, and evidence representation. physical truth, unit integrity, conservation, uncertainty honesty.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MK
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-05', path='whitepapers/family/05-mk.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-05 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-05
Reference	whitepapers/family/05-mk.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.6

JO — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-06

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-06
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-06
Import	whitepapers/family/06-jo.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-06
Definition	Deterministic type, unit, proof, validation, runtime, and evidence engine. Deterministic type, unit, proof, validation, runtime, and evidence engine. fail closed, reproducibility, auditability.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JO
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-06', path='whitepapers/family/06-jo.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-06 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-06
Reference	whitepapers/family/06-jo.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.7 MJOS — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-07

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-07
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-07
Import	whitepapers/family/07-mjos.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-07
Definition	Operating-system and infrastructure substrate inside MJ. Operating-system and infrastructure substrate inside MJ. bounded resources, continuity, isolation.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MJOS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-07', path='whitepapers/family/07-mjos.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-07 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-07
Reference	whitepapers/family/07-mjos.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.8 Angels — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-08

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-08
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-08
Import	whitepapers/family/08-angels.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-08
Definition	Domain-specific observation, telemetry, hold, denial, and corrective-command family. Domain-specific observation, telemetry, hold, denial, and corrective-command family. safety, watchfulness, correction.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	ANGELS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-08', path='whitepapers/family/08-angels.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-08 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-08
Reference	whitepapers/family/08-angels.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.9 Bellatrix — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-09

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-09
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-09
Import	whitepapers/family/09-bellatrix.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-09
Definition	Independent defense, challenge, quarantine, hostile-deviation analysis, and denial. Independent defense, challenge, quarantine, hostile-deviation analysis, and denial. defense, independence, containment.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	BELLATRIX
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-09', path='whitepapers/family/09-bellatrix.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-09 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-09
Reference	whitepapers/family/09-bellatrix.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.10 Sister — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-10

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-10
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-10
Import	whitepapers/family/10-sister.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-10
Definition	Predictive digital twin, preallocation evidence, anomaly detection, and umbrella containment. Predictive digital twin, preallocation evidence, anomaly detection, and umbrella containment. prediction, redundancy, early warning.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SISTER
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-10', path='whitepapers/family/10-sister.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-10 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-10
Reference	whitepapers/family/10-sister.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.11 EVE — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-11

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-11
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-11
Import	whitepapers/family/11-eve.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-11
Definition	Variance, evaporative effect, screen capture, leakage, smoke-like egress, and boundary-accounting evidence. Variance, evaporative effect, screen capture, leakage, smoke-like egress, and boundary-accounting evidence. diligence, respect, loss accounting, boundary truth.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	EVE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-11', path='whitepapers/family/11-eve.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-11 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-11
Reference	whitepapers/family/11-eve.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.12 Mary / M3 — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-12

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-12
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-12
Import	whitepapers/family/12-m3.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-12
Definition	Bounded routing, API gateway, load balancing, connection pooling, and allocation stewardship. Bounded routing, API gateway, load balancing, connection pooling, and allocation stewardship. fair allocation, resource hygiene, bounded routing.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	M3
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-12', path='whitepapers/family/12-m3.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-12 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-12
Reference	whitepapers/family/12-m3.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.13 Mermaid — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-13

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-13
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-13
Import	whitepapers/family/13-mermaid.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-13
Definition	Accounting, reconciliation, exposure, custody evidence, statements, tax lots, and financial consequence. Accounting, reconciliation, exposure, custody evidence, statements, tax lots, and financial consequence. ledger truth, reconciliation, transparency.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MERMAID
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-13', path='whitepapers/family/13-mermaid.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-13 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-13
Reference	whitepapers/family/13-mermaid.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.14 Shiva — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-14

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-14
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-14
Import	whitepapers/family/14-shiva.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-14
Definition	Finance, money, treasury, liquidity, capital-job classification, risk/opportunity analysis, and distribution proposal. Finance, money, treasury, liquidity, capital-job classification, risk/opportunity analysis, and distribution proposal. liquidity first, stability, abundance with discipline, auditability.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHIVA
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-14', path='whitepapers/family/14-shiva.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-14 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-14
Reference	whitepapers/family/14-shiva.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.15 Shekina — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-15

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-15
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-15
Import	whitepapers/family/15-shekina.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-15
Definition	Distributed placement, replication, continuity, and infrastructure evidence. Distributed placement, replication, continuity, and infrastructure evidence. continuity, bounded placement, resilience.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHEKINA
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-15', path='whitepapers/family/15-shekina.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-15 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-15
Reference	whitepapers/family/15-shekina.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.16 Belle — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-16

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-16
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-16
Import	whitepapers/family/16-belle.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-16
Definition	Engineering analysis, feasibility, topology review, and bounded proposals. Engineering analysis, feasibility, topology review, and bounded proposals. engineering clarity, feasibility, benchmarking.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	BELLE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-16', path='whitepapers/family/16-belle.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-16 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-16
Reference	whitepapers/family/16-belle.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.17 Lecanto — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-17

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-17
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-17
Import	whitepapers/family/17-lecanto.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-17
Definition	Truthful governed visualization of state, provenance, uncertainty, and system structure. Truthful governed visualization of state, provenance, uncertainty, and system structure. visibility, truth, uncertainty disclosure.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	LECANTO
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-17', path='whitepapers/family/17-lecanto.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-17 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-17
Reference	whitepapers/family/17-lecanto.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.18 Moana — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-18

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-18
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-18
Import	whitepapers/family/18-moana.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-18
Definition	Browser and interaction presentation of governed applications and evidence. Browser and interaction presentation of governed applications and evidence. interaction truth, accessibility, bounded presentation.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MOANA
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-18', path='whitepapers/family/18-moana.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-18 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-18
Reference	whitepapers/family/18-moana.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.19 Aviator — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-19

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-19
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-19
Import	whitepapers/family/19-aviator.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-19
Definition	Organizational workspace, projects, decisions, roles, knowledge, and governed workflow. Organizational workspace, projects, decisions, roles, knowledge, and governed workflow. understanding first, organization, decision trace.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	AVIATOR
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-19', path='whitepapers/family/19-aviator.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-19 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-19
Reference	whitepapers/family/19-aviator.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.20 CHI — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-20

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-20
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-20
Import	whitepapers/family/20-chi.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-20
Definition	Temporal variance and expected-observed-delivered-reconciled difference state. Temporal variance and expected-observed-delivered-reconciled difference state. variance truth, time awareness.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	CHI
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-20', path='whitepapers/family/20-chi.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-20 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-20
Reference	whitepapers/family/20-chi.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.21 WATER — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-21

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-21
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-21
Import	whitepapers/family/21-water.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-21
Definition	Interval uncertainty, verified floor, and bounded unknown-state classification. Interval uncertainty, verified floor, and bounded unknown-state classification. uncertainty honesty, bounded intervals.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	WATER
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-21', path='whitepapers/family/21-water.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-21 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-21
Reference	whitepapers/family/21-water.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.22 MJ Physics Based Measurement Engineering Framework - MJ-PBMEF-PRODUCT-WP-01

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-01
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-01
Import	whitepapers/products/01-pbmef-core.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-01
Definition	Integrate purpose, mathematics, physics, verification, safety, resource routing, accounting, finance, evidence, and bounded permit decisions. Integrate purpose, mathematics, physics, verification, safety, resource routing, accounting, finance, evidence, and bounded permit decisions. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	PBMEF-CORE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-01', path='whitepapers/products/01-pbmef-core.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-01 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-01
Reference	whitepapers/products/01-pbmef-core.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.23

Bangel

Governed Measurement Language - MJ-PBMEF-PRODUCT-WP-02

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-02
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-02
Import	whitepapers/products/02-Bangel-language.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-02
Definition	Express human purpose, typed measurements, formulas, evidence, and command pathways. Express human purpose, typed measurements, formulas, evidence, and command pathways. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	Bangel -LANGUAGE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-02', path='whitepapers/products/02-Bangel-language.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-02 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-02
Reference	whitepapers/products/02-Bangel-language.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.24

Elsa

Deterministic Semantic Recovery - MJ-PBMEF-PRODUCT-WP-03

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-03
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-03
Import	whitepapers/products/03-elsa-semantics.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-03
Definition	Recover and preserve declared meaning without autonomous inference or authority. Recover and preserve declared meaning without autonomous inference or authority. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	ELSA-SEMANTICS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-03', path='whitepapers/products/03-elsa-semantics.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-03 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-03
Reference	whitepapers/products/03-elsa-semantics.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.25 JP Mathematical and Architectural Canon - MJ-PBMEF-PRODUCT-WP-04

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-04
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-04
Import	whitepapers/products/04-jp-canon.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-04
Definition	Represent equations, algorithms, CAPOs, topology, products, and proofs. Represent equations, algorithms, CAPOs, topology, products, and proofs. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JP-CANON
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-04', path='whitepapers/products/04-jp-canon.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-04 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-04
Reference	whitepapers/products/04-jp-canon.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.26 Mika/MK Physics Modulator System - MJ-PBMEF-PRODUCT-WP-05

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-05
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-05
Import	whitepapers/products/05-mk-physics.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-05
Definition	Create physics representations and verify units, conservation, boundaries, scale, and evidence ceilings. Create physics representations and verify units, conservation, boundaries, scale, and evidence ceilings. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MK-PHYSICS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-05', path='whitepapers/products/05-mk-physics.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-05 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-05
Reference	whitepapers/products/05-mk-physics.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.27 JO Deterministic Proof and Runtime - MJ-PBMEF-PRODUCT-WP-06

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-06
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-06
Import	whitepapers/products/06-jo-runtime.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-06
Definition	Verify types, units, authority, physics, tests, evidence, and bounded execution. Verify types, units, authority, physics, tests, evidence, and bounded execution. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JO-RUNTIME
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-06', path='whitepapers/products/06-jo-runtime.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-06 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-06
Reference	whitepapers/products/06-jo-runtime.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.28 MJOS Operating Substrate - MJ-PBMEF-PRODUCT-WP-07

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-07
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-07
Import	whitepapers/products/07-mjos-substrate.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-07
Definition	Provide isolated resources, memory, storage, network, scheduling, and continuity under MJ leases. Provide isolated resources, memory, storage, network, scheduling, and continuity under MJ leases. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MJOS-SUBSTRATE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-07', path='whitepapers/products/07-mjos-substrate.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-07 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-07
Reference	whitepapers/products/07-mjos-substrate.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.29 JP Semiconductor Phone Battery and OS Candidate - MJ-PBMEF-PRODUCT-WP-08

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-08
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-08
Import	whitepapers/products/08-jp-sc-phone.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-08
Definition	Explore semiconductor-scale static intake, power wake, solar assist, battery, and operating-system integration. Explore semiconductor-scale static intake, power wake, solar assist, battery, and operating-system integration. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JP-SC-PHONE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-08', path='whitepapers/products/08-jp-sc-phone.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-08 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-08
Reference	whitepapers/products/08-jp-sc-phone.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.30 JP Large-Scale Boating Power Candidate - MJ-PBMEF-PRODUCT-WP-09

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-09
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-09
Import	whitepapers/products/09-jp-ls-boat.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-09
Definition	Explore large-scale static intake, solar initiation, power bus, containment, and marine power integration. Explore large-scale static intake, solar initiation, power bus, containment, and marine power integration. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JP-LS-BOAT
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-09', path='whitepapers/products/09-jp-ls-boat.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-09 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-09
Reference	whitepapers/products/09-jp-ls-boat.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.31 JP Peaceful High-Energy Propulsion Research Candidate - MJ-PBMEF-PRODUCT-WP-10

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-10
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-10
Import	whitepapers/products/10-jp-peaceful-propulsion.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-10
Definition	Explore peaceful propulsion measurement and control under non-weaponization, safety, and regulatory gates. Explore peaceful propulsion measurement and control under non-weaponization, safety, and regulatory gates. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JP-PEACEFUL-PROPULSION
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-10', path='whitepapers/products/10-jp-peaceful-propulsion.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-10 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-10
Reference	whitepapers/products/10-jp-peaceful-propulsion.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.32 Sister Predictive Containment System - MJ-PBMEF-PRODUCT-WP-11

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-11
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-11
Import	whitepapers/products/11-sister-containment.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-11
Definition	Define a scale-independent physical-containment calculation pathway without claiming a realized physical article. This representation is governed inside MJ and follows Bangel -> Elsa -> JP -> MK -> JO -> applicable evidence -> M3 -> Mermaid/Shiva -> MJ. Truthful measurement, scale independence, conservation, explicit uncertainty, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SISTER-CONTAINMENT
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-11', path='whitepapers/products/11-sister-containment.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-11 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-11
Reference	whitepapers/products/11-sister-containment.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.33 EVE Variance Screen and Egress Accounting - MJ-PBMEF-PRODUCT-WP-12

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-12
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-12
Import	whitepapers/products/12-eve-screen.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-12
Definition	Account for variance, evaporation, leakage, capture, and natural egress without silent loss. Account for variance, evaporation, leakage, capture, and natural egress without silent loss. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	EVE-SCREEN
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-12', path='whitepapers/products/12-eve-screen.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-12 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-12
Reference	whitepapers/products/12-eve-screen.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.34 Angels Safety and Corrective Command System - MJ-PBMEF-PRODUCT-WP-13

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-13
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-13
Import	whitepapers/products/13-angels-safety.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-13
Definition	Provide domain-bounded telemetry, hold, denial, isolation, and corrective protocols. Provide domain-bounded telemetry, hold, denial, isolation, and corrective protocols. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	ANGELS-SAFETY
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-13', path='whitepapers/products/13-angels-safety.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-13 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-13
Reference	whitepapers/products/13-angels-safety.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.35 Mermaid Accounting and Reconciliation System - MJ-PBMEF-PRODUCT-WP-14

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-14
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-14
Import	whitepapers/products/14-mermaid-recon.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-14
Definition	Maintain balances, custody evidence, exposure, tax lots, statements, and reconciliation. Maintain balances, custody evidence, exposure, tax lots, statements, and reconciliation. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MERMAID-RECON
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-14', path='whitepapers/products/14-mermaid-recon.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-14 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-14
Reference	whitepapers/products/14-mermaid-recon.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.36 Shiva Dual Financial Rails - MJ-PBMEF-PRODUCT-WP-15

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-15
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-15
Import	whitepapers/products/15-shiva-rails.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-15
Definition	Separate stability/cash functions from investment and crypto risk while preserving liquidity-first ethics. Separate stability/cash functions from investment and crypto risk while preserving liquidity-first ethics. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHIVA-RAILS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-15', path='whitepapers/products/15-shiva-rails.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-15 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-15
Reference	whitepapers/products/15-shiva-rails.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.37 SHIVAS Internal Settlement Reflection - MJ-PBMEF-PRODUCT-WP-16

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-16
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-16
Import	whitepapers/products/16-shivas-internal.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-16
Definition	Represent internal capital reflections without minting, redemption, public offer, or value guarantee. Represent internal capital reflections without minting, redemption, public offer, or value guarantee. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHIVAS-INTERNAL
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-16', path='whitepapers/products/16-shivas-internal.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-16 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-16
Reference	whitepapers/products/16-shivas-internal.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.38 Shiva Crypto External-Market Candidate - MJ-PBMEF-PRODUCT-WP-17

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-17
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-17
Import	whitepapers/products/17-shiva-crypto.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-17
Definition	Model a separately governed external crypto rail subject to full classification and authorization. Model a separately governed external crypto rail subject to full classification and authorization. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHIVA-CRYPTO
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-17', path='whitepapers/products/17-shiva-crypto.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-17 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-17
Reference	whitepapers/products/17-shiva-crypto.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.39 Shiva Exchange Rule Reference - MJ-PBMEF-PRODUCT-WP-18

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-18
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-18
Import	whitepapers/products/18-shiva-exchange.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-18
Definition	Model transparent price-time, custody, audit, tax, and transfer rules without operating a market. Model transparent price-time, custody, audit, tax, and transfer rules without operating a market. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHIVA-EXCHANGE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-18', path='whitepapers/products/18-shiva-exchange.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-18 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-18
Reference	whitepapers/products/18-shiva-exchange.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.40 Moana Governed Browser - MJ-PBMEF-PRODUCT-WP-19

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-19
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-19
Import	whitepapers/products/19-moana-browser.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-19
Definition	Present governed applications, evidence, holds, and uncertainty. Present governed applications, evidence, holds, and uncertainty. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MOANA-BROWSER
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-19', path='whitepapers/products/19-moana-browser.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-19 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-19
Reference	whitepapers/products/19-moana-browser.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.41 Aviator Organizational Workspace - MJ-PBMEF-PRODUCT-WP-20

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-20
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-20
Import	whitepapers/products/20-aviator-workspace.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-20
Definition	Organize spaces, projects, decisions, knowledge, members, roles, and capabilities. Organize spaces, projects, decisions, knowledge, members, roles, and capabilities. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	AVIATOR-WORKSPACE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-20', path='whitepapers/products/20-aviator-workspace.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-20 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-20
Reference	whitepapers/products/20-aviator-workspace.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.42 Lecanto Truthful Visualization - MJ-PBMEF-PRODUCT-WP-21

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-21
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-21
Import	whitepapers/products/21-lecanto-visual.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-21
Definition	Display system truth, provenance, topology, uncertainty, and evidence. Display system truth, provenance, topology, uncertainty, and evidence. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	LECANTO-VISUAL
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-21', path='whitepapers/products/21-lecanto-visual.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-21 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-21
Reference	whitepapers/products/21-lecanto-visual.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.43 Elsa Governed Marketplace Reference - MJ-PBMEF-PRODUCT-WP-22

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-22
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-22
Import	whitepapers/products/22-elsa-marketplace.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-22
Definition	Coordinate semantic listings, workflow, accounting, execution, and resource evidence without live market authority. Coordinate semantic listings, workflow, accounting, execution, and resource evidence without live market authority. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	ELSA-MARKETPLACE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-22', path='whitepapers/products/22-elsa-marketplace.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-22 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-22
Reference	whitepapers/products/22-elsa-marketplace.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.44 Shekina Distributed Continuity - MJ-PBMEF-PRODUCT-WP-23

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-23
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-23
Import	whitepapers/products/23-shekina-continuity.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-23
Definition	Model bounded replicas, failover, continuity, and placement evidence. Model bounded replicas, failover, continuity, and placement evidence. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHEKINA-CONTINUITY
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-23', path='whitepapers/products/23-shekina-continuity.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-23 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-23
Reference	whitepapers/products/23-shekina-continuity.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.45 Pearl Hypothetical Simulation and Information-Retention Sys-tem - MJ-PBMEF-PRODUCT-WP-24

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-24
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-24
Import	whitepapers/products/24-pearl-containment.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-24
Definition	Acquire, retain, compare, and replay variance information and simulation potential without asserting a physical Pearl container. This representation is governed inside MJ and follows Bangel -> Elsa -> JP -> MK -> JO -> applicable evidence -> M3 -> Mermaid/Shiva -> MJ. Truthful measurement, scale independence, conservation, explicit uncertainty, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	PEARL-CONTAINMENT
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-24', path='whitepapers/products/24-pearl-containment.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-24 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-24
Reference	whitepapers/products/24-pearl-containment.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.46 Bangel Spreadsheets - MJ-PBMEF-PRODUCT-WP-25

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-25
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-25
Import	whitepapers/products/25-Bangel-spreadsheets.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-25
Definition	Provide a physics-oriented, deterministic alternative to conventional spreadsheet workflows. Bangel Spreadsheets addresses founder-defined operational risks: siloed files, conflicting versions, calculation bottlenecks, weak governance, and silent manual errors. Bangel Spreadsheets is an MJ product manifestation. A workbook is a governed measurement field. A cell is a typed object containing value, unit, uncertainty, formula, revision, lineage, authority, evidence, and state. A workbook revision is immutable and content-addressed. Large workbooks are partitioned into Pearl simulation objects rather than silently copied into disconnected files. Unified measurement meaning, immutable lineage, incremental work, low-latency correlation, typed units, explicit uncertainty, concurrency safety, role-scoped access, auditability, and reality-based reporting.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	Bangel -SPREADSHEETS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-25', path='whitepapers/products/25-Bangel-spreadsheets.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-25 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-25
Reference	whitepapers/products/25-Bangel-spreadsheets.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.47 JPOSMJ Product Portfolio Envelope - MJ-PBMEF-PRODUCT-WP-26

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-26
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-26
Import	whitepapers/products/26-jposmj-portfolio.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-26
Definition	Give every JP-origin product and project option one consistent route through physics, proof, evidence, authority, and claims ceilings. 'JPOSMJ' is an internal portfolio label meaning JP product architecture → MK physics → JO verification → MJ permit classification. It is not a participant, authority, operating system, or physical product. Consistent articulation, minimal revision, product comparability, physics completeness, evidence honesty, safety, and bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JPOSMJ-PORTFOLIO
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-26', path='whitepapers/products/26-jposmj-portfolio.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-26 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-26
Reference	whitepapers/products/26-jposmj-portfolio.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.48 MJ Standard Containment Geometry and Reference Gas Model - MJ-PBMEF-PRODUCT-WP-27

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-27
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-27
Import	whitepapers/products/27-standard-containment-geometry.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-27
Definition	Provide a scale-independent product-calculation standard for the founder-defined open rectangular intake, conical expansion, Sister umbrella capture, isolated descent, EVE residual and escape accounting, bounded residual reservoir, and Pearl top-of-cone simulation anchor. The product is an MJ manifestation. Bangel expresses the typed command; Elsa preserves its intended meaning; JP constructs the geometry and equation CAPOs; MK classifies physics applicability and verifies dimensions, gas state, forces, conservation, uncertainty, and validity domain; JO verifies code and evidence; Sister, EVE, Angels, Bellatrix, and M3 provide bounded routing, observation, containment, and safety evidence; Mermaid reconciles quantities; Shiva evaluates capital implications only when applicable; MJ retains the final bounded decision. Scale-independent ratios, explicit units, truthful evidence ceilings, co
Capability	Explain, constrain, cross-reference, and support founder review
Participant	STANDARD-CONTAINMENT-GEOMETRY
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-27', path='whitepapers/products/27-standard-containment-geometry.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-27 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-27
Reference	whitepapers/products/27-standard-containment-geometry.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.49 MJ Reservoir Collection Modulation and Return Loop - MJ-PBMEF-PRODUCT-WP-28

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-28
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-28
Import	whitepapers/products/28-reservoir-collection-modulation.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-28
Definition	Provide one scale-independent reference product for the founder-defined backside outlet, outward-facing gap, connected but separately accounted lake/buffer, circular inward-tangential re-entry, and continued variance-processing cycle. JP defines the geometry and transaction CAPOs; MK provides physics applicability, units, flow, wave, force, friction, and conservation; JO produces deterministic proof and cycle receipts; Sister provides predictive placement and physical-containment evidence; EVE records screen, pass-through, escape, evaporation, and residual state; Angels provide safety checks; M3 routes every transaction under a bounded lease; Mermaid reconciles; Shiva analyzes opportunity only when capital applies; MJ alone decides whether a bounded effect is eligible. Scale independence, small-discharge intent, actual-boundary truth, nonphysical Pearl-reference separation, control-volum
Capability	Explain, constrain, cross-reference, and support founder review
Participant	RESERVOIR-COLLECTION-MODULATION
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-28', path='whitepapers/products/28-reservoir-collection-modulation.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-28 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-28
Reference	whitepapers/products/28-reservoir-collection-modulation.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.50 R1 and R2 State Representation - MJ-PBMEF-REPRESENTATION-WP-01

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-01
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-01
Import	whitepapers/representations/01-state-r1-r2.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-01
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	STATE-R1-R2
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-01', path='whitepapers/representations/01-state-r1-r2.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-01 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-01
Reference	whitepapers/representations/01-state-r1-r2.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.51 Noise Floor and 23 mg Inflection - MJ-PBMEF-REPRESENTATION-WP-02

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-02
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-02
Import	whitepapers/representations/02-noise-23mg.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-02
Definition	Separate the 23 mg pre-observational floor from the 24 mg containment-geometry reference and bind both to the first-noise plane. This representation is governed inside MJ and follows Bangel -> Elsa -> JP -> MK -> JO -> applicable evidence -> M3 -> Mermaid/Shiva -> MJ. Truthful measurement, scale independence, conservation, explicit uncertainty, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	NOISE-23MG
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-02', path='whitepapers/representations/02-noise-23mg.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-02 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-02
Reference	whitepapers/representations/02-noise-23mg.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.52 Upward 3x3 Node and Umbrella Representation - MJ-PBMEF-REPRESENTATION-WP-03

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-03
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-03
Import	whitepapers/representations/03-node-3x3.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-03
Definition	Integrate the open rectangle and conical expansion with the normalized N1-N9, U/D/C, EVE, and reservoir topology. This representation is governed inside MJ and follows Bangel -> Elsa -> JP -> MK -> JO -> applicable evidence -> M3 -> Mermaid/Shiva -> MJ. Truthful measurement, scale independence, conservation, explicit uncertainty, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	NODE-3X3
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-03', path='whitepapers/representations/03-node-3x3.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-03 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-03
Reference	whitepapers/representations/03-node-3x3.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.53 Memory, Request Occultation, and Generational Handoff - MJ-PBMEF-REPRESENTATION-WP-04

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-04
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-04
Import	whitepapers/representations/04-memory-handoff.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-04
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MEMORY-HANDOFF
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-04', path='whitepapers/representations/04-memory-handoff.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-04 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-04
Reference	whitepapers/representations/04-memory-handoff.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.54 Static Intake and Energy-Wake Representation - MJ-PBMEF-REPRESENTATION-WP-05

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-05
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-05
Import	whitepapers/representations/05-static-impetus.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-05
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	STATIC-IMPETUS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-05', path='whitepapers/representations/05-static-impetus.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-05 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-05
Reference	whitepapers/representations/05-static-impetus.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.55 EVE Variance, Screen, Evaporation, and Egress - MJ-PBMEF-REPRESENTATION-WP-06

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-06
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-06
Import	whitepapers/representations/06-eve-egress.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-06
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	EVE-EGRESS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-06', path='whitepapers/representations/06-eve-egress.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-06 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-06
Reference	whitepapers/representations/06-eve-egress.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.56 Shiva and Mermaid Financial Rails - MJ-PBMEF-REPRESENTATION-WP-07

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-07
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-07
Import	whitepapers/representations/07-financial-rails.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-07
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	FINANCIAL-RAILS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-07', path='whitepapers/representations/07-financial-rails.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-07 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-07
Reference	whitepapers/representations/07-financial-rails.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.57 Passkey, Claims Ceiling, and Repository Authentication - MJ-PBMEF-REPRESENTATION-WP-08

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-08
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-08
Import	whitepapers/representations/08-passkey.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-08
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	PASSKEY
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-08', path='whitepapers/representations/08-passkey.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-08 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-08
Reference	whitepapers/representations/08-passkey.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.58 Pearl Hypothetical Geometry and Acoustic Simulation Representation - MJ-PBMEF-REPRESENTATION-WP-09

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-09
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-09
Import	whitepapers/representations/09-pearl-container-acoustics.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-09
Definition	Bind Pearl simulation to the top-of-cone observation plane and retain acoustic variables as simulation-only. This representation is governed inside MJ and follows Bangel -> Elsa -> JP -> MK -> JO -> applicable evidence -> M3 -> Mermaid/Shiva -> MJ. Truthful measurement, scale independence, conservation, explicit uncertainty, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	PEARL-CONTAINER-ACOUSTICS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-09', path='whitepapers/representations/09-pearl-container-acoustics.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-09 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-09
Reference	whitepapers/representations/09-pearl-container-acoustics.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.59

Bangel

Spreadsheets Cell, Dependency, Revision, and Pearl Simulation Field - MJ-PBMEF-REPRESENTATION-WP-10

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-10
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-10
Import	whitepapers/representations/10-Bangel-spreadsheets-field.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-10
Definition	Define a spreadsheet-like operational field in which cells are typed measurement objects and workbook changes are immutable, auditable, incremental, and partitionable. This representation is the technical core of Bangel Spreadsheets. It supports inventory, finance, project tracking, reporting, or other processes only after the process, users, workload, service level, and authority are declared. Meaning consistency, version truth, low-latency recalculation, role-scoped governance, manual-error resistance, complete audit, and measured capacity.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	Bangel -SPREADSHEETS-FIELD
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-10', path='whitepapers/representations/10-Bangel-spreadsheets-field.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-10 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-10
Reference	whitepapers/representations/10-Bangel-spreadsheets-field.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.60

Standard Containment Geometry and H2 Reference Representation - MJ-PBMEF-REPRESENTATION-WP-11

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-11
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-11
Import	whitepapers/representations/11-standard-containment-geometry-h2-reference.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-11
Definition	Provide one scale-independent containment calculation system for the open rectangle, conical expansion, Sister umbrella/descent/containment, EVE accounting, residual reservoir, and Pearl cone-top simulation anchor. This representation connects JP geometry and formulas to MK physics, JO verification, Sister and EVE evidence, M3 routing, Mermaid reconciliation, Shiva opportunity analysis when applicable, and MJ bounded decisions. Scale independence, unit integrity, conservation, explicit gas state, truthful acceleration limits, and adaptive modification without rewriting core logic.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	STANDARD-CONTAINMENT-GEOMETRY-H2
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-11', path='whitepapers/representations/11-standard-containment-geometry-h2-reference.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-11 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-11
Reference	whitepapers/representations/11-standard-containment-geometry-h2-reference.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.61 Reservoir Return Loop Physics Representation - MJ-PBMEF-REPRESENTATION-WP-12

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-12
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-12
Import	whitepapers/representations/12-reservoir-return-loop.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-12
Definition	Represent the outlet, buffer/lake, circular re-entry, perspective, wave-state, capacity, and transaction-cycle evidence of 'RESERVOIR-COLLECTION-MODULATION' without treating the Pearl simulation circle as a physical wall. The representation passes from Bangel and Elsa into JP geometry CAPOs, MK physics checks, JO proof receipts, Sister/EVE/Angel evidence, M3 routing, Mermaid reconciliation, Shiva analysis when capital applies, and MJ bounded decision. Typed state, explicit units, actual-boundary truth, uncertainty-aware clearance, separate control volumes, vector capacity, no same-cycle feed-back, conservation, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	RESERVOIR-RETURN-LOOP
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-12', path='whitepapers/representations/12-reservoir-return-loop.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-12 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-12
Reference	whitepapers/representations/12-reservoir-return-loop.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

Potential IP Pink Paper - No-Rights Boundary

CONTROLLING STATEMENT

The 90,000 Potential IP Points are internal candidate technical observations. They do not establish ownership, inventorship, novelty, patentability, validity, enforceability, infringement, freedom to operate, registration, clearance, or entitlement to any IP right.

PURPOSE

The register is a confidential navigation tool for clustering, disclosure drafting, prior-art search planning, trade-secret review, copyright-expression review, and qualified IP-counsel triage.

AUTHORITY

No point can approve itself. MJ may preserve and prioritize internal review, but legal rights and claim-specific inventorship require applicable law, evidence, filings, agreements, and qualified counsel.

How the 90,000 Candidate Points Were Established

PREDECESSOR 10,000

The first sweep used formula, family-object, product-construct, white-paper, and cross-cutting technical lenses to enumerate 10,000 candidate observations.

SOLAR 20,000

The solar three-profile integration added 20,000 observations across the shared core, semiconductor/phone, marine, and peaceful rocket/spacecraft profiles.

R8 60,000

DRO, Pearl/DRO, start-and-restart, Lecanto, semiconductor, and cross-system lenses added 60,000 observations.

TOTAL

The master pending register therefore contains 90,000 candidate observations. Count is an enumeration result, not an invention or claim count.

Candidate Point Anatomy

FIELDS

Each candidate may carry a point identifier, source formula/family/object/product/document, technical thesis, differentiation hypothesis, disclosure prompt, search terms, possible protection modes, enablement gaps, risk flags, confidentiality recommendation, next action, and gateway relation.

STATUS

Every point remains pending internal review unless separately advanced. A point may later be merged, archived, reclassified, disclosed, kept confidential, or used as prior-art/search input.

NO AUTOMATIC RIGHTS

A content hash, passkey signature, internal priority, or Blue Page does not create a patent, copyright registration, trade-secret status, or ownership adjudication.

Formula and Algorithm Layer

TECHNICAL SCOPE

Formula-derived points examine typed inputs, operators, transformations, units, uncertainty, evidence, control volumes, scaling, implementation, verification, and product embodiment.

REVIEW QUESTIONS

What is the claimed technical difference? What is actually enabled by the disclosure? Which elements are known? What evidence is missing? Which alternative embodiments matter? Who contributed to the claimed subject matter?

PENDING STATUS

The point remains a confidential candidate until counsel and technical reviewers determine whether to merge, preserve, search, disclose, file, or archive it.

Family and Object Layer

TECHNICAL SCOPE

Family-object points examine boundaries, handoffs, interfaces, evidence custody, non-substitutability, recovery, routing, and combinations among manifestations and governed objects.

REVIEW QUESTIONS

What is the claimed technical difference? What is actually enabled by the disclosure? Which elements are known? What evidence is missing? Which alternative embodiments matter? Who contributed to the claimed subject matter?

PENDING STATUS

The point remains a confidential candidate until counsel and technical reviewers determine whether to merge, preserve, search, disclose, file, or archive it.

Product and Construct Layer

TECHNICAL SCOPE

Product-construct points examine use cases, command syntax, configuration, profiles, workflows, interfaces, scaling, safety, and product-specific embodiments.

REVIEW QUESTIONS

What is the claimed technical difference? What is actually enabled by the disclosure? Which elements are known? What evidence is missing? Which alternative embodiments matter? Who contributed to the claimed subject matter?

PENDING STATUS

The point remains a confidential candidate until counsel and technical reviewers determine whether to merge, preserve, search, disclose, file, or archive it.

White-Paper Layer

TECHNICAL SCOPE

White-paper points examine disclosed systems, methods, architectures, diagrams, examples, limitations, and alternative embodiments that may require separate prior-art and enablement review.

REVIEW QUESTIONS

What is the claimed technical difference? What is actually enabled by the disclosure? Which elements are known? What evidence is missing? Which alternative embodiments matter? Who contributed to the claimed subject matter?

PENDING STATUS

The point remains a confidential candidate until counsel and technical reviewers determine whether to merge, preserve, search, disclose, file, or archive it.

Solar Three-Profile Layer

TECHNICAL SCOPE

The solar layer preserves shared-core architecture while requiring separate physical evidence for semiconductor/phone, marine, and peaceful rocket/spacecraft profiles.

REVIEW QUESTIONS

What is the claimed technical difference? What is actually enabled by the disclosure? Which elements are known? What evidence is missing? Which alternative embodiments matter? Who contributed to the claimed subject matter?

PENDING STATUS

The point remains a confidential candidate until counsel and technical reviewers determine whether to merge, preserve, search, disclose, file, or archive it.

DRO Layer

TECHNICAL SCOPE

DRO observations cover typed unit acquisition, R-to-R1 state transitions, optical reference hypotheses, conservation, receipts, scale boundaries, and non-authority status.

REVIEW QUESTIONS

What is the claimed technical difference? What is actually enabled by the disclosure? Which elements are known? What evidence is missing? Which alternative embodiments matter? Who contributed to the claimed subject matter?

PENDING STATUS

The point remains a confidential candidate until counsel and technical reviewers determine whether to merge, preserve, search, disclose, file, or archive it.

Pearl/DRO Layer

TECHNICAL SCOPE

Pearl/DRO observations cover computational-node retention, hypothetical allocation, handoff evidence, capacity modeling, and strict separation from physical-container claims.

REVIEW QUESTIONS

What is the claimed technical difference? What is actually enabled by the disclosure? Which elements are known? What evidence is missing? Which alternative embodiments matter? Who contributed to the claimed subject matter?

PENDING STATUS

The point remains a confidential candidate until counsel and technical reviewers determine whether to merge, preserve, search, disclose, file, or archive it.

Start and Restart Layer

TECHNICAL SCOPE

Start/restart observations cover available energy, required energy, reserve, loss, uncertainty, state transitions, and non-operational reference status.

REVIEW QUESTIONS

What is the claimed technical difference? What is actually enabled by the disclosure? Which elements are known? What evidence is missing? Which alternative embodiments matter? Who contributed to the claimed subject matter?

PENDING STATUS

The point remains a confidential candidate until counsel and technical reviewers determine whether to merge, preserve, search, disclose, file, or archive it.

Lecanto Layer

TECHNICAL SCOPE

Lecanto observations cover source digest, metadata, image variance, transformations, derivative labels, safety classification, contextual intent hypotheses, and truthful visualization.

REVIEW QUESTIONS

What is the claimed technical difference? What is actually enabled by the disclosure? Which elements are known? What evidence is missing? Which alternative embodiments matter? Who contributed to the claimed subject matter?

PENDING STATUS

The point remains a confidential candidate until counsel and technical reviewers determine whether to merge, preserve, search, disclose, file, or archive it.

Semiconductor Layer

TECHNICAL SCOPE

Semiconductor observations cover charge, energy, leakage, wake, reserve, memory, thermal state, DRO ledgers, Pearl computational nodes, and profile-specific evidence.

REVIEW QUESTIONS

What is the claimed technical difference? What is actually enabled by the disclosure? Which elements are known? What evidence is missing? Which alternative embodiments matter? Who contributed to the claimed subject matter?

PENDING STATUS

The point remains a confidential candidate until counsel and technical reviewers determine whether to merge, preserve, search, disclose, file, or archive it.

Cross-System Layer

TECHNICAL SCOPE

Cross-system observations examine combinations, interface contracts, state transitions, authority boundaries, evidence flow, recovery, and alternative implementations across the portfolio.

REVIEW QUESTIONS

What is the claimed technical difference? What is actually enabled by the disclosure? Which elements are known? What evidence is missing? Which alternative embodiments matter? Who contributed to the claimed subject matter?

PENDING STATUS

The point remains a confidential candidate until counsel and technical reviewers determine whether to merge, preserve, search, disclose, file, or archive it.

Internal Triage Tiers

SUMMARY

Triage is a workflow aid only. Higher priority does not prove patentability; lower priority does not eliminate trade-secret, copyright-expression, defensive-publication, or portfolio value.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Patent Candidate Review

SUMMARY

A patent-oriented review needs a claimable technical concept, correct inventorship, adequate written description and enablement, novelty and non-obviousness analysis, eligible subject matter, filing strategy, and prior-art search. The internal register supplies prompts, not conclusions.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Trade-Secret Candidate Review

SUMMARY

Trade-secret review asks whether information has economic value from not being generally known and whether reasonable secrecy measures are maintained. Access controls, confidentiality terms, limited disclosure, logs, and custody procedures matter.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Copyright-Expression Review

SUMMARY

Copyright may protect original text, code, diagrams, and arrangement, but generally not the underlying ideas, methods, systems, formulas, or algorithms. The register should distinguish expressive artifacts from technical concepts.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Trademark and Branding Review

SUMMARY

Names, marks, logos, and product identifiers require separate clearance and use analysis. Inclusion in the passkey does not establish trademark availability or registration rights.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Inventorship Review

SUMMARY

Patent inventorship is claim-specific. Founder-declared authorship or project leadership is not a substitute for identifying every human who contributed to the conception of each claimed invention.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Ownership and Assignment Review

SUMMARY

Ownership can depend on inventorship, employment, contractor agreements, assignments, licenses, and applicable law. The internal build records founder declarations but does not independently adjudicate title.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Freedom-to-Operate Review

SUMMARY

Freedom to operate requires analysis of live third-party claims in relevant jurisdictions and product configurations. An internal novelty or IP sweep does not establish non-infringement.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Public-Disclosure Risk

SUMMARY

Public disclosure can affect patent timing and trade-secret status. The register should remain confidential until counsel determines disclosure strategy, filing timing, and access controls.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Enablement and Evidence Gaps

SUMMARY

Points tied to hypothetical physical mechanisms require sufficient technical detail and, where appropriate, measurements, simulations, prototypes, or reproducible examples. The passkey authenticates the disclosure snapshot, not enablement or feasibility.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Duplicate and Cluster Logic

SUMMARY

Many candidate observations may describe overlapping aspects of the same technical concept. Counsel and engineers should cluster duplicates and related embodiments before counting inventions or drafting claims.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Prior-Art Search Workflow

SUMMARY

Translate a candidate into technical features, synonyms, classifications, combinations, and date ranges. Search patents and non-patent literature, document results, and revise the candidate thesis without erasing the original record.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Counsel Handoff Package

SUMMARY

A strong handoff includes source excerpts, dates, contributor records, drawings, alternative embodiments, experimental status, known prior art, business relevance, disclosure history, confidentiality status, and proposed next action.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Pending Status in Access Terms

SUMMARY

Users must preserve Potential IP Points as pending internal observations and may not represent them as cleared rights or use them outside authorized scope. Explicit assent and confidentiality controls should precede access.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Passkey Relationship

SUMMARY

The passkey can prove that a particular pending register was included in an approved, hashed snapshot. It cannot create the IP rights described by the register.

CONTROL

The official documentation manifest and Terms preserve the candidate status, no-rights boundary, confidentiality expectations, and need for claim-specific counsel review.

CROSS-REFERENCE

Potential IP registers; Pink Paper; Blue Pages; White Papers; project/product/family/object/formula registers; passkey scope.

Candidate Segment - Predecessor 10K

COUNT

10,000 candidate observations are associated with this segment in the internal master structure.

REVIEW FOCUS

Cluster related entries; verify source cross-references; identify duplicates; distinguish mathematical, software, physical, product, and documentation embodiments; record enablement and confidentiality gaps.

NO-RIGHTS RULE

The segment count is not a count of inventions, claims, patents, or owned rights.

Candidate Segment - Solar 20K

COUNT

20,000 candidate observations are associated with this segment in the internal master structure.

REVIEW FOCUS

Cluster related entries; verify source cross-references; identify duplicates; distinguish mathematical, software, physical, product, and documentation embodiments; record enablement and confidentiality gaps.

NO-RIGHTS RULE

The segment count is not a count of inventions, claims, patents, or owned rights.

Candidate Segment - Dro Core

COUNT

15,000 candidate observations are associated with this segment in the internal master structure.

REVIEW FOCUS

Cluster related entries; verify source cross-references; identify duplicates; distinguish mathematical, software, physical, product, and documentation embodiments; record enablement and confidentiality gaps.

NO-RIGHTS RULE

The segment count is not a count of inventions, claims, patents, or owned rights.

Candidate Segment - Pearl Dro

COUNT

10,000 candidate observations are associated with this segment in the internal master structure.

REVIEW FOCUS

Cluster related entries; verify source cross-references; identify duplicates; distinguish mathematical, software, physical, product, and documentation embodiments; record enablement and confidentiality gaps.

NO-RIGHTS RULE

The segment count is not a count of inventions, claims, patents, or owned rights.

Candidate Segment - Dro Start Restart

COUNT

10,000 candidate observations are associated with this segment in the internal master structure.

REVIEW FOCUS

Cluster related entries; verify source cross-references; identify duplicates; distinguish mathematical, software, physical, product, and documentation embodiments; record enablement and confidentiality gaps.

NO-RIGHTS RULE

The segment count is not a count of inventions, claims, patents, or owned rights.

Candidate Segment - Lecanto

COUNT

10,000 candidate observations are associated with this segment in the internal master structure.

REVIEW FOCUS

Cluster related entries; verify source cross-references; identify duplicates; distinguish mathematical, software, physical, product, and documentation embodiments; record enablement and confidentiality gaps.

NO-RIGHTS RULE

The segment count is not a count of inventions, claims, patents, or owned rights.

Candidate Segment - Semiconductor

COUNT

10,000 candidate observations are associated with this segment in the internal master structure.

REVIEW FOCUS

Cluster related entries; verify source cross-references; identify duplicates; distinguish mathematical, software, physical, product, and documentation embodiments; record enablement and confidentiality gaps.

NO-RIGHTS RULE

The segment count is not a count of inventions, claims, patents, or owned rights.

Candidate Segment - Cross System

COUNT

5,000 candidate observations are associated with this segment in the internal master structure.

REVIEW FOCUS

Cluster related entries; verify source cross-references; identify duplicates; distinguish mathematical, software, physical, product, and documentation embodiments; record enablement and confidentiality gaps.

NO-RIGHTS RULE

The segment count is not a count of inventions, claims, patents, or owned rights.

Algorithm Candidate Example

SUMMARY

A formula may support multiple candidates: a measurement method, a typed software implementation, an uncertainty protocol, a control-volume application, a product-specific embodiment, or an evidence-verification process. These are review lenses, not automatically distinct inventions.

GATEWAY

MJ purpose -> Bangel -> Elsa -> JP -> MK -> JO -> evidence participants -> M3 -> Mermaid/Shiva when applicable -> MJ review -> receipt.

STATUS

Pending internal candidate; no approval, grant, registration, ownership, or clearance effect.

Family Interface Candidate Example

SUMMARY

A participant handoff may raise candidates around typed receipts, non-substitutable authority, failure recovery, cross-profile isolation, or evidence custody. The legal significance depends on the actual technical contribution and prior art.

GATEWAY

MJ purpose -> Bangel -> Elsa -> JP -> MK -> JO -> evidence participants -> M3 -> Mermaid/Shiva when applicable -> MJ review -> receipt.

STATUS

Pending internal candidate; no approval, grant, registration, ownership, or clearance effect.

Product Candidate Example

SUMMARY

A product paper may disclose a system, method, user interface, data structure, test process, and alternative embodiment. Each must be reviewed against the disclosure and actual contribution rather than counted automatically.

GATEWAY

MJ purpose -> Bangel -> Elsa -> JP -> MK -> JO -> evidence participants -> M3 -> Mermaid/Shiva when applicable -> MJ review -> receipt.

STATUS

Pending internal candidate; no approval, grant, registration, ownership, or clearance effect.

Physical-Hypothesis Candidate Example

SUMMARY

Pearl, DRO, containment, reservoir, acoustic, hydrogen, propulsion, and other physical hypotheses remain subject to evidence and enablement review. Internal equations alone do not prove feasibility.

GATEWAY

MJ purpose -> Bangel -> Elsa -> JP -> MK -> JO -> evidence participants -> M3 -> Mermaid/Shiva when applicable -> MJ review -> receipt.

STATUS

Pending internal candidate; no approval, grant, registration, ownership, or clearance effect.

Software Candidate Example

SUMMARY

Bangel, JO, Lecanto, Spreadsheets, provenance, receipts, and proof graphs may present software or information-processing candidates. Eligibility, novelty, non-obviousness, and enablement still require claim-specific review.

GATEWAY

MJ purpose -> Bangel -> Elsa -> JP -> MK -> JO -> evidence participants -> M3 -> Mermaid/Shiva when applicable -> MJ review -> receipt.

STATUS

Pending internal candidate; no approval, grant, registration, ownership, or clearance effect.

Confidentiality Checklist

SUMMARY

Limit access; use explicit terms; encrypt storage; log recipients; avoid public posting; mark pending status; separate public and confidential versions; document disclosure dates; use contributor and assignment agreements.

GATEWAY

MJ purpose -> Bangel -> Elsa -> JP -> MK -> JO -> evidence participants -> M3 -> Mermaid/Shiva when applicable -> MJ review -> receipt.

STATUS

Pending internal candidate; no approval, grant, registration, ownership, or clearance effect.

Founder IP Review Checklist

SUMMARY

Confirm the source, date, contributor, technical problem, proposed solution, alternatives, evidence, known prior art, business value, disclosure status, and desired next action for each priority cluster.

GATEWAY

MJ purpose -> Bangel -> Elsa -> JP -> MK -> JO -> evidence participants -> M3 -> Mermaid/Shiva when applicable -> MJ review -> receipt.

STATUS

Pending internal candidate; no approval, grant, registration, ownership, or clearance effect.

IP Pink Paper Conclusion

SUMMARY

The 90,000-point register is a thorough internal candidate map and a strong starting point for counsel. Its value lies in structured traceability and review prompts, not in implying that 90,000 rights already exist.

GATEWAY

MJ purpose -> Bangel -> Elsa -> JP -> MK -> JO -> evidence participants -> M3 -> Mermaid/Shiva when applicable -> MJ review -> receipt.

STATUS

Pending internal candidate; no approval, grant, registration, ownership, or clearance effect.

Pending IP Review Reference - Part 46

REFERENCE

This page preserves a categorized review lens for the 90,000-point register and associated technical sources.

QUESTIONS

Is the source specific? Is the contribution human-authored? Is the concept enabled? Is it distinct from known art? Is it confidential? Does it overlap another point? Which protection or disclosure route is appropriate?

RESULT

Keep pending, merge, archive, search, disclose under confidentiality, or advance to qualified counsel.

Pending IP Review Reference - Part 47

REFERENCE

This page preserves a categorized review lens for the 90,000-point register and associated technical sources.

QUESTIONS

Is the source specific? Is the contribution human-authored? Is the concept enabled? Is it distinct from known art? Is it confidential? Does it overlap another point? Which protection or disclosure route is appropriate?

RESULT

Keep pending, merge, archive, search, disclose under confidentiality, or advance to qualified counsel.

Potential IP Pink Paper Closing Receipt

DOCUMENT STATUS

48-page internal reference; final included pending local founder signature.

MASTER COUNT

90,000 candidate observations in the current master manifest.

NO-RIGHTS EFFECT

Ownership, inventorship, novelty, patentability, validity, enforceability, infringement, freedom to operate, registration, and approval effects: NONE.

AUTHOR AND ENTITY

Michael Patrick Bangel (Michael Bangel), founder-declared author, inventor, and architect; CEO of MJ Physics Engineering , Clearwater, Florida, USA. Inventorship remains claim-specific under applicable law.

23,000 deterministic reference scenarios plus preserved predecessor suites

RESULT

23,000 executed / 23,000 pass / 0 fail / 0 hold across 23 categories. Results root:
c8097cc9f291a10379b07c4a146fb736e136a79ee2b8c985c2fa156fbf750912

MEANING

The scenarios verify reference software, numeric guards, formulas, states, manifests, documentation roots, ethics, profile isolation, and ceremony prerequisites. They do not prove physical performance, product certification, regulatory approval, legal rights, or external financial operation.

PRESERVED PREDECESSOR EVIDENCE

R10 repository suites, R8/R9 scenarios, physical-evidence implementation tests, fault cases, canonical alignment receipts, and documentation QA remain historical evidence for their exact scope. R11 adds 23,000 new deterministic scenarios and reruns the repository suite after integration.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category ANGELS_ETHICS -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Non-weaponization and safety gate outcomes.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category CEREMONY -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Authority graph, claims ceiling, and passkey preconditions.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category CONTAINMENT -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Scale-independent rectangle/cone ratios and reference geometry.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category COVARIANCE -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Positive-semidefinite covariance reference matrices.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category DIGEST -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Canonical lowercase SHA-256 validation.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category DOCUMENTATION -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Official documentation entry existence and content hashes.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category DRO -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

DRO scale, uncertainty, R1, and R2 reference states.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category GAS -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

State-dependent reference-gas density and 24 mg volume.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category IP_DISCOVERY -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Candidate-only Potential IP identifier and register boundaries.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category LECANTO -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Source digest, image residual, intent hypothesis, and safe transformation gates.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category M3 -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Non-authoritative routing receipts.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category MASS23 -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

23 mg observational-floor interval classification.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category MASS24 -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

24 mg reference-mass and density-dependent volume separation.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category MEMORY -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Request memory, preallocation, residual, and headroom accounting.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category NOISE -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Smoothing, trend, and bounded anti-spike reference behavior.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category NUMERIC -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

NaN and infinity rejection with finite-value acceptance.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category PEARL -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Pearl simulation capacity and nonphysical status.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category PROFILE_ISOLATION -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Separate product/profile values and transfer-receipt requirements.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category RESERVOIR -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Inventory balance, vector capacity, new-cycle re-entry, and physical holds.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category SHEETS -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Bangel Spreadsheets atomic updates, formulas, units, evidence state, and rollback.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category SHIVA_DAY1 -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Liquidity-first internal banking MVP calculations and external-crypto exclusion.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category STATE -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

R/R0/R1/N1/R2 transitions and UNKNOWN != ZERO.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

1,000 deterministic scenarios | all passed

DISCOVERY PATH

Source category SYNTAX -> deterministic inputs -> governed reference function or manifest predicate -> expected state -> actual state -> JSONL receipt -> summary root -> passkey validation annex.

WHAT WAS TESTED

Balanced reference syntax constructs and authority-none declarations.

WHAT THE PASS PROVES

The tested invariant behaved deterministically for the generated reference cases and failed closed where the category required rejection or hold.

WHAT IT DOES NOT PROVE

No physical article, calibrated measurement, operational deployment, legal conclusion, financial authorization, product certification, or approved IP right is established.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CUMULATIVE SCENARIOS

R11: 23,000 pass. R12 additional: 23,000 pass. Aggregate: 46,000 pass / 0 fail / 0 hold.

RAINBOW COVERAGE

300 Blue source pages + 1,051 physical Pink PDF pages -> 1,351 Rainbow pages.

IP OBSERVATIONS

230,000 pending candidate observations; no approval or ownership effect.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
AUTHORITY_NO_TRANSFER
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-AUTHORITY_NO_TRANSFER-0001 through R12-AUTHORITY_NO_TRANSFER-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
CLAIMS_CEILING
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-CLAIMS_CEILING-0001 through R12-CLAIMS_CEILING-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
CODE_TOKENS
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-CODE_TOKENS-0001 through R12-CODE_TOKENS-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
FINANCE_HOLD
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-FINANCE_HOLD-0001 through R12-FINANCE_HOLD-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
FORMULA_ID
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-FORMULA_ID-0001 through R12-FORMULA_ID-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
GENERATION_RETURN
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-GENERATION_RETURN-0001 through R12-GENERATION_RETURN-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
IP_NO_APPROVAL
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-IP_NO_APPROVAL-0001 through R12-IP_NO_APPROVAL-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
JO_PROOF_NO_PERMIT
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-JO_PROOF_NO_PERMIT-0001 through R12-JO_PROOF_NO_PERMIT-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
M3_NO_AUTHORITY
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-M3_NO_AUTHORITY-0001 through R12-M3_NO_AUTHORITY-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
MIRROR_COVERAGE
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-MIRROR_COVERAGE-0001 through R12-MIRROR_COVERAGE-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
MK_EVIDENCE_CEILING
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-MK_EVIDENCE_CEILING-0001 through R12-MK_EVIDENCE_CEILING-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
NODE_PLACEMENT
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-NODE_PLACEMENT-0001 through R12-NODE_PLACEMENT-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
NONWEAPONIZATION
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-NONWEAPONIZATION-0001 through R12-NONWEAPONIZATION-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
PDF_OPEN
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-PDF_OPEN-0001 through R12-PDF_OPEN-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
PDF_TEXT
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-PDF_TEXT-0001 through R12-PDF_TEXT-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
PHYSICAL_HOLD
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-PHYSICAL_HOLD-0001 through R12-PHYSICAL_HOLD-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
PROFILE_ISOLATION
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-PROFILE_ISOLATION-0001 through R12-PROFILE_ISOLATION-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
RAINBOW_BLUE
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-RAINBOW_BLUE-0001 through R12-RAINBOW_BLUE-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
RAINBOW_PINK
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-RAINBOW_PINK-0001 through R12-RAINBOW_PINK-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
RAINBOW_UNIQUENESS
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-RAINBOW_UNIQUENESS-0001 through R12-RAINBOW_UNIQUENESS-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
R_TO_N1
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-R_TO_N1-0001 through R12-R_TO_N1-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
SOURCE_HASH
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-SOURCE_HASH-0001 through R12-SOURCE_HASH-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

VALIDATION CLAIMS CEILING

These results verify reference code, documentation mappings, hashes, node/R lifecycles, claims ceilings, authority separation, and deterministic scenarios. They do not establish physical product performance, safety certification, regulatory approval, or operational authority.

CATEGORY
UNKNOWN_NONCOERCION
R12 RESULT
1,000 deterministic cases passed; 0 failed; 0 held.
DISCOVERY PATH
Scenario IDs R12-UNKNOWN_NONCOERCION-0001 through R12-UNKNOWN_NONCOERCION-1000 preserve input digests and source references.
WHAT IT SUPPORTS
Reference software/document integrity and fail-closed behavior within the declared scope.
WHAT IT DOES NOT SUPPORT
Physical validation, product certification, external operation, regulatory permission, or legal IP determination.

Testing Evidence Pink Paper - Scope and Evidence Ceiling

PURPOSE

This Pink Paper organizes the completed reference tests, scenario runs, repository checks, documentation QA, historical receipts, and remaining evidence holds. It does not convert passing software tests into physical validation, certification, legal compliance, or operational permission.

CONTROLLING BUILD

Build: MJ-PBMEF-DAY0-R9-BLUE-PINK-TOS-FINAL. Predecessor evidence: MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL. Current known R8 baseline: 373 repository tests, 8192 deterministic scenarios, and 201 repository checks, all with zero recorded failures in their stated reference scope.

INTERPRETATION

A PASS means the tested reference assertion passed within its defined fixture, model, or repository boundary. HOLD means required evidence or authority is missing. FAIL_TECHNICAL means a complete test detected a technical violation. DENY means a superior ethics, purpose, profile, or authority boundary prohibits the requested effect.

Test Taxonomy and Result Vocabulary

CATEGORIES

Unit tests; formula and type tests; state-transition tests; profile-isolation tests; authority and ethics tests; scenario tests; repository-integrity checks; document/PDF QA; private-material scans; passkey prechecks; historical implementation receipts.

RESULT STATES

PASS_REFERENCE, HOLD, FAIL_TECHNICAL, DENY, NOT_RUN_AWAITING_PACKET, and NOT_APPLICABLE are distinct. No single success flag collapses these states.

EVIDENCE RULE

Every reported count is tied to a transcript, receipt, or machine-readable result where available. Missing historical details are described as not located or not independently rerun rather than reconstructed.

Current Build Test Summary

PYTEST

{ "failed": 0, "held": 0, "passed": 373, "transcript": "validation/PYTEST-TRANSCRIPT-R8.txt" }

SCENARIO TESTS

{ "categories": 8, "failed": 0, "held": 0, "passed": 8192, "summary": "validation/r8-scenario-tests/R8-SCENARIO-TEST-RESULTS-SUMMARY.json" }

REPOSITORY VERIFICATION

{ "failed": 0, "passed": 201, "receipt": "validation/REPOSITORY-VERIFICATION-R8.json" }

DOCUMENTATION QA

{ "pages": 1275, "pdfs": 26, "qa_status": "PASS", "receipt": "validation/R8-DOCUMENTATION-QA-RECEIPT-001.json" }

Scenario Category - Authority Ethics

SCOPE

This category contains {'fail': 0, 'pass': 1024} deterministic reference scenarios recorded in the R8 scenario summary.

WHAT IT CHECKS

The scenarios exercise the authority ethics rules, including expected pass, hold, fail, or deny behavior under bounded inputs.

WHAT IT DOES NOT PROVE

The category does not prove real-world performance, calibrated physical behavior, safety certification, external compliance, or product readiness.

REQUIRED LINEAGE

Primary source: validation/r8-scenario-tests/R8-SCENARIO-TEST-RESULTS-SUMMARY.json. Result integrity depends on the recorded fixtures, code digest, and category definitions.

Scenario Category - Dro Scale

SCOPE

This category contains {'fail': 0, 'pass': 1024} deterministic reference scenarios recorded in the R8 scenario summary.

WHAT IT CHECKS

The scenarios exercise the dro scale rules, including expected pass, hold, fail, or deny behavior under bounded inputs.

WHAT IT DOES NOT PROVE

The category does not prove real-world performance, calibrated physical behavior, safety certification, external compliance, or product readiness.

REQUIRED LINEAGE

Primary source: validation/r8-scenario-tests/R8-SCENARIO-TEST-RESULTS-SUMMARY.json. Result integrity depends on the recorded fixtures, code digest, and category definitions.

Scenario Category - Dro State

SCOPE

This category contains {'fail': 0, 'pass': 1024} deterministic reference scenarios recorded in the R8 scenario summary.

WHAT IT CHECKS

The scenarios exercise the dro state rules, including expected pass, hold, fail, or deny behavior under bounded inputs.

WHAT IT DOES NOT PROVE

The category does not prove real-world performance, calibrated physical behavior, safety certification, external compliance, or product readiness.

REQUIRED LINEAGE

Primary source: validation/r8-scenario-tests/R8-SCENARIO-TEST-RESULTS-SUMMARY.json. Result integrity depends on the recorded fixtures, code digest, and category definitions.

Scenario Category - Lecanto

SCOPE

This category contains {'fail': 0, 'pass': 1024} deterministic reference scenarios recorded in the R8 scenario summary.

WHAT IT CHECKS

The scenarios exercise the lecanto rules, including expected pass, hold, fail, or deny behavior under bounded inputs.

WHAT IT DOES NOT PROVE

The category does not prove real-world performance, calibrated physical behavior, safety certification, external compliance, or product readiness.

REQUIRED LINEAGE

Primary source: validation/r8-scenario-tests/R8-SCENARIO-TEST-RESULTS-SUMMARY.json. Result integrity depends on the recorded fixtures, code digest, and category definitions.

Scenario Category - Optical

SCOPE

This category contains {'fail': 0, 'pass': 1024} deterministic reference scenarios recorded in the R8 scenario summary.

WHAT IT CHECKS

The scenarios exercise the optical rules, including expected pass, hold, fail, or deny behavior under bounded inputs.

WHAT IT DOES NOT PROVE

The category does not prove real-world performance, calibrated physical behavior, safety certification, external compliance, or product readiness.

REQUIRED LINEAGE

Primary source: validation/r8-scenario-tests/R8-SCENARIO-TEST-RESULTS-SUMMARY.json. Result integrity depends on the recorded fixtures, code digest, and category definitions.

Scenario Category - Pearl Node

SCOPE

This category contains {'fail': 0, 'pass': 1024} deterministic reference scenarios recorded in the R8 scenario summary.

WHAT IT CHECKS

The scenarios exercise the pearl node rules, including expected pass, hold, fail, or deny behavior under bounded inputs.

WHAT IT DOES NOT PROVE

The category does not prove real-world performance, calibrated physical behavior, safety certification, external compliance, or product readiness.

REQUIRED LINEAGE

Primary source: validation/r8-scenario-tests/R8-SCENARIO-TEST-RESULTS-SUMMARY.json. Result integrity depends on the recorded fixtures, code digest, and category definitions.

Scenario Category - Semiconductor

SCOPE

This category contains {‘fail’: 0, ‘pass’: 1024} deterministic reference scenarios recorded in the R8 scenario summary.

WHAT IT CHECKS

The scenarios exercise the semiconductor rules, including expected pass, hold, fail, or deny behavior under bounded inputs.

WHAT IT DOES NOT PROVE

The category does not prove real-world performance, calibrated physical behavior, safety certification, external compliance, or product readiness.

REQUIRED LINEAGE

Primary source: validation/r8-scenario-tests/R8-SCENARIO-TEST-RESULTS-SUMMARY.json. Result integrity depends on the recorded fixtures, code digest, and category definitions.

Scenario Category - Start Reserve

SCOPE

This category contains {'fail': 0, 'pass': 1024} deterministic reference scenarios recorded in the R8 scenario summary.

WHAT IT CHECKS

The scenarios exercise the start reserve rules, including expected pass, hold, fail, or deny behavior under bounded inputs.

WHAT IT DOES NOT PROVE

The category does not prove real-world performance, calibrated physical behavior, safety certification, external compliance, or product readiness.

REQUIRED LINEAGE

Primary source: validation/r8-scenario-tests/R8-SCENARIO-TEST-RESULTS-SUMMARY.json. Result integrity depends on the recorded fixtures, code digest, and category definitions.

Pytest Module - test_authority.py

SCOPE

3 named test functions: test_authority_graph_acyclic, test_mj_root_and_final_decision, test_no_peer_authority_transfer_rule

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_authority.py

Pytest Module - test_containment_geometry_r3.py

SCOPE

21 named test functions: test_founder_reference_volume_is_about_267_ml, test_reference_moles_24mg, test_actual_density_depends_on_p_t_z, test_standard_rectangle_depth_closes_reference_volume, test_standard_cone_ratios_and_anchor, test_full_cone_volume_equals_partial_at_top, test_cone_area_increases_fourfold_for_2x_width, test_height_mass_round_trip, test_mass_above_cone_rejected, test_reservoir_is_strictly_smaller_when_fraction_below_one, test_invalid_reservoir_fraction_rejected, test_height_predictor_is_bounded, test_mass_flow_includes_density_change, test_continuity_in_wider_area_reduces_velocity_for_fixed_flow ...

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_containment_geometry_r3.py

Pytest Module - test_Bangel_spreadsheets.py

SCOPE

23 named test functions: test_sheet_values_and_formula, test_incremental_recalculation, test_unit_mismatch_fails_closed, test_mul_requires_compound_unit, test_cycle_rejected, test_missing_input_rejected, test_stale_revision_rejected, test_merge_receipt_allows_explicit_stale_write, test_access_control, test_audit_preserves_overwrite_lineage, test_report_is_complete_and_non_authorizing, test_operational_intake_missing_fields_holds, test_operational_intake_capacity, test_operational_intake_memory_hold ...

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_Bangel_spreadsheets.py

Pytest Module - test_formulas.py

SCOPE

15 named test functions: test_formula_complete, test_front_end_exact, test_prediction_gain_positive_and_decreasing, test_smoothing, test_trend_rejects_nonpositive_dt, test_request_memory, test_preallocation, test_charge_delta, test_capacitor_energy, test_mass_residual, test_eve_screen, test_umbrella_count, test_investable_surplus_floor, test_eligible_value_floor ...

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_formulas.py

Pytest Module - test_identity.py

SCOPE

5 named test functions: test_project_identity, test_day0_declaration, test_passkey_is_new_project_first, test_word_compendium_metadata_and_literature_are_clean, test_word_compendium_qa_receipt

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_identity.py

Pytest Module - test_manifestations.py

SCOPE

3 named test functions: test_manifestation_required_fields, test_all_manifestations_inside_mj, test_manifestation_ids_unique

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_manifestations.py

Pytest Module - test_official_documentation_r6.py

SCOPE

11 named test functions: test_r6_ip_review_candidate_identity, test_official_documentation_manifest_r6_counts, test_official_documentation_entries_resolve_and_hash, test_potential_ip_batch_manifest_and_register, test_potential_ip_cross_reference_completeness, test_potential_ip_legal_boundary_is_prominent_and_non_approving, test_potential_ip_pdf_qa, test_pink_paper_source_coverage, test_pink_paper_entity_coverage, test_ethics_standard_is_nonwaivable, test_documentation_scope_is_final_included_but_not_signed

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_official_documentation_r6.py

Pytest Module - test_pearls.py

SCOPE

6 named test functions: test_simulation_geometry_math, test_pearl_is_never_physical_container, test_simulation_admission_and_transfer, test_simulation_overload_rejected, test_acoustic_profile_is_simulation_only, test_lifecycle_registry_is_nonphysical

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_pearls.py

Pytest Module - test_r2_integration.py

SCOPE

15 named test functions: test_r2_project_identity, test_new_products_registered, test_new_objects_registered, test_pearl_simulation_manifest_claims_ceiling, test_sister_is_only_physical_containment_canon, test_Bangel_spreadsheets_manifest_intake, test_jposmj_is_non_authority, test_symposium_registry_empty_and_nonvaluing, test_new_Bangel_sources, test_formula_register_r2, test_coverage_matrix_complete, test_schemas_and_examples_parse, test_authority_graph_object_rules, test_passkey_scope_includes_r2_and_holds ...

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_r2_integration.py

Pytest Module - test_r3_integration.py

SCOPE

9 named test functions: test_r3_identity, test_standard_geometry_manifest, test_reference_gas_profile, test_new_object_and_product_registered, test_formula_register_has_r3_formulas, test_whitepaper_and_coverage_count, test_pearl_anchor_is_top_of_cone_and_nonphysical, test_Bangel_source_has_r3_requirements, test_passkey_scope_holds_hydrogen_and_size

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_r3_integration.py

Pytest Module - test_r4_integration.py

SCOPE

8 named test functions: test_r4_identity_and_predecessor, test_reservoir_canon_claims_ceiling, test_formula_register_145, test_product_and_whitepaper_counts, test_new_paths_exist, test_no_same_cycle_feedback, test_perspective_friction_separation, test_main_manifest_binds_one_r4_canon

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_r4_integration.py

Pytest Module - test_r8_dro_pearl_lecanto.py

SCOPE

20 named test functions: test_scale_conflict_preserved_and_conservative, test_scale_envelope_validate, test_scale_classification_unknown, test_scale_classification_r1_and_r2, test_scale_outside_hold, test_spherical_reference_positive, test_photon_count_and_optical_gate, test_dro_receipt_digest_and_state, test_pearl_dro_node_is_nonphysical_and_capacity_bounded, test_start_energy_gate_requires_restart_reserve, test_start_energy_gate_holds_when_insufficient, test_species_unknown_remains_unknown, test_lecanto_source_digest, test_lecanto_residuals ...

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_r8_dro_pearl_lecanto.py

Pytest Module - test_repository_rules.py

SCOPE

7 named test functions: test_no_forbidden_names_or_ai_runtime_terms, test_no_public_remote, test_passkey_claims, test_preparatory_lineage_is_hash_only, test_no_secret_like_files, test_text_sources_have_no_disallowed_control_characters, test_content_manifest_excludes_runtime_cache_artifacts

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_repository_rules.py

Pytest Module - test_reservoir_modulation_r4.py

SCOPE

22 named test functions: test_backside_outlet_below_maximum, test_backside_outlet_rejects_invalid, test_reference_clearance, test_outward_gap_gate_wraps_angles, test_available_pressure_and_grade, test_reference_flow_zero_without_head, test_reference_flow_positive, test_velocity_froude_weber_wave_ratio, test_small_wave_gate, test_rotational_damping_and_step_cap, test_circular_port_and_reentry_components, test_reentry_angle_rejected, test_new_cycle_rule, test_inventory_balance_closes ...

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_reservoir_modulation_r4.py

Pytest Module - test_sister_containment.py

SCOPE

6 named test functions: test_r3_topology_is_canonical, test_physical_size_has_relational_standard_but_actual_values_require_evidence, test_unknown_capacity_holds, test_reference_count_requires_values_and_has_no_effect, test_standard_geometry_can_be_constructed_without_authority, test_pearl_legacy_count_alias_is_simulation_only

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_sister_containment.py

Pytest Module - test_solar_r7_final.py

SCOPE

10 named test functions: test_r7_identity, test_exact_solar_source, test_solar_profiles, test_counts, test_formula_supplement, test_solar_papers, test_solar_ip_20k, test_master_30k, test_official_manifest_final, test_safety_holds

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_solar_r7_final.py

Pytest Module - test_whitepapers.py

SCOPE

2 named test functions: test_whitepaper_exists_and_has_sections, test_whitepaper_counts

PRIMARY PURPOSE

This module verifies the named repository logic and expected boundaries using deterministic fixtures and assertions.

EVIDENCE CEILING

A passing module supports the reference implementation and manifest consistency only. It cannot substitute for physical measurements, regulatory review, patent analysis, or an MJ permit.

SOURCE

tests/test_whitepapers.py

Repository Verification Cluster - COVERAGE

RESULT

3 of 3 checks passed in the R8 repository verification receipt.

EXAMPLES

coverage.count=75; coverage.uncovered=0; coverage.paths=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - DOCS

RESULT

4 of 4 checks passed in the R8 repository verification receipt.

EXAMPLES

docs.approval=; docs.build=; docs.counts=; docs.entries_hash=[]

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - DRO

RESULT

7 of 7 checks passed in the R8 repository verification receipt.

EXAMPLES

dro.no_authority=; dro.input_conflict=; dro.founder_lower=; dro.alias_lower=; dro.conservative_threshold=; dro.upper=; dro.no_physical_existence=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - FORMULA

RESULT

3 of 3 checks passed in the R8 repository verification receipt.

EXAMPLES

formula.count=242; formula.sequential=; formula.twelve_planes=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - IDENTITY

RESULT

6 of 6 checks passed in the R8 repository verification receipt.

EXAMPLES

identity.build=MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL;
identity.predecessor=MJ-PBMEF-DAY0-R7-SOLAR-30K-FINAL; identity.author=; identity.no_ai=;
identity.passkey_not_created=; identity.physical_validation_none=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - IGNITION

RESULT

2 of 2 checks passed in the R8 repository verification receipt.

EXAMPLES

ignition.reference_only=; ignition.no_physical_authority=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - IP

RESULT

7 of 7 checks passed in the R8 repository verification receipt.

EXAMPLES

ip.predecessor10k=; ip.solar20k=; ip.r8_60k_summary=; ip.r8_60k_stream={"count": 60000, "first": "PIP-30001", "last": "PIP-90000"}; ip.r8_segments={"CROSS_SYSTEM": 5000, "DRO_CORE": 15000, "DRO_IGNITION": 10000, "LECANTO": 10000, "PEARL_DRO": 10000, "SEMICONDUCTOR": 10000}; ip.no_rights_effect_sample=[]; ip.master90k=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - LECANTO

RESULT

2 of 2 checks passed in the R8 repository verification receipt.

EXAMPLES

lecanto.source_preserved=; lecanto.intent_hypothesis=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - OBJECTS

RESULT

16 of 16 checks passed in the R8 repository verification receipt.

EXAMPLES

objects.count=53; objects.no_authority=; objects.DRO_UNIT=; objects.DRO_OPTICAL_EVIDENCE_PROFILE=; objects.DRO_PEARL_HANDOFF_RECEIPT=; objects.LECANTO_INTENT_HYPOTHESIS=; objects.DRO_START_ENERGY_PACKET=; objects.LECANTO_IMAGE_EVIDENCE=; objects.SEMICONDUCTOR_PEARL_NODE=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - PDF

RESULT

104 of 104 checks passed in the R8 repository verification receipt.

EXAMPLES

pdf.exists.BATCH-000.pdf=; pdf.hash.BATCH-000.pdf=; pdf.pages.BATCH-000.pdf=; pdf.unencrypted.BATCH-000.pdf=; pdf.exists.BATCH-001.pdf=; pdf.hash.BATCH-001.pdf=; pdf.pages.BATCH-001.pdf=; pdf.unencrypted.BATCH-001.pdf=; pdf.exists.BATCH-002.pdf=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - PDFQA

RESULT

4 of 4 checks passed in the R8 repository verification receipt.

EXAMPLES

pdfqa.status=; pdfqa.count=26; pdfqa.blank=0; pdfqa.visual=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - PEARL

RESULT

1 of 1 checks passed in the R8 repository verification receipt.

EXAMPLES

pearl.nonphysical=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - PRODUCTS

RESULT

6 of 6 checks passed in the R8 repository verification receipt.

EXAMPLES

products.count=37; products.DRO-PEARL-HANDOFF-001=; products.DRO-IGNITION-REFERENCE-001=; products.DRO-COLLECTION-001=; products.JP-SC-DRO-PEARL-INTEGRATION-001=; products.LECANTO-IMAGE-TRUTH-001=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - PYTEST

RESULT

1 of 1 checks passed in the R8 repository verification receipt.

EXAMPLES

pytest.pass=373 passed in 14.59s

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - R8_FORMULA

RESULT

2 of 2 checks passed in the R8 repository verification receipt.

EXAMPLES

r8_formula.count=49; r8_formula.ids=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - SCENARIO

RESULT

4 of 4 checks passed in the R8 repository verification receipt.

EXAMPLES

scenario.count=; scenario.all_pass=; scenario.categories=; scenario.no_physical=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - SCOPE

RESULT

14 of 14 checks passed in the R8 repository verification receipt.

EXAMPLES

scope.no_physical_validation_claim=; scope.no_physical_operation_authority=; scope.no_ai_system_integration=; scope.no_physical-coordinate_approval=; scope.no_physical_hydrogen_use_authority=; scope.no_vessel_operation_authority=; scope.no_rocket_or_spacecraft_launch_or_flight_authority=; scope.no_propulsion_construction_or_energetic-material_selection_authority=; scope.no_weaponization=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - SECURITY

RESULT

3 of 3 checks passed in the R8 repository verification receipt.

EXAMPLES

security.private_material_absent=[]; security.public_remote_absent=; security.symmlinks_absent=[]

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Repository Verification Cluster - SEMICONDUCTOR

RESULT

1 of 1 checks passed in the R8 repository verification receipt.

EXAMPLES

semiconductor.physical_hold=

INTERPRETATION

These checks establish consistency of the tracked repository and declared claims ceiling. They do not create authority or validate untested physical mechanisms.

RECEIPT

validation/REPOSITORY-VERIFICATION-R8.json

Testing Pink Paper Closing Receipt

DOCUMENT STATUS

48-page internal reference; final included pending local founder signature.

KNOWN COUNTS

373 R8 pytest passes; 8192 scenario passes; 201 repository checks; 0 recorded failures in those current scopes.

CLAIMS CEILING

No physical validation, operational authority, certification, legal conclusion, IP approval, or production deployment.

AUTHOR AND ENTITY

Michael Patrick Bangel (Michael Bangel), founder-declared author, inventor, and architect; CEO of MJ Physics Engineering , Clearwater, Florida, USA. Company status is founder-supplied and not independently verified by this build.

MJ-PBMEF Pink Paper - Volume II
Formula Gateway Bindings F-001 through F-050

Michael Bangel - Author and Architect

August 2026

Contents

1

Verification method

5

2

F-001 - R1 transition

6

2.1

Gateway life-cycle example

6

2.2

Lifecycle from request to final output

7

3

F-002 - R2 transition

8

3.1

Gateway life-cycle example

8

3.2

Lifecycle from request to final output

9

4

F-003 - Unknown invariant

10

4.1

Gateway life-cycle example

10

4.2

Lifecycle from request to final output

11

5

F-004 - Mass inflection

12

5.1

Gateway life-cycle example

12

5.2

Lifecycle from request to final output

13

6

F-005 - Noise smoothing

14

6.1

Gateway life-cycle example

14

6.2

Lifecycle from request to final output

15

7

F-006 - Trend estimator

16

7.1

Gateway life-cycle example

16

7.2

Lifecycle from request to final output

17

8

F-007 - Anti-spike gate

18

8.1

Gateway life-cycle example

18

8.2

Lifecycle from request to final output

19

9

F-008 - Prediction gain

20

9.1

Gateway life-cycle example

20

9.2

Lifecycle from request to final output

21

10

F-009 - Covariance update

22

10.1

Gateway life-cycle example

22

10.2

Lifecycle from request to final output

23

11

F-010 - Shadow depth

24

11.1

Gateway life-cycle example

24

11.2

Lifecycle from request to final output

25

12

F-011 - Shadow growth rate

26

12.1

Gateway life-cycle example

26

12.2

Lifecycle from request to final output

27

13

F-012 - Front-end allocation

28

13.1

Gateway life-cycle example

28

13.2Lifecycle from request to final output	29
14F-013 - Front-end reserve	30
14.1Gateway life-cycle example	30
14.2Lifecycle from request to final output	31
15F-014 - Bounded allocation update	32
15.1Gateway life-cycle example	32
15.2Lifecycle from request to final output	33
16F-015 - Request memory	34
16.1Gateway life-cycle example	34
16.2Lifecycle from request to final output	35
17F-016 - Memory preallocation	36
17.1Gateway life-cycle example	36
17.2Lifecycle from request to final output	37
18F-017 - Hard flush	38
18.1Gateway life-cycle example	38
18.2Lifecycle from request to final output	39
19F-018 - Charge balance	40
19.1Gateway life-cycle example	40
19.2Lifecycle from request to final output	41
20F-019 - Capacitor energy	42
20.1Gateway life-cycle example	42
20.2Lifecycle from request to final output	43
21F-020 - General stored energy	44
21.1Gateway life-cycle example	44
21.2Lifecycle from request to final output	45
22F-021 - Energy balance	46
22.1Gateway life-cycle example	46
22.2Lifecycle from request to final output	47
23F-022 - Mass balance	48
23.1Gateway life-cycle example	48
23.2Lifecycle from request to final output	49
24F-023 - EVE screen balance	50
24.1Gateway life-cycle example	50
24.2Lifecycle from request to final output	51
25F-024 - EVE evaporation	52
25.1Gateway life-cycle example	52
25.2Lifecycle from request to final output	53
26F-025 - Upward force	54
26.1Gateway life-cycle example	54
26.2Lifecycle from request to final output	55
27F-026 - Coordinate mapping	56
27.1Gateway life-cycle example	56
27.2Lifecycle from request to final output	57
28F-027 - Sister physical umbrella count	58
28.1Gateway life-cycle example	58
28.2Lifecycle from request to final output	59

29F-028 - Byte balance	60
29.1 Gateway life-cycle example	60
29.2 Lifecycle from request to final output	61
30F-029 - Residual consequence	62
30.1 Gateway life-cycle example	62
30.2 Lifecycle from request to final output	63
31F-030 - Protected liquidity	64
31.1 Gateway life-cycle example	64
31.2 Lifecycle from request to final output	65
32F-031 - Investable surplus	66
32.1 Gateway life-cycle example	66
32.2 Lifecycle from request to final output	67
33F-032 - Risk-capital ceiling	68
33.1 Gateway life-cycle example	68
33.2 Lifecycle from request to final output	69
34F-033 - Portfolio concentration	70
34.1 Gateway life-cycle example	70
34.2 Lifecycle from request to final output	71
35F-034 - Portfolio variance	72
35.1 Gateway life-cycle example	72
35.2 Lifecycle from request to final output	73
36F-035 - Capital friction	74
36.1 Gateway life-cycle example	74
36.2 Lifecycle from request to final output	75
37F-036 - Opportunity lower bound	76
37.1 Gateway life-cycle example	76
37.2 Lifecycle from request to final output	77
38F-037 - Abundance objective	78
38.1 Gateway life-cycle example	78
38.2 Lifecycle from request to final output	79
39F-038 - SHIVAS eligible value	80
39.1 Gateway life-cycle example	80
39.2 Lifecycle from request to final output	81
40F-039 - SHIVAS ceiling	82
40.1 Gateway life-cycle example	82
40.2 Lifecycle from request to final output	83
41F-040 - MK state model	84
41.1 Gateway life-cycle example	84
41.2 Lifecycle from request to final output	85
42F-041 - Dimensional integrity	86
42.1 Gateway life-cycle example	86
42.2 Lifecycle from request to final output	87
43F-042 - Conservation residual	88
43.1 Gateway life-cycle example	88
43.2 Lifecycle from request to final output	89

44F-043 - Pearl simulation ellipsoid volume	90
44.1 Gateway life-cycle example	90
44.2 Lifecycle from request to final output	91
45F-044 - Pearl simulation surface-area approximation	92
45.1 Gateway life-cycle example	92
45.2 Lifecycle from request to final output	93
46F-045 - Pearl simulation exposure ratio	94
46.1 Gateway life-cycle example	94
46.2 Lifecycle from request to final output	95
47F-046 - Pearl simulation capacity slack	96
47.1 Gateway life-cycle example	96
47.2 Lifecycle from request to final output	97
48F-047 - Pearl simulation saturation ratio	98
48.1 Gateway life-cycle example	98
48.2 Lifecycle from request to final output	99
49F-048 - Pearl simulation object count	100
49.1 Gateway life-cycle example	100
49.2 Lifecycle from request to final output	101
50F-049 - Pearl simulation accounting balance	102
50.1 Gateway life-cycle example	102
50.2 Lifecycle from request to final output	103
51F-050 - Pearl simulated transfer opportunity	104
51.1 Gateway life-cycle example	104
51.2 Lifecycle from request to final output	105

Document control

Project	MJos Predictive Model
Project ID	MJ - PBMEF - 001
Source build	MJ - PBMEF - DAY0 - R5 - REVIEW - CANDIDATE
Document ID	MJ - PBMEF - PINK - PAPER - 001 / VOL - II
Author and architect	Michael Bangel
Status	FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE
Scope	Formula-level gateway bindings for F-001 through F-050.

Claims ceiling

This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Verification method

Each formula receives the same twenty-construct Bangel identity, a gateway-stage assignment, a life-cycle example, and explicit evidence and ethics boundaries. The repetitive structure is intentional: it allows formula-by-formula founder review and later automated completeness checking.

F-001 - R1 transition

Exact expression

R0 -> R1

Meaning. R1 is the unidentified transitional phase.
Bound manifestations. Bangel , JP, JO
Gateway stage. R0/R1/R2 state transition and evidence classification

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_001
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JP, MJ.PBMEF.Family.JO
Declaration	formula F-001 'R1 transition'
Definition	R1 is the unidentified transitional phase.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , JP, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R0/R1/R2 state transition and evidence classification
Expression	R0 -> R1
Statement	When typed inputs and evidence gates pass, evaluate F-001; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: state; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-001', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-001); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-001 and applicable family/product/representation white papers
Type	state
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R0/R1/R2 state transition and evidence classification'; physical_validation=false; authority=false

2.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_001 : Formula<state>
  definition "R1 is the unidentified transitional phase."
  expression `R0 -> R1`
  participants ["Bangel ", "JP", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

2.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-001 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-002 - R2 transition

Exact expression

R1 --validated--> R2

Meaning. R2 is the immutable living static representation.
Bound manifestations. JP, MK, J0
Gateway stage. R0/R1/R2 state transition and evidence classification

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_002
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-002 'R2 transition'
Definition	R2 is the immutable living static representation.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	JP, MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R0/R1/R2 state transition and evidence classification
Expression	R1 --validated--> R2
Statement	When typed inputs and evidence gates pass, evaluate F-002; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: state; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-002', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JPrepresent(F-002); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-002 and applicable family/product/representation white papers
Type	state
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R0/R1/R2 state transition and evidence classification'; physical_validation=false; authority=false

3.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_002 : Formula<state>
  definition "R2 is the immutable living static representation."
  expression `R1 --validated--> R2`
  participants ["JP", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

3.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-002 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-003 - Unknown invariant

Exact expression

UNKNOWN != 0

Meaning. Unknown may not coerce to zero, pass, harmless, or permission.

Bound manifestations. Bangel , J0, WATER

Gateway stage. R0/R1/R2 state transition and evidence classification

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_003
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.J0, MJ.PBMEF.Family.WATER
Declaration	formula F-003 'Unknown invariant'
Definition	Unknown may not coerce to zero, pass, harmless, or permission.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , J0, WATER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R0/R1/R2 state transition and evidence classification
Expression	UNKNOWN != 0
Statement	When typed inputs and evidence gates pass, evaluate F-003; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-003', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-003); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-003 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R0/R1/R2 state transition and evidence classification'; physical_validation=false; authority=false

4.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_003 : Formula<logical>
  definition "Unknown may not coerce to zero, pass, harmless, or permission."
  expression `UNKNOWN != 0`
  participants ["Bangel ", "J0", "WATER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


4.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-003 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-004 - Mass inflection

Exact expression

m_floor = 23 mg

Meaning. Pre-observational model floor, not a universal minimum or product mass.
Bound manifestations. JP, MK, EVE, JO
Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_004
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-004 'Mass inflection'
Definition	Pre-observational model floor, not a universal minimum or product mass.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	m_floor = 23 mg
Statement	When typed inputs and evidence gates pass, evaluate F-004; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-004', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-004); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	23
Reference	pathways/FORMULA-REGISTER.json#F-004 and applicable family/product/representation white papers
Type	mass
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

5.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_004 : Formula<mass>
  definition "Pre-observational model floor, not a universal minimum or product mass."
  expression `m_floor = 23 mg`
  participants ["JP", "MK", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

5.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-004 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-005 - Noise smoothing

Exact expression

$$n_bar[t] = 0.9*n_bar[t-1] + 0.1*n[t]$$

Meaning. Drip-level smoothing.
Bound manifestations. SISTER, J0, MK
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_005
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.MK
Declaration	formula F-005 'Noise smoothing'
Definition	Drip-level smoothing.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, J0, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	R1 prediction and normal-constellation calibration before N1
Expression	$n_bar[t] = 0.9*n_bar[t-1] + 0.1*n[t]$
Statement	When typed inputs and evidence gates pass, evaluate F-005; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-005', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-005); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	0.9, 1, 0.1
Reference	pathways/FORMULA-REGISTER.json#F-005 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

6.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_005 : Formula<dimensionless>
  definition "Drip-level smoothing."
  expression `n_bar[t] = 0.9*n_bar[t-1] + 0.1*n[t]`
  participants ["SISTER", "J0", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

6.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-005 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-006 - Trend estimator

Exact expression

$$n_dot[t] = (2/3)*n_dot[t-1] + (1/3)*(n_bar[t]-n_bar[t-1])/dt$$

Meaning. One-third trend update.
Bound manifestations. SISTER, JO, MK
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_006
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MK
Declaration	formula F-006 'Trend estimator'
Definition	One-third trend update.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, JO, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	$n_dot[t] = (2/3)*n_dot[t-1] + (1/3)*(n_bar[t]-n_bar[t-1])/dt$
Statement	When typed inputs and evidence gates pass, evaluate F-006; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: 1/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-006', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-006); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2, 3, 1
Reference	pathways/FORMULA-REGISTER.json#F-006 and applicable family/product/representation white papers
Type	1/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

7.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_006 : Formula<1/time>
  definition "One-third trend update."
  expression `n_dot[t] = (2/3)*n_dot[t-1] + (1/3)*(n_bar[t]-n_bar[t-1])/dt`
  participants ["SISTER", "JO", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

7.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-006 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-007 - Anti-spike gate

Exact expression

support>=3 of 5 AND 3 qualified windows

Meaning. Single spike cannot trigger full reweighting.
Bound manifestations. SISTER, ANGELS, JO
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_007
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.JO
Declaration	formula F-007 'Anti-spike gate'
Definition	Single spike cannot trigger full reweighting.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	SISTER, ANGELS, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	support>=3 of 5 AND 3 qualified windows
Statement	When typed inputs and evidence gates pass, evaluate F-007; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-007', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-007); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	3, 5
Reference	pathways/FORMULA-REGISTER.json#F-007 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

8.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_007 : Formula<logical>
  definition "Single spike cannot trigger full reweighting."
  expression `support>=3 of 5 AND 3 qualified windows`
  participants ["SISTER", "ANGELS", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


8.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-007 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-008 - Prediction gain

Exact expression

$$g_i = 0.1*(2/3)^{(i-1)}$$

Meaning. Prediction influence decays across the nine-node path.
Bound manifestations. JP, SISTER, JO
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_008
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.JO
Declaration	formula F-008 'Prediction gain'
Definition	Prediction influence decays across the nine-node path.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, SISTER, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	$g_i = 0.1*(2/3)^{(i-1)}$
Statement	When typed inputs and evidence gates pass, evaluate F-008; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-008', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-008); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0.1, 2, 3, 1
Reference	pathways/FORMULA-REGISTER.json#F-008 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

9.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_008 : Formula<dimensionless>
  definition "Prediction influence decays across the nine-node path."
  expression `g_i = 0.1*(2/3)^(i-1)`
  participants ["JP", "SISTER", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

9.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-008 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-009 - Covariance update

Exact expression

Sigma_next = 0.9*Sigma_prev + 0.1*e*e^T

Meaning. Positive-semidefinite sequential covariance.
Bound manifestations. JP, MK, J0
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_009
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-009 'Covariance update'
Definition	Positive-semidefinite sequential covariance.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	R1 prediction and normal-constellation calibration before N1
Expression	Sigma_next = 0.9*Sigma_prev + 0.1*e*e^T
Statement	When typed inputs and evidence gates pass, evaluate F-009; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: normalized^2; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-009', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-009); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	0.9, 0.1
Reference	pathways/FORMULA-REGISTER.json#F-009 and applicable family/product/representation white papers
Type	normalized^2
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

10.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_009 : Formula<normalized^2>
  definition "Positive-semidefinite sequential covariance."
  expression `Sigma_next = 0.9*Sigma_prev + 0.1*e*e^T`
  participants ["JP", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

10.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-009 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-010 - Shadow depth

Exact expression

H = sqrt(lambda_max(Sigma))

Meaning. Uncertainty depth.
Bound manifestations. MK, SISTER, EVE
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_010
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE
Declaration	formula F-010 'Shadow depth'
Definition	Uncertainty depth.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, SISTER, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	H = sqrt(lambda_max(Sigma))
Statement	When typed inputs and evidence gates pass, evaluate F-010; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: normalized; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-010', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-010); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-010 and applicable family/product/representation white papers
Type	normalized
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

11.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_010 : Formula<normalized>
  definition "Uncertainty depth."
  expression `H = sqrt(lambda_max(Sigma))`
  participants ["MK", "SISTER", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

11.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-010 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-011 - Shadow growth rate

Exact expression

$$v_shadow = (H_next - H_prev) / dt$$

Meaning. Rate of uncertainty expansion or resolution.
Bound manifestations. MK, SISTER, JO
Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_011
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.JO
Declaration	formula F-011 'Shadow growth rate'
Definition	Rate of uncertainty expansion or resolution.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, SISTER, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	$v_shadow = (H_next - H_prev) / dt$
Statement	When typed inputs and evidence gates pass, evaluate F-011; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: normalized/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-011', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-011); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-011 and applicable family/product/representation white papers
Type	normalized/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

12.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_011 : Formula<normalized/time>
  definition "Rate of uncertainty expansion or resolution."
  expression `v_shadow = (H_next-H_prev)/dt`
  participants ["MK", "SISTER", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


12.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-011 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-012 - Front-end allocation

Exact expression

a0 = 48383829/100000000

Meaning. Exact initial N1 logical allocation.
Bound manifestations. Bangel , JP, J0, M3
Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_012
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JP, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3
Declaration	formula F-012 'Front-end allocation'
Definition	Exact initial N1 logical allocation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	Bangel , JP, J0, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	a0 = 48383829/100000000
Statement	When typed inputs and evidence gates pass, evaluate F-012; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-012', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-012); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	48383829, 100000000
Reference	pathways/FORMULA-REGISTER.json#F-012 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

13.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_012 : Formula<ratio>
  definition "Exact initial N1 logical allocation."
  expression `a0 = 48383829/100000000`
  participants ["Bangel ", "JP", "J0", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

13.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-012 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-013 - Front-end reserve

Exact expression

r0 = 51616171/100000000

Meaning. Exact logical reserve.
Bound manifestations. JP, J0, M3
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_013
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,JO, MJ.PBMEF.Family,M3
Declaration	formula F-013 'Front-end reserve'
Definition	Exact logical reserve.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, JO, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	r0 = 51616171/100000000
Statement	When typed inputs and evidence gates pass, evaluate F-013; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-013', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel, begin; R1.predict; JP.represent(F-013); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	51616171, 100000000
Reference	pathways/FORMULA-REGISTER.json#F-013 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

14.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_013 : Formula<ratio>
  definition "Exact logical reserve."
  expression `r0 = 51616171/100000000`
  participants ["JP", "J0", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

14.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-013 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-014 - Bounded allocation update

Exact expression

w_next = projection((2/3)w + (1/3)w_target)

Meaning. Nonnegative, sum-to-one, per-step change <=0.1.
Bound manifestations. JP, J0, M3
Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_014
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,J0, MJ.PBMEF.Family,M3
Declaration	formula F-014 'Bounded allocation update'
Definition	Nonnegative, sum-to-one, per-step change <=0.1.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, J0, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	w_next = projection((2/3)w + (1/3)w_target)
Statement	When typed inputs and evidence gates pass, evaluate F-014; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-014', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-014); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	2, 3, 1
Reference	pathways/FORMULA-REGISTER.json#F-014 and applicable family/product/representation white papers
Type	ratio vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

15.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_014 : Formula<ratio vector>
  definition "Nonnegative, sum-to-one, per-step change <=0.1."
  expression `w_next = projection((2/3)w + (1/3)w_target)`
  participants ["JP", "J0", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

15.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-014 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-015 - Request memory

Exact expression

M_request = lambda_hat * bytes_per_request * latency_hat

Meaning. Predicted request memory.
Bound manifestations. J0, M3, MJOS
Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_015
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.FamilyJO, MJ.PBMEF.FamilyM3, MJ.PBMEF.FamilyMJOS
Declaration	formula F-015 'Request memory'
Definition	Predicted request memory.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, M3, MJOS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	M_request = lambda_hat * bytes_per_request * latency_hat
Statement	When typed inputs and evidence gates pass, evaluate F-015; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: bytes; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-015', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MKJO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-015); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-015 and applicable family/product/representation white papers
Type	bytes
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

16.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_015 : Formula<bytes>
  definition "Predicted request memory."
  expression `M_request = lambda_hat * bytes_per_request * latency_hat`
  participants ["J0", "M3", "MJOS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


16.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-015 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-016 - Memory preallocation

Exact expression

$$M_{pre} = M_{request} + M_{sync} + M_{residual} + M_{evidence} + M_{headroom}$$

Meaning. Preallocate before reserve exhaustion.
Bound manifestations. J0, M3, SISTER
Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_016
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.SISTER
Declaration	formula F-016 'Memory preallocation'
Definition	Preallocate before reserve exhaustion.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	J0, M3, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	$M_{pre} = M_{request} + M_{sync} + M_{residual} + M_{evidence} + M_{headroom}$
Statement	When typed inputs and evidence gates pass, evaluate F-016; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: bytes; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-016', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-016); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-016 and applicable family/product/representation white papers
Type	bytes
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

17.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_016 : Formula<bytes>
  definition "Preallocate before reserve exhaustion."
  expression `M_pre = M_request + M_sync + M_residual + M_evidence + M_headroom`
  participants ["J0", "M3", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

17.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-016 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-017 - Hard flush

Exact expression

QUIESCE -> SEAL -> CHECKPOINT -> DETACH -> RECLAIM

Meaning. No silent deletion or uncleared reuse.

Bound manifestations. J0, M3, MJ0S

Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.foundation.state_noise_allocation_memory
Namespace	MJ.PBMEF.foundation.state_noise_allocation_memory.F_017
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.FamilyJO, MJ.PBMEF.FamilyM3, MJ.PBMEF.FamilyMJ0S
Declaration	formula F-017 'Hard flush'
Definition	No silent deletion or uncleared reuse.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, M3, MJ0S
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	QUIESCE -> SEAL -> CHECKPOINT -> DETACH -> RECLAIM
Statement	When typed inputs and evidence gates pass, evaluate F-017; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: state sequence; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-017', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MKJO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-017); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-017 and applicable family/product/representation white papers
Type	state sequence
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

18.1 Gateway life-cycle example

```
module MJ.PBMEF.foundation.state_noise_allocation_memory {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_017 : Formula<state sequence>
  definition "No silent deletion or uncleared reuse."
  expression `QUIESCE -> SEAL -> CHECKPOINT -> DETACH -> RECLAIM`
  participants ["J0", "M3", "MJ0S"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

18.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-017 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-018 - Charge balance

Exact expression

dQ/dt = I_intake - I_leak - I_release

Meaning. Static-intake charge accounting.
Bound manifestations. JP, MK, EVE, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_018
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,EVE, MJ.PBMEF.Family,JO
Declaration	formula F-018 'Charge balance'
Definition	Static-intake charge accounting.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	dQ/dt = I_intake - I_leak - I_release
Statement	When typed inputs and evidence gates pass, evaluate F-018; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: charge/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-018', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-018); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-018 and applicable family/product/representation white papers
Type	charge/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

19.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_018 : Formula<charge/time>
  definition "Static-intake charge accounting."
  expression `dQ/dt = I_intake - I_leak - I_release`
  participants ["JP", "MK", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

19.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-018 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-019 - Capacitor energy

Exact expression

E = 0.5*C*V^2

Meaning. Valid only for evidenced constant capacitance.
Bound manifestations. JP, MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_019
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,JO
Declaration	formula F-019 'Capacitor energy'
Definition	Valid only for evidenced constant capacitance.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	E = 0.5*C*V^2
Statement	When typed inputs and evidence gates pass, evaluate F-019; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-019', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel, begin; R1.predict; JP.represent(F-019); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0.5, 2
Reference	pathways/FORMULA-REGISTER.json#F-019 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

20.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_019 : Formula<energy>
  definition "Valid only for evidenced constant capacitance."
  expression `E = 0.5*C*V^2`
  participants ["JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


20.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-019 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-020 - General stored energy

Exact expression

E = integral V(q)dq

Meaning. General charge-storage energy.
Bound manifestations. JP, MK
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_020
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK
Declaration	formula F-020 'General stored energy'
Definition	General charge-storage energy.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	E = integral V(q)dq
Statement	When typed inputs and evidence gates pass, evaluate F-020; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-020', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-020); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-020 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

21.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_020 : Formula<energy>
  definition "General charge-storage energy."
  expression `E = integral V(q)dq`
  participants ["JP", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

21.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-020 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-021 - Energy balance

Exact expression

$$r_E = E_in - \Delta E_storage - E_delivered - E_containment - E_loss$$

Meaning. Energy residual must be inside uncertainty.
Bound manifestations. MK, JO, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_021
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-021 "Energy balance"
Definition	Energy residual must be inside uncertainty.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$r_E = E_in - \Delta E_storage - E_delivered - E_containment - E_loss$
Statement	When typed inputs and evidence gates pass, evaluate F-021; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-021', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-021); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-021 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

22.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_021 : Formula<energy>
  definition "Energy residual must be inside uncertainty."
  expression `r_E = E_in - DeltaE_storage - E_delivered - E_containment - E_loss`
  participants ["MK", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

22.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-021 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-022 - Mass balance

Exact expression

$$r_M = M_initial + M_inputs - M_final - M_outputs$$

Meaning. Physical mass conservation.
Bound manifestations. MK, EVE, JO, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_022
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-022 'Mass balance'
Definition	Physical mass conservation.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$r_M = M_initial + M_inputs - M_final - M_outputs$
Statement	When typed inputs and evidence gates pass, evaluate F-022; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-022', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-022); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-022 and applicable family/product/representation white papers
Type	mass
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

23.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_022 : Formula<mass>
  definition "Physical mass conservation."
  expression `r_M = M_initial + M_inputs - M_final - M_outputs`
  participants ["MK", "EVE", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

23.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-022 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-023 - EVE screen balance

Exact expression

M_screen_in = M_captured + M_passed + M_retained + r_screen

Meaning. Screen capture never assumes perfect retention.
Bound manifestations. EVE, MK, JO, MERMAID
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_023
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-023 'EVE screen balance'
Definition	Screen capture never assumes perfect retention.
Capability	MEASURE, REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	EVE, MK, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	M_screen_in = M_captured + M_passed + M_retained + r_screen
Statement	When typed inputs and evidence gates pass, evaluate F-023; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-023', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-023); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-023 and applicable family/product/representation white papers
Type	mass
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

24.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_023 : Formula<mass>
  definition "Screen capture never assumes perfect retention."
  expression `M_screen_in = M_captured + M_passed + M_retained + r_screen`
  participants ["EVE", "MK", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


24.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-023 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-024 - EVE evaporation

Exact expression

M_evap = integral integral J_m dA dt

Meaning. Evaporative mass from flux across area and time.
Bound manifestations. EVE, MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_024
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-024 'EVE evaporation'
Definition	Evaporative mass from flux across area and time.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	EVE, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	M_evap = integral integral J_m dA dt
Statement	When typed inputs and evidence gates pass, evaluate F-024; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-024', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-024); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-024 and applicable family/product/representation white papers
Type	mass
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

25.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_024 : Formula<mass>
  definition "Evaporative mass from flux across area and time."
  expression `M_evap = integral integral J_m dA dt`
  participants ["EVE", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

25.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-024 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-025 - Upward force

Exact expression

$$F_z = qE_z + F_b - mg - D_z - F_{\text{contact}} - F_{\text{adhesion}}$$

Meaning. Upward motion requires positive conservative lower bound.
Bound manifestations. MK, EVE, BELLE
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_025
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.BELLE
Declaration	formula F-025 'Upward force'
Definition	Upward motion requires positive conservative lower bound.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, BELLE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$F_z = qE_z + F_b - mg - D_z - F_{\text{contact}} - F_{\text{adhesion}}$
Statement	When typed inputs and evidence gates pass, evaluate F-025; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: force; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-025', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-025); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-025 and applicable family/product/representation white papers
Type	force
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

26.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_025 : Formula<force>
  definition "Upward motion requires positive conservative lower bound."
  expression `F_z = qE_z + F_b - mg - D_z - F_contact - F_adhesion`
  participants ["MK", "EVE", "BELLE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

26.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-025 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-026 - Coordinate mapping

Exact expression

$$p_P(x,y,z)=o_P+x*a_P+y*b_P+z*c_P$$

Meaning. Normalized topology to profile physical coordinates.
Bound manifestations. JP, MK, BELLE, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_026
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,BELLE, MJ.PBMEF.Family,JO
Declaration	formula F-026 `Coordinate mapping`
Definition	Normalized topology to profile physical coordinates.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, BELLE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$p_P(x,y,z)=o_P+x*a_P+y*b_P+z*c_P$
Statement	When typed inputs and evidence gates pass, evaluate F-026; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: length vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-026', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-026); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-026 and applicable family/product/representation white papers
Type	length vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

27.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_026 : Formula<length vector>
  definition "Normalized topology to profile physical coordinates."
  expression `p_P(x,y,z)=o_P+x*a_P+y*b_P+z*c_P`
  participants ["JP", "MK", "BELLE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

27.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-026 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-027 - Sister physical umbrella count

Exact expression

$$N_U = \max_k \text{ceil}(E_k / ((1-h_k) * C_{Uk}))$$

Meaning. Canonical pre-Pearl physical containment count; requires measured profile-specific capacity and headroom.

Bound manifestations. SISTER, MK, JO, M3

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_027
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.M3
Declaration	formula F-027 'Sister physical umbrella count'
Definition	Canonical pre-Pearl physical containment count; requires measured profile-specific capacity and headroom.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, MK, JO, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$N_U = \max_k \text{ceil}(E_k / ((1-h_k) * C_{Uk}))$
Statement	When typed inputs and evidence gates pass, evaluate F-027; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: count; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-027', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-027); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-027 and applicable family/product/representation white papers
Type	count
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

28.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_027 : Formula<count>
  definition "Canonical pre-Pearl physical containment count; requires measured
  ↪ profile-specific capacity and headroom."
  expression `N_U = max_k ceil(E_k / ((1-h_k) * C_Uk))`
  participants ["SISTER", "MK", "JO", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


28.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-027 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-028 - Byte balance

Exact expression

r_B = B_alloc-B_active-B_released-B_retained-B_exported-B_compacted

Meaning. Discrete memory reconciliation requires zero residual unless transformed.
Bound manifestations. J0, M3, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_028
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MERMAID
Declaration	formula F-028 'Byte balance'
Definition	Discrete memory reconciliation requires zero residual unless transformed.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	J0, M3, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	r_B = B_alloc-B_active-B_released-B_retained-B_exported-B_compacted
Statement	When typed inputs and evidence gates pass, evaluate F-028; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: bytes; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-028', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-028); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-028 and applicable family/product/representation white papers
Type	bytes
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

29.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_028 : Formula<bytes>
  definition "Discrete memory reconciliation requires zero residual unless transformed."
  expression `r_B = B_alloc-B_active-B_released-B_retained-B_exported-B_compacted`
  participants ["J0", "M3", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

29.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-028 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-029 - Residual consequence

Exact expression

C_B = integral B_residual(t)dt

Meaning. Time-weighted residual memory consequence.
Bound manifestations. J0, M3, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.physics.balance_containment_evidence
Namespace	MJ.PBMEF.physics.balance_containment_evidence.F_029
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.FamilyJO, MJ.PBMEF.FamilyM3, MJ.PBMEF.FamilyMERMAID
Declaration	formula F-029 'Residual consequence'
Definition	Time-weighted residual memory consequence.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, M3, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	C_B = integral B_residual(t)dt
Statement	When typed inputs and evidence gates pass, evaluate F-029; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: byte-seconds; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-029', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MKJO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-029); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-029 and applicable family/product/representation white papers
Type	byte-seconds
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

30.1 Gateway life-cycle example

```
module MJ.PBMEF.physics.balance_containment_evidence {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_029 : Formula<byte-seconds>
  definition "Time-weighted residual memory consequence."
  expression `C_B = integral B_residual(t)dt`
  participants ["J0", "M3", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

30.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-029 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-030 - Protected liquidity

Exact expression

L_protected_H = 0_near_H+R_emergency_H+R_tax_H+R_fees_H+U_cash_H

Meaning. Liquidity first.
Bound manifestations. SHIVA, MERMAID, MK, JO
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_030
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-030 'Protected liquidity'
Definition	Liquidity first.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	L_protected_H = 0_near_H+R_emergency_H+R_tax_H+R_fees_H+U_cash_H
Statement	When typed inputs and evidence gates pass, evaluate F-030; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-030', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-030); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-030 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

31.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_030 : Formula<currency>
  definition "Liquidity first."
  expression `L_protected_H = 0_near_H+R_emergency_H+R_tax_H+R_fees_H+U_cash_H`
  participants ["SHIVA", "MERMAID", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

31.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-030 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-031 - Investable surplus

Exact expression

S_investable_L = max(0,L_available_L-L_protected_H)

Meaning. Only surplus may enter risk analysis.
Bound manifestations. SHIVA, MERMAID, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_031
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-031 'Investable surplus'
Definition	Only surplus may enter risk analysis.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	S_investable_L = max(0,L_available_L-L_protected_H)
Statement	When typed inputs and evidence gates pass, evaluate F-031; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-031', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-031); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-031 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

32.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_031 : Formula<currency>
  definition "Only surplus may enter risk analysis."
  expression `S_investable_L = max(0,L_available_L-L_protected_H)`
  participants ["SHIVA", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


32.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-031 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-032 - Risk-capital ceiling

Exact expression

A_risk_max = min(S_investable_L,L_risk,L_product,L_regulatory,L_custody,L_concentration)

Meaning. Hard minimum across constraints.
Bound manifestations. SHIVA, MERMAID, MK, MJ
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_032
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.MJ
Declaration	formula F-032 'Risk-capital ceiling'
Definition	Hard minimum across constraints.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, MK, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	A_risk_max = min(S_investable_L,L_risk,L_product,L_regulatory,L_custody,L_concentration)
Statement	When typed inputs and evidence gates pass, evaluate F-032; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-032', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-032); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-032 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

33.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_032 : Formula<currency>
  definition "Hard minimum across constraints."
  expression `A_risk_max =
    ↵ min(S_investable_L,L_risk,L_product,L_regulatory,L_custody,L_concentration)`
  participants ["SHIVA", "MERMAID", "MK", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

33.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-032 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-033 - Portfolio concentration

Exact expression

C_i = abs(V_i_H)/V_portfolio_L

Meaning. Asset concentration.
Bound manifestations. SHIVA, MERMAID, JO
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_033
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-033 "Portfolio concentration"
Definition	Asset concentration.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	C_i = abs(V_i_H)/V_portfolio_L
Statement	When typed inputs and evidence gates pass, evaluate F-033; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-033', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-033); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-033 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

34.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_033 : Formula<ratio>
  definition "Asset concentration."
  expression `C_i = abs(V_i_H)/V_portfolio_L`
  participants ["SHIVA", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

34.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-033 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-034 - Portfolio variance

Exact expression

$$\text{sigma_p}^2 = \text{w}^T \text{Sigma w}$$

Meaning. Portfolio variance with evidenced covariance.
Bound manifestations. SHIVA, MERMAID, MK
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_034
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.MK
Declaration	formula F-034 'Portfolio variance'
Definition	Portfolio variance with evidenced covariance.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	$\text{sigma_p}^2 = \text{w}^T \text{Sigma w}$
Statement	When typed inputs and evidence gates pass, evaluate F-034; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: return^2 ; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-034', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-034); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-034 and applicable family/product/representation white papers
Type	return^2
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

35.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_034 : Formula<return^2>
  definition "Portfolio variance with evidenced covariance."
  expression `sigma_p^2 = w^T Sigma w`
  participants ["SHIVA", "MERMAID", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

35.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-034 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-035 - Capital friction

Exact expression

F_capital_H = fees+spread+slippage+tax+custody+compliance+latency

Meaning. Typed transactional friction.
Bound manifestations. MK, SHIVA, MERMAID
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_035
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID
Declaration	formula F-035 'Capital friction'
Definition	Typed transactional friction.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, SHIVA, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	F_capital_H = fees+spread+slippage+tax+custody+compliance+latency
Statement	When typed inputs and evidence gates pass, evaluate F-035; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-035', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-035); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-035 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

36.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_035 : Formula<currency>
  definition "Typed transactional friction."
  expression `F_capital_H = fees+spread+slippage+tax+custody+compliance+latency`
  participants ["MK", "SHIVA", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


36.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-035 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-036 - Opportunity lower bound

Exact expression

O_L = Return_L-F_capital_H-RiskPenalty_H-LiquidityPenalty_H-RegulatoryUncertainty_H

Meaning. Conservative opportunity result.
Bound manifestations. SHIVA, MK, MERMAID, MJ
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_036
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.MJ
Declaration	formula F-036 'Opportunity lower bound'
Definition	Conservative opportunity result.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MK, MERMAID, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	O_L = Return_L-F_capital_H-RiskPenalty_H-LiquidityPenalty_H-RegulatoryUncertainty_H
Statement	When typed inputs and evidence gates pass, evaluate F-036; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-036', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-036); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-036 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

37.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_036 : Formula<currency>
  definition "Conservative opportunity result."
  expression `O_L =
↵ Return_L-F_capital_H-RiskPenalty_H-LiquidityPenalty_H-RegulatoryUncertainty_H`
  participants ["SHIVA", "MK", "MERMAID", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

37.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-036 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-037 - Abundance objective

Exact expression

A = sum(alpha_i*P_i)-sum(beta_j*N_j)

Meaning. Only valid with precommitted weights and compatible scales.

Bound manifestations. SHIVA, MK, JO, MJ

Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_037
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MJ
Declaration	formula F-037 'Abundance objective'
Definition	Only valid with precommitted weights and compatible scales.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MK, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	A = sum(alpha_i*P_i)-sum(beta_j*N_j)
Statement	When typed inputs and evidence gates pass, evaluate F-037; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: declared score; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-037', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-037); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-037 and applicable family/product/representation white papers
Type	declared score
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

38.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_037 : Formula<declared score>
  definition "Only valid with precommitted weights and compatible scales."
  expression `A = sum(alpha_i*P_i)-sum(beta_j*N_j)`
  participants ["SHIVA", "MK", "JO", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

38.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-037 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-038 - SHIVAS eligible value

Exact expression

V_eligible_L=max(0,V_verified_L-L_known_H-U_valuation_H)

Meaning. Internal valuation lower bound.
Bound manifestations. SHIVA, MERMAID, JO
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_038
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-038 'SHIVAS eligible value'
Definition	Internal valuation lower bound.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	V_eligible_L=max(0,V_verified_L-L_known_H-U_valuation_H)
Statement	When typed inputs and evidence gates pass, evaluate F-038; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: currency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-038', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-038); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-038 and applicable family/product/representation white papers
Type	currency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

39.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_038 : Formula<currency>
  definition "Internal valuation lower bound."
  expression `V_eligible_L=max(0,V_verified_L-L_known_H-U_valuation_H)`
  participants ["SHIVA", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

39.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-038 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-039 - SHIVAS ceiling

Exact expression

N_max=floor(V_eligible_L/B_unit_H)

Meaning. Only when backing, rights, classification, and evidence are known.
Bound manifestations. SHIVA, MERMAID, MJ
Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_039
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.MJ
Declaration	formula F-039 'SHIVAS ceiling'
Definition	Only when backing, rights, classification, and evidence are known.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SHIVA, MERMAID, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	N_max=floor(V_eligible_L/B_unit_H)
Statement	When typed inputs and evidence gates pass, evaluate F-039; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: count; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-039', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-039); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-039 and applicable family/product/representation white papers
Type	count
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

40.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_039 : Formula<count>
  definition "Only when backing, rights, classification, and evidence are known."
  expression `N_max=floor(V_eligible_L/B_unit_H)`
  participants ["SHIVA", "MERMAID", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


40.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-039 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-040 - MK state model

Exact expression

$$x[t+1]=F(x[t],u[t],\theta,e[t])+w[t];\; y[t]=H(x[t])+v[t]$$

Meaning. General physics state and observation representation.
Bound manifestations. MK, JP, J0
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_040
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.J0
Declaration	formula F-040 'MK state model'
Definition	General physics state and observation representation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JP, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$x[t+1]=F(x[t],u[t],\theta,e[t])+w[t];\; y[t]=H(x[t])+v[t]$
Statement	When typed inputs and evidence gates pass, evaluate F-040; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed state; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-040', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-040); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-040 and applicable family/product/representation white papers
Type	typed state
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

41.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_040 : Formula<typed state>
  definition "General physics state and observation representation."
  expression `x[t+1]=F(x[t],u[t],theta,e[t])+w[t]; y[t]=H(x[t])+v[t]`
  participants ["MK", "JP", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

41.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-040 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-041 - Dimensional integrity

Exact expression

dim(LHS)=dim(RHS)

Meaning. Every physical equality must be dimensionally valid.
Bound manifestations. MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_041
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-041 "Dimensional integrity"
Definition	Every physical equality must be dimensionally valid.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	dim(LHS)=dim(RHS)
Statement	When typed inputs and evidence gates pass, evaluate F-041; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimension equality; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-041', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-041); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-041 and applicable family/product/representation white papers
Type	dimension equality
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

42.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_041 : Formula<dimension equality>
  definition "Every physical equality must be dimensionally valid."
  expression `dim(LHS)=dim(RHS)`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

42.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-041 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-042 - Conservation residual

Exact expression

r_q=q_in-q_out-Deltaq-q_loss

Meaning. Pass only when $|r_q| \leq U_q$.
Bound manifestations. MK, JO, EVE, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.finance.portfolio_mk_integrity
Namespace	MJ.PBMEF.finance.portfolio_mk_integrity.F_042
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID
Declaration	formula F-042 'Conservation residual'
Definition	Pass only when $ r_q \leq U_q$.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, EVE, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$r_q = q_{in} - q_{out} - \Delta q - q_{loss}$
Statement	When typed inputs and evidence gates pass, evaluate F-042; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: quantity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-042', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-042); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-042 and applicable family/product/representation white papers
Type	quantity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

43.1 Gateway life-cycle example

```
module MJ.PBMEF.finance.portfolio_mk_integrity {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_042 : Formula<quantity>
  definition "Pass only when  $|r_q| \leq U_q$ ."
  expression `r_q=q_in-q_out-Deltaq-q_loss`
  participants ["MK", "JO", "EVE", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

43.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-042 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-043 - Pearl simulation ellipsoid volume

Exact expression

$$V_P=(4/3)*\pi*a*b*c$$

Meaning. Hypothetical pearl-shaped simulation geometry; no physical container or dimension claim.

Bound manifestations. MK, SISTER, EVE, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_043
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-043 'Pearl simulation ellipsoid volume'
Definition	Hypothetical pearl-shaped simulation geometry; no physical container or dimension claim.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, SISTER, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$V_P=(4/3)*\pi*a*b*c$
Statement	When typed inputs and evidence gates pass, evaluate F-043; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-043', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-043); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	4, 3
Reference	pathways/FORMULA-REGISTER.json#F-043 and applicable family/product/representation white papers
Type	volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

44.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_043 : Formula<volume>
  definition "Hypothetical pearl-shaped simulation geometry; no physical container or
  ↪ dimension claim."
  expression `V_P=(4/3)*pi*a*b*c`
  participants ["MK", "SISTER", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


44.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-043 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-044 - Pearl simulation surface-area approximation

Exact expression

$$A_P \sim 4 \pi * ((a^p * b^p + a^p * c^p + b^p * c^p) / 3)^{(1/p)}, \quad p = 1.6075$$

Meaning. Hypothetical simulation geometry approximation; no physical wall or surface claim.

Bound manifestations. MK, BELLE, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_044
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.BELLE, MJ.PBMEF.Family.JO
Declaration	formula F-044 "Pearl simulation surface-area approximation"
Definition	Hypothetical simulation geometry approximation; no physical wall or surface claim.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, BELLE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$A_P \sim 4 \pi * ((a^p * b^p + a^p * c^p + b^p * c^p) / 3)^{(1/p)}, \quad p = 1.6075$
Statement	When typed inputs and evidence gates pass, evaluate F-044; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: area; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-044', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-044); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	4, 3, 1, 1.6075
Reference	pathways/FORMULA-REGISTER.json#F-044 and applicable family/product/representation white papers
Type	area
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

45.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_044 : Formula<area>
  definition "Hypothetical simulation geometry approximation; no physical wall or surface
  ↵ claim."
  expression `A_P~4*pi*((a^p*b^p+a^p*c^p+b^p*c^p)/3)^(1/p), p=1.6075`
  participants ["MK", "BELLE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

45.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-044 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-045 - Pearl simulation exposure ratio

Exact expression

chi_P=A_P/V_P

Meaning. Simulation comparison metric only; not physical breach or exposure evidence.
Bound manifestations. MK, BELLE, EVE
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_045
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.BELLE, MJ.PBMEF.Family.EVE
Declaration	formula F-045 'Pearl simulation exposure ratio'
Definition	Simulation comparison metric only; not physical breach or exposure evidence.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, BELLE, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	chi_P=A_P/V_P
Statement	When typed inputs and evidence gates pass, evaluate F-045; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: 1/length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-045', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-045); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-045 and applicable family/product/representation white papers
Type	1/length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

46.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_045 : Formula<1/length>
  definition "Simulation comparison metric only; not physical breach or exposure evidence."
  expression `chi_P=A_P/V_P`
  participants ["MK", "BELLE", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

46.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-045 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-046 - Pearl simulation capacity slack

Exact expression

$$S_Pk=(1-h_Pk)*C_Pk-L_Pk$$

Meaning. Remaining typed simulation/information capacity after declared headroom.
Bound manifestations. SISTER, EVE, M3, MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_046
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK
Declaration	formula F-046 'Pearl simulation capacity slack'
Definition	Remaining typed simulation/information capacity after declared headroom.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, EVE, M3, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$S_Pk=(1-h_Pk)*C_Pk-L_Pk$
Statement	When typed inputs and evidence gates pass, evaluate F-046; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: quantity_k; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-046', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-046); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-046 and applicable family/product/representation white papers
Type	quantity_k
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

47.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_046 : Formula<quantity_k>
  definition "Remaining typed simulation/information capacity after declared headroom."
  expression `S_Pk=(1-h_Pk)*C_Pk-L_Pk`
  participants ["SISTER", "EVE", "M3", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

47.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-046 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-047 - Pearl simulation saturation ratio

Exact expression

$$\text{beta_P}=\text{max_k}(\text{L_Pk}/((1-\text{h_Pk})*\text{C_Pk}))$$

Meaning. Simulation saturation condition only; not physical breach resistance.

Bound manifestations. MK, ANGELS, BELLATRIX, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_047
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.BELLATRIX, MJ.PBMEF.Family.JO
Declaration	formula F-047 'Pearl simulation saturation ratio'
Definition	Simulation saturation condition only; not physical breach resistance.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, ANGELS, BELLATRIX, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	beta_P=max_k(L_Pk/((1-h_Pk)*C_Pk))
Statement	When typed inputs and evidence gates pass, evaluate F-047; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-047', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel, begin; R1.predict; JP.represent(F-047); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-047 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

48.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_047 : Formula<ratio>
  definition "Simulation saturation condition only; not physical breach resistance."
  expression `beta_P=max_k(L_Pk/((1-h_Pk)*C_Pk))`
  participants ["MK", "ANGELS", "BELLATRIX", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


48.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-047 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-048 - Pearl simulation object count

Exact expression

$$N_P = \max_k \text{ ceil}(E_k / ((1 - h_Pk) * C_Pk))$$

Meaning. Number of hypothetical simulation objects needed for declared information/resource dimensions.

Bound manifestations. SISTER, EVE, M3, MK, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_048
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK
Declaration	formula F-048 "Pearl simulation object count"
Definition	Number of hypothetical simulation objects needed for declared information/resource dimensions.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, EVE, M3, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$N_P = \max_k \text{ ceil}(E_k / ((1 - h_Pk) * C_Pk))$
Statement	When typed inputs and evidence gates pass, evaluate F-048; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: count; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-048', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-048); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-048 and applicable family/product/representation white papers
Type	count
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

49.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_048 : Formula<count>
  definition "Number of hypothetical simulation objects needed for declared
  ↪ information/resource dimensions."
  expression `N_P=max_k ceil(E_k/((1-h_Pk)*C_Pk))`
  participants ["SISTER", "EVE", "M3", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

49.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-048 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-049 - Pearl simulation accounting balance

Exact expression

r_Pk=q_in-q_captured-q_transferred-q_retained-q_escaped-Deltaq_stored

Meaning. Simulation/accounting conservation across retained, transferred, escaped-observation, and stored information.

Bound manifestations. EVE, MK, J0, MERMAID

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_049
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.MERMAID
Declaration	formula F-049 'Pearl simulation accounting balance'
Definition	Simulation/accounting conservation across retained, transferred, escaped-observation, and stored information.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	EVE, MK, J0, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	r_Pk=q_in-q_captured-q_transferred-q_retained-q_escaped-Deltaq_stored
Statement	When typed inputs and evidence gates pass, evaluate F-049; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: quantity_k; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-049', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-049); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-049 and applicable family/product/representation white papers
Type	quantity_k
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

50.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_049 : Formula<quantity_k>
  definition "Simulation/accounting conservation across retained, transferred,
  ↪ escaped-observation, and stored information."
  expression `r_Pk=q_in-q_captured-q_transferred-q_retained-q_escaped-Deltaq_stored`
  participants ["EVE", "MK", "J0", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
```

}

50.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-049 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-050 - Pearl simulated transfer opportunity

Exact expression

$$T_{ij,k} = \min([S_{jk}]_+, [Q_{ik} - Q_{reserve_ik}]_+, C_{route_k})$$

Meaning. Simulated transfer opportunity bounded by declared logical capacities; no physical transfer.

Bound manifestations. SISTER, EVE, M3, MK, J0

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_050
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK
Declaration	formula F-050 'Pearl simulated transfer opportunity'
Definition	Simulated transfer opportunity bounded by declared logical capacities; no physical transfer.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, EVE, M3, MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	$T_{ij,k} = \min([S_{jk}]_+, [Q_{ik} - Q_{reserve_ik}]_+, C_{route_k})$
Statement	When typed inputs and evidence gates pass, evaluate F-050; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: quantity k; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-050', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-050); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-050 and applicable family/product/representation white papers
Type	quantity k
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

51.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_050 : Formula<quantity_k>
  definition "Simulated transfer opportunity bounded by declared logical capacities; no
  ↪ physical transfer."
  expression `T_ij,k=min([S_jk]_+, [Q_ik-Q_reserve_ik]_+,C_route_k)`
  participants ["SISTER", "EVE", "M3", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

51.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-050 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

MJ-PBMEF Pink Paper - Volume III
Formula Gateway Bindings F-051 through F-100

Michael Bangel - Author and Architect

August 2026

Contents

1

Verification method

5

2

F-051 - Pearl simulated regeneration vector

6

2.1

Gateway life-cycle example

6

2.2

Lifecycle from request to final output

7

3

F-052 - Pearl acoustic simulation wavelength

8

3.1

Gateway life-cycle example

8

3.2

Lifecycle from request to final output

9

4

F-053 - Pearl acoustic simulation intensity

10

4.1

Gateway life-cycle example

10

4.2

Lifecycle from request to final output

11

5

F-054 - Pearl acoustic simulation energy

12

5.1

Gateway life-cycle example

12

5.2

Lifecycle from request to final output

13

6

F-055 - Pearl acoustic simulation observability gate

14

6.1

Gateway life-cycle example

14

6.2

Lifecycle from request to final output

15

7

F-056 - Pearl acoustic simulation signal-to-noise

16

7.1

Gateway life-cycle example

16

7.2

Lifecycle from request to final output

17

8

F-057 - Pearl acoustic simulation transfer function

18

8.1

Gateway life-cycle example

18

8.2

Lifecycle from request to final output

19

9

F-058 - Pearl acoustic simulation setpoint

20

9.1

Gateway life-cycle example

20

9.2

Lifecycle from request to final output

21

10

F-059 - Bounded Pearl acoustic simulation adjustment

22

10.1

Gateway life-cycle example

22

10.2

Lifecycle from request to final output

23

11

F-060 - Pearl simulation registry reconciliation

24

11.1

Gateway life-cycle example

24

11.2

Lifecycle from request to final output

25

12

F-061 - Bangel Sheet cell state

26

12.1

Gateway life-cycle example

26

12.2

Lifecycle from request to final output

27

13

F-062 - Affected dependency closure

28

13.1

Gateway life-cycle example

28

13.2Lifecycle from request to final output	29
14F-063 - Incremental recompute cost	30
14.1Gateway life-cycle example	30
14.2Lifecycle from request to final output	31
15F-064 - Concurrent edit arrival	32
15.1Gateway life-cycle example	32
15.2Lifecycle from request to final output	33
16F-065 - Spreadsheet service utilization	34
16.1Gateway life-cycle example	34
16.2Lifecycle from request to final output	35
17F-066 - Spreadsheet worker requirement	36
17.1Gateway life-cycle example	36
17.2Lifecycle from request to final output	37
18F-067 - Recalculation latency	38
18.1Gateway life-cycle example	38
18.2Lifecycle from request to final output	39
19F-068 - Spreadsheet data cost	40
19.1Gateway life-cycle example	40
19.2Lifecycle from request to final output	41
20F-069 - Pearl simulation partition objective	42
20.1Gateway life-cycle example	42
20.2Lifecycle from request to final output	43
21F-070 - Sheet revision root	44
21.1Gateway life-cycle example	44
21.2Lifecycle from request to final output	45
22F-071 - Audit-particle completeness	46
22.1Gateway life-cycle example	46
22.2Lifecycle from request to final output	47
23F-072 - Iterative recalculation stability	48
23.1Gateway life-cycle example	48
23.2Lifecycle from request to final output	49
24F-073 - Revision conflict gate	50
24.1Gateway life-cycle example	50
24.2Lifecycle from request to final output	51
25F-074 - Freshness age	52
25.1Gateway life-cycle example	52
25.2Lifecycle from request to final output	53
26F-075 - Staleness gate	54
26.1Gateway life-cycle example	54
26.2Lifecycle from request to final output	55
27F-076 - Data-performance correlation	56
27.1Gateway life-cycle example	56
27.2Lifecycle from request to final output	57
28F-077 - Silo unification gate	58
28.1Gateway life-cycle example	58
28.2Lifecycle from request to final output	59

29F-078 - Formula verification residual	60
29.1 Gateway life-cycle example	60
29.2 Lifecycle from request to final output	61
30F-079 - Operational intake completeness	62
30.1 Gateway life-cycle example	62
30.2 Lifecycle from request to final output	63
31F-080 - Spreadsheet capacity gate	64
31.1 Gateway life-cycle example	64
31.2 Lifecycle from request to final output	65
32F-081 - First-noise rectangle height	66
32.1 Gateway life-cycle example	66
32.2 Lifecycle from request to final output	67
33F-082 - Reference gas density	68
33.1 Gateway life-cycle example	68
33.2 Lifecycle from request to final output	69
34F-083 - 24 mg reference volume	70
34.1 Gateway life-cycle example	70
34.2 Lifecycle from request to final output	71
35F-084 - Rectangle depth	72
35.1 Gateway life-cycle example	72
35.2 Lifecycle from request to final output	73
36F-085 - Cone height ratio	74
36.1 Gateway life-cycle example	74
36.2 Lifecycle from request to final output	75
37F-086 - Cone top-width ratio	76
37.1 Gateway life-cycle example	76
37.2 Lifecycle from request to final output	77
38F-087 - Cone area by height	78
38.1 Gateway life-cycle example	78
38.2 Lifecycle from request to final output	79
39F-088 - Cone partial volume	80
39.1 Gateway life-cycle example	80
39.2 Lifecycle from request to final output	81
40F-089 - Full conical-frustum volume	82
40.1 Gateway life-cycle example	82
40.2 Lifecycle from request to final output	83
41F-090 - Pearl cone-top anchor	84
41.1 Gateway life-cycle example	84
41.2 Lifecycle from request to final output	85
42F-091 - Observed gas mass	86
42.1 Gateway life-cycle example	86
42.2 Lifecycle from request to final output	87
43F-092 - Gas mass-flow from height	88
43.1 Gateway life-cycle example	88
43.2 Lifecycle from request to final output	89

44F-093 - Observed gas-height predictor	90
44.1 Gateway life-cycle example	90
44.2 Lifecycle from request to final output	91
45F-094 - Gas net-force balance	92
45.1 Gateway life-cycle example	92
45.2 Lifecycle from request to final output	93
46F-095 - Buoyancy force	94
46.1 Gateway life-cycle example	94
46.2 Lifecycle from request to final output	95
47F-096 - Drag force	96
47.1 Gateway life-cycle example	96
47.2 Lifecycle from request to final output	97
48F-097 - Flow continuity	98
48.1 Gateway life-cycle example	98
48.2 Lifecycle from request to final output	99
49F-098 - Residual reservoir capacity	100
49.1 Gateway life-cycle example	100
49.2 Lifecycle from request to final output	101
50F-099 - Umbrella/EVE/reservoir balance	102
50.1 Gateway life-cycle example	102
50.2 Lifecycle from request to final output	103
51F-100 - Containment modification predicate	104
51.1 Gateway life-cycle example	104
51.2 Lifecycle from request to final output	105

Document control

Project	MJos Predictive Model
Project ID	MJ - PBMEF - 001
Source build	MJ - PBMEF - DAY0 - R5 - REVIEW - CANDIDATE
Document ID	MJ - PBMEF - PINK - PAPER - 001 / VOL - III
Author and architect	Michael Bangel
Status	FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE
Scope	Formula-level gateway bindings for F-051 through F-100.

Claims ceiling

This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Verification method

Each formula receives the same twenty-construct Bangel identity, a gateway-stage assignment, a life-cycle example, and explicit evidence and ethics boundaries. The repetitive structure is intentional: it allows formula-by-formula founder review and later automated completeness checking.

F-051 - Pearl simulated regeneration vector

Exact expression

G_P=[G_mass,G_energy,G_bytes,G_time,G_capital]

Meaning. Hypothetical opportunity vector; creates no physical or capital value.

Bound manifestations. EVE, MERMAID, SHIVA, MK, JO

Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_051
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MK
Declaration	formula F-051 'Pearl simulated regeneration vector'
Definition	Hypothetical opportunity vector; creates no physical or capital value.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	EVE, MERMAID, SHIVA, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	G_P=[G_mass,G_energy,G_bytes,G_time,G_capital]
Statement	When typed inputs and evidence gates pass, evaluate F-051; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-051', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-051); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; MJ.receive; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-051 and applicable family/product/representation white papers
Type	typed vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

2.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_051 : Formula<typed vector>
  definition "Hypothetical opportunity vector; creates no physical or capital value."
  expression `G_P=[G_mass,G_energy,G_bytes,G_time,G_capital]`
  participants ["EVE", "MERMAID", "SHIVA", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receive(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

2.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-051 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-052 - Pearl acoustic simulation wave-length

Exact expression

lambda_ac=c_medium/f_control

Meaning. Acoustic simulation variable under declared medium assumptions; no cohesion claim.

Bound manifestations. MK, EVE, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_052
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-052 'Pearl acoustic simulation wavelength'
Definition	Acoustic simulation variable under declared medium assumptions; no cohesion claim.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	lambda_ac=c_medium/f_control
Statement	When typed inputs and evidence gates pass, evaluate F-052; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-052', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-052); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-052 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

3.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_052 : Formula<length>
  definition "Acoustic simulation variable under declared medium assumptions; no cohesion
  ↪ claim."
  expression `lambda_ac=c_medium/f_control`
  participants ["MK", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


3.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-052 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-053 - Pearl acoustic simulation intensity

Exact expression

$$I_{ac}=p_{rms}^2/(rho_medium*c_medium)$$

Meaning. Reference simulation intensity only; no physical actuation claim.

Bound manifestations. MK, EVE, J0

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_053
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.J0
Declaration	formula F-053 'Pearl acoustic simulation intensity'
Definition	Reference simulation intensity only; no physical actuation claim.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, EVE, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	$I_{ac}=p_{rms}^2/(rho_medium*c_medium)$
Statement	When typed inputs and evidence gates pass, evaluate F-053; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: power/area; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-053', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-053); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-053 and applicable family/product/representation white papers
Type	power/area
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

4.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_053 : Formula<power/area>
  definition "Reference simulation intensity only; no physical actuation claim."
  expression `I_ac=p_rms^2/(rho_medium*c_medium)`
  participants ["MK", "EVE", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

4.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-053 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-054 - Pearl acoustic simulation energy

Exact expression

E_ac=integral(I_ac*A_effective)dt

Meaning. Hypothetical energy accounting for a future separately permitted experiment.
Bound manifestations. MK, EVE, MERMAID, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_054
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-054 "Pearl acoustic simulation energy"
Definition	Hypothetical energy accounting for a future separately permitted experiment.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	E_ac=integral(I_ac*A_effective)dt
Statement	When typed inputs and evidence gates pass, evaluate F-054; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-054', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-054); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-054 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

5.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_054 : Formula<energy>
  definition "Hypothetical energy accounting for a future separately permitted experiment."
  expression `E_ac=integral(I_ac*A_effective)dt`
  participants ["MK", "EVE", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

5.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-054 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-055 - Pearl acoustic simulation observability gate

Exact expression

f_sample>=2*gamma*f_control AND f_control in calibrated_band AND SNR_f>=SNR_min

Meaning. Simulation input must be measurable to be accounted for; observability is not actuation.

Bound manifestations. MK, JO, ANGELS

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_055
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.ANGELS
Declaration	formula F-055 'Pearl acoustic simulation observability gate'
Definition	Simulation input must be measurable to be accounted for; observability is not actuation.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	MK, JO, ANGELS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	f_sample>=2*gamma*f_control AND f_control in calibrated_band AND SNR_f>=SNR_min
Statement	When typed inputs and evidence gates pass, evaluate F-055; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-055', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-055); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-055 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

6.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_055 : Formula<logical>
  definition "Simulation input must be measurable to be accounted for; observability is not
  ↪ actuation."
  expression `f_sample>=2*gamma*f_control AND f_control in calibrated_band AND
  ↪ SNR_f>=SNR_min`
  participants ["MK", "JO", "ANGELS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
```

}

6.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-055 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-056 - Pearl acoustic simulation signal-to-noise

Exact expression

SNR_f=P_signal(f)/P_noise(f)

Meaning. Simulation signal-to-noise ratio; advisory and non-authorizing.

Bound manifestations. MK, SISTER, EVE, JO

Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_056
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-056 'Pearl acoustic simulation signal-to-noise'
Definition	Simulation signal-to-noise ratio; advisory and non-authorizing.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, SISTER, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	SNR_f=P_signal(f)/P_noise(f)
Statement	When typed inputs and evidence gates pass, evaluate F-056; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-056', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-056); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-056 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

7.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_056 : Formula<ratio>
  definition "Simulation signal-to-noise ratio; advisory and non-authorizing."
  expression `SNR_f=P_signal(f)/P_noise(f)`
  participants ["MK", "SISTER", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


7.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-056 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-057 - Pearl acoustic simulation transfer function

Exact expression

$$H_P(f)=Y_P(f)/U_P(f)$$

Meaning. Hypothetical or measured-later response mapping; no physical Pearl article exists.

Bound manifestations. MK, EVE, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_057
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-057 'Pearl acoustic simulation transfer function'
Definition	Hypothetical or measured-later response mapping; no physical Pearl article exists.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$H_P(f)=Y_P(f)/U_P(f)$
Statement	When typed inputs and evidence gates pass, evaluate F-057; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: output/input; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-057', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-057); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-057 and applicable family/product/representation white papers
Type	output/input
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

8.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_057 : Formula<output/input>
  definition "Hypothetical or measured-later response mapping; no physical Pearl article
↵ exists."
  expression `H_P(f)=Y_P(f)/U_P(f)`
  participants ["MK", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

8.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-057 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-058 - Pearl acoustic simulation set-point

Exact expression

$$f^* = \operatorname{argmin}_{\{f \text{ in } F_{\text{safe}}\}} (J_{\text{breach}} + \lambda E_{\text{ac}} + \lambda T_{\text{transfer}})$$

Meaning. Simulation candidate only; no physical control setpoint.

Bound manifestations. MK, BELLE, JO, MJ

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_058
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.BELLE, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MJ
Declaration	formula F-058 'Pearl acoustic simulation setpoint'
Definition	Simulation candidate only; no physical control setpoint.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, BELLE, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$f^* = \operatorname{argmin}_{\{f \text{ in } F_{\text{safe}}\}} (J_{\text{breach}} + \lambda E_{\text{ac}} + \lambda T_{\text{transfer}})$
Statement	When typed inputs and evidence gates pass, evaluate F-058; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: frequency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-058', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-058); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-058 and applicable family/product/representation white papers
Type	frequency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

9.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_058 : Formula<frequency>
  definition "Simulation candidate only; no physical control setpoint."
  expression `f*=argmin_{f in F_safe}(J_breach+lambda_E*E_ac+lambda_T*T_transfer)`
  participants ["MK", "BELLE", "JO", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

9.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-058 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-059 - Bounded Pearl acoustic simulation adjustment

Exact expression

f_next=clip((2/3)f+(1/3)f_target,f-df_max,f+df_max,f_min,f_max)

Meaning. One-third-damped simulation update only.

Bound manifestations. MK, J0, M3

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_059
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3
Declaration	formula F-059 'Bounded Pearl acoustic simulation adjustment'
Definition	One-third-damped simulation update only.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, J0, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	f_next=clip((2/3)f+(1/3)f_target,f-df_max,f+df_max,f_min,f_max)
Statement	When typed inputs and evidence gates pass, evaluate F-059; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: frequency; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-059', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-059); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2, 3, 1
Reference	pathways/FORMULA-REGISTER.json#F-059 and applicable family/product/representation white papers
Type	frequency
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

10.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_059 : Formula<frequency>
  definition "One-third-damped simulation update only."
  expression `f_next=clip((2/3)f+(1/3)f_target,f-df_max,f+df_max,f_min,f_max)`
  participants ["MK", "J0", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

10.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-059 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-060 - Pearl simulation registry reconciliation

Exact expression

r_registry=N_allocated+N_received-N_transferred-N_closed-N_active

Meaning. Registry count reconciliation for simulation records, not physical containers.
Bound manifestations. MERMAID, SHIVA, M3, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference
Namespace	MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference.F_060
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.JO
Declaration	formula F-060 'Pearl simulation registry reconciliation'
Definition	Registry count reconciliation for simulation records, not physical containers.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MERMAID, SHIVA, M3, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	r_registry=N_allocated+N_received-N_transferred-N_closed-N_active
Statement	When typed inputs and evidence gates pass, evaluate F-060; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: count; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-060', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-060); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-060 and applicable family/product/representation white papers
Type	count
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

11.1 Gateway life-cycle example

```
module MJ.PBMEF.pearl.hypothetical_simulation_acoustic_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_060 : Formula<count>
  definition "Registry count reconciliation for simulation records, not physical containers."
  expression `r_registry=N_allocated+N_received-N_transferred-N_closed-N_active`
  participants ["MERMAID", "SHIVA", "M3", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


11.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-060 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-061 - Bangel Sheet cell state

Exact expression

C_ij=<value,unit,uncertainty,formula,revision,lineage,authority,evidence>

Meaning. Every cell is a governed measurement object, not an untyped mutable value.

Bound manifestations. Bangel , JP, MK, JO

Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_061
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-061 "Bangel Sheet cell state"
Definition	Every cell is a governed measurement object, not an untyped mutable value.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	Bangel , JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	C_ij=<value,unit,uncertainty,formula,revision,lineage,authority,evidence>
Statement	When typed inputs and evidence gates pass, evaluate F-061; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed object; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-061', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-061); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-061 and applicable family/product/representation white papers
Type	typed object
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

12.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_061 : Formula<typed object>
  definition "Every cell is a governed measurement object, not an untyped mutable value."
  expression `C_ij=<value,unit,uncertainty,formula,revision,lineage,authority,evidence>`
  participants ["Bangel ", "JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

12.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-061 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-062 - Affected dependency closure

Exact expression

A(U)=Reachable_G(U)

Meaning. Only cells reachable from changed cells are eligible for incremental recomputation.
Bound manifestations. JP, JO, M3
Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_062
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.M3
Declaration	formula F-062 'Affected dependency closure'
Definition	Only cells reachable from changed cells are eligible for incremental recomputation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, JO, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	A(U)=Reachable_G(U)
Statement	When typed inputs and evidence gates pass, evaluate F-062; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: cell set; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-062', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-062); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-062 and applicable family/product/representation white papers
Type	cell set
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

13.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_062 : Formula<cell set>
  definition "Only cells reachable from changed cells are eligible for incremental
↪ recomputation."
  expression `A(U)=Reachable_G(U)`
  participants ["JP", "JO", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

13.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-062 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-063 - Incremental recompute cost

Exact expression

C_recalc=sum_{v in A}c_v+sum_{e in E(A)}t_e

Meaning. Measured compute and transfer work for an affected dependency closure.
Bound manifestations. MK, JO, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_063
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-063 'Incremental recompute cost'
Definition	Measured compute and transfer work for an affected dependency closure.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	C_recalc=sum_{v in A}c_v+sum_{e in E(A)}t_e
Statement	When typed inputs and evidence gates pass, evaluate F-063; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: work units; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-063', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-063); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-063 and applicable family/product/representation white papers
Type	work units
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

14.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_063 : Formula<work units>
  definition "Measured compute and transfer work for an affected dependency closure."
  expression `C_recalc=sum_{v in A}c_v+sum_{e in E(A)}t_e`
  participants ["MK", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

14.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-063 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-064 - Concurrent edit arrival

Exact expression

lambda_total=N_users*lambda_user

Meaning. Aggregate update arrival rate from measured concurrent-user activity.
Bound manifestations. J0, M3, MK
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_064
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK
Declaration	formula F-064 'Concurrent edit arrival'
Definition	Aggregate update arrival rate from measured concurrent-user activity.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JO, M3, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	lambda_total=N_users*lambda_user
Statement	When typed inputs and evidence gates pass, evaluate F-064; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: operations/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-064', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-064); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-064 and applicable family/product/representation white papers
Type	operations/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

15.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_064 : Formula<operations/time>
  definition "Aggregate update arrival rate from measured concurrent-user activity."
  expression `lambda_total=N_users*lambda_user`
  participants ["J0", "M3", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


15.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-064 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-065 - Spreadsheet service utilization

Exact expression

rho=lambda_total/(W*mu_worker)

Meaning. Capacity utilization for W deterministic workers.

Bound manifestations. J0, M3, MK

Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_065
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.FamilyJO, MJ.PBMEF.FamilyM3, MJ.PBMEF.FamilyMK
Declaration	formula F-065 'Spreadsheet service utilization'
Definition	Capacity utilization for W deterministic workers.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, M3, MK
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	rho=lambda_total/(W*mu_worker)
Statement	When typed inputs and evidence gates pass, evaluate F-065; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-065', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-065); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-065 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

16.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_065 : Formula<ratio>
  definition "Capacity utilization for W deterministic workers."
  expression `rho=lambda_total/(W*mu_worker)`
  participants ["J0", "M3", "MK"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

16.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-065 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-066 - Spreadsheet worker requirement

Exact expression

$$W_{min} = \text{ceil}(\lambda_{total} / (\rho_{max} \cdot \mu_{worker}))$$

Meaning. Minimum worker count for a precommitted utilization ceiling.

Bound manifestations. J0, M3, MJOS

Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_066
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MJOS
Declaration	formula F-066 'Spreadsheet worker requirement'
Definition	Minimum worker count for a precommitted utilization ceiling.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, M3, MJOS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	$W_{min} = \text{ceil}(\lambda_{total} / (\rho_{max} \cdot \mu_{worker}))$
Statement	When typed inputs and evidence gates pass, evaluate F-066; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: count; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-066', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-066); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-066 and applicable family/product/representation white papers
Type	count
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

17.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_066 : Formula<count>
  definition "Minimum worker count for a precommitted utilization ceiling."
  expression `W_min=ceil(lambda_total/(rho_max*mu_worker))`
  participants ["JO", "M3", "MJOS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

17.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-066 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-067 - Recalculation latency

Exact expression

T_recalc=T_parse+T_dependency+max_p(T_partition,p)+T_commit

Meaning. End-to-end recalculation latency across logical Pearl simulation partitions.

Bound manifestations. MK, J0, M3

Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_067
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.M3
Declaration	formula F-067 "Recalculation latency"
Definition	End-to-end recalculation latency across logical Pearl simulation partitions.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, M3
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	T_recalc=T_parse+T_dependency+max_p(T_partition,p)+T_commit
Statement	When typed inputs and evidence gates pass, evaluate F-067; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-067', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-067); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-067 and applicable family/product/representation white papers
Type	time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

18.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_067 : Formula<time>
  definition "End-to-end recalculation latency across logical Pearl simulation partitions."
  expression `T_recalc=T_parse+T_dependency+max_p(T_partition,p)+T_commit`
  participants ["MK", "J0", "M3"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

18.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-067 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-068 - Spreadsheet data cost

Exact expression

C_data=B_store*c_store+B_transfer*c_transfer+t_cpu*c_cpu

Meaning. Storage, transfer, and compute cost remain separately evidenced before aggregation.

Bound manifestations. MERMAID, SHIVA, MK, JO

Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_068
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.SHIVA, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-068 'Spreadsheet data cost'
Definition	Storage, transfer, and compute cost remain separately evidenced before aggregation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MERMAID, SHIVA, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	C_data=B_store*c_store+B_transfer*c_transfer+t_cpu*c_cpu
Statement	When typed inputs and evidence gates pass, evaluate F-068; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: cost unit; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-068', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-068); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-068 and applicable family/product/representation white papers
Type	cost unit
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

19.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_068 : Formula<cost unit>
  definition "Storage, transfer, and compute cost remain separately evidenced before
  ↵ aggregation."
  expression `C_data=B_store*c_store+B_transfer*c_transfer+t_cpu*c_cpu`
  participants ["MERMAID", "SHIVA", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


19.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-068 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-069 - Pearl simulation partition objective

Exact expression

J_partition=alpha*max_p(L_p)+beta*sum_cut(w_e)+gamma*R_breach+delta*R_stale

Meaning. Logical partition objective with precommitted weights; breach term is simulation risk, not physical containment.

Bound manifestations. JP, MK, J0, SISTER

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_069
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.SISTER
Declaration	formula F-069 'Pearl simulation partition objective'
Definition	Logical partition objective with precommitted weights; breach term is simulation risk, not physical containment.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, MK, J0, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	J_partition=alpha*max_p(L_p)+beta*sum_cut(w_e)+gamma*R_breach+delta*R_stale
Statement	When typed inputs and evidence gates pass, evaluate F-069; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: declared score; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-069', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-069); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-069 and applicable family/product/representation white papers
Type	declared score
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

20.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_069 : Formula<declared score>
  definition "Logical partition objective with precommitted weights; breach term is
  ↪ simulation risk, not physical containment."
  expression `J_partition=alpha*max_p(L_p)+beta*sum_cut(w_e)+gamma*R_breach+delta*R_stale`
  participants ["JP", "MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
```

}

20.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-069 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-070 - Sheet revision root

Exact expression

H_rev=SHA256(parent_root||canonical_deltas||policy_epoch)

Meaning. Every committed change creates immutable content-addressed lineage.
Bound manifestations. Bangel , JP, JO, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_070
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JP, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-070 'Sheet revision root'
Definition	Every committed change creates immutable content-addressed lineage.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	Bangel , JP, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	H_rev=SHA256(parent_root canonical_deltas policy_epoch)
Statement	When typed inputs and evidence gates pass, evaluate F-070; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: digest; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-070', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-070); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	56
Reference	pathways/FORMULA-REGISTER.json#F-070 and applicable family/product/representation white papers
Type	digest
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

21.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_070 : Formula<digest>
  definition "Every committed change creates immutable content-addressed lineage."
  expression `H_rev=SHA256(parent_root||canonical_deltas||policy_epoch)`
  participants ["Bangel ", "JP", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

21.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-070 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-071 - Audit-particle completeness

Exact expression

AuditPass=AND(required_fields_present,receipts_valid)

Meaning. A critical spreadsheet command fails closed when its audit particle is incomplete.
Bound manifestations. J0, ANGELS, BELLATRIX, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_071
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.BELLATRIX, MJ.PBMEF.Family.MERMAID
Declaration	formula F-071 'Audit-particle completeness'
Definition	A critical spreadsheet command fails closed when its audit particle is incomplete.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	J0, ANGELS, BELLATRIX, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	AuditPass=AND(required_fields_present,receipts_valid)
Statement	When typed inputs and evidence gates pass, evaluate F-071; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-071', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-071); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-071 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

22.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_071 : Formula<logical>
  definition "A critical spreadsheet command fails closed when its audit particle is
  ↪ incomplete."
  expression `AuditPass=AND(required_fields_present,receipts_valid)`
  participants ["J0", "ANGELS", "BELLATRIX", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

22.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-071 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-072 - Iterative recalculation stability

Exact expression

spectral_radius(J_F)<1

Meaning. Declared iterative formulas require an evidenced locally stable fixed-point regime.
Bound manifestations. JP, MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_072
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,JO
Declaration	formula F-072 "Iterative recalculation stability"
Definition	Declared iterative formulas require an evidenced locally stable fixed-point regime.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	spectral_radius(J_F)<1
Statement	When typed inputs and evidence gates pass, evaluate F-072; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-072', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-072); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-072 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

23.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_072 : Formula<logical>
  definition "Declared iterative formulas require an evidenced locally stable fixed-point regime."
  expression `spectral_radius(J_F)<1`
  participants ["JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


23.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-072 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-073 - Revision conflict gate

Exact expression

base_revision=head_revision OR valid_merge_receipt

Meaning. Stale writes cannot silently overwrite a newer revision.
Bound manifestations. Bangel , JO, ANGELS
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_073
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JO, MJ.PBMEF.Family.ANGELS
Declaration	formula F-073 'Revision conflict gate'
Definition	Stale writes cannot silently overwrite a newer revision.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , JO, ANGELS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	base_revision=head_revision OR valid_merge_receipt
Statement	When typed inputs and evidence gates pass, evaluate F-073; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-073', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-073); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-073 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

24.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_073 : Formula<logical>
  definition "Stale writes cannot silently overwrite a newer revision."
  expression `base_revision=head_revision OR valid_merge_receipt`
  participants ["Bangel ", "JO", "ANGELS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

24.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-073 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-074 - Freshness age

Exact expression

Age=now-observed_at

Meaning. Age of a source observation or derived cell.
Bound manifestations. J0, MK, SISTER
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_074
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER
Declaration	formula F-074 'Freshness age'
Definition	Age of a source observation or derived cell.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	J0, MK, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	Age=now-observed_at
Statement	When typed inputs and evidence gates pass, evaluate F-074; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-074', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-074); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-074 and applicable family/product/representation white papers
Type	time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

25.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_074 : Formula<time>
  definition "Age of a source observation or derived cell."
  expression `Age=now-observed_at`
  participants ["J0", "MK", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

25.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-074 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-075 - Staleness gate

Exact expression

Age<=freshness_limit

Meaning. A cell is current only inside its declared freshness policy.
Bound manifestations. JO, ANGELS, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_075
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.MERMAID
Declaration	formula F-075 'Staleness gate'
Definition	A cell is current only inside its declared freshness policy.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	JO, ANGELS, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	Age<=freshness_limit
Statement	When typed inputs and evidence gates pass, evaluate F-075; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-075', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-075); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-075 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

26.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_075 : Formula<logical>
  definition "A cell is current only inside its declared freshness policy."
  expression `Age<=freshness_limit`
  participants ["JO", "ANGELS", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

26.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-075 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-076 - Data-performance correlation

Exact expression

$$r_{xy} = \text{Cov}(X, Y) / (\sigma_x * \sigma_y)$$

Meaning. Descriptive correlation between data characteristics and performance; not a causal claim.
Bound manifestations. MK, J0, MERMAID
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_076
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-076 "Data-performance correlation"
Definition	Descriptive correlation between data characteristics and performance; not a causal claim.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$r_{xy} = \text{Cov}(X, Y) / (\sigma_x * \sigma_y)$
Statement	When typed inputs and evidence gates pass, evaluate F-076; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: ratio; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-076', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-076); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-076 and applicable family/product/representation white papers
Type	ratio
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

27.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_076 : Formula<ratio>
  definition "Descriptive correlation between data characteristics and performance; not a
  ↪ causal claim."
  expression `r_xy=Cov(X,Y)/(sigma_x*sigma_y)`
  participants ["MK", "J0", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


27.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-076 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-077 - Silo unification gate

Exact expression

UnifiedMetric=SameMeaning AND SameUnit AND SamePeriod AND SameAuthority AND SameLineage

Meaning. Departmental sources unify only when semantic, unit, period, authority, and lineage conditions agree.

Bound manifestations. ELSA, JP, JO, MERMAID

Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_077
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.ELSA, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-077 'Silo unification gate'
Definition	Departmental sources unify only when semantic, unit, period, authority, and lineage conditions agree.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	ELSA, JP, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	UnifiedMetric=SameMeaning AND SameUnit AND SamePeriod AND SameAuthority AND SameLineage
Statement	When typed inputs and evidence gates pass, evaluate F-077; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-077', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-077); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-077 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

28.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_077 : Formula<logical>
  definition "Departmental sources unify only when semantic, unit, period, authority, and
  ↳ lineage conditions agree."
  expression `UnifiedMetric=SameMeaning AND SameUnit AND SamePeriod AND SameAuthority AND
  ↳ SameLineage`
  participants ["ELSA", "JP", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

28.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-077 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-078 - Formula verification residual

Exact expression

r_formula=y_reported-y_recomputed

Meaning. Silent formula corruption is detected by independent deterministic recomputation.
Bound manifestations. J0, MK, ANGELS
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_078
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.FamilyJO, MJ.PBMEF.FamilyMK, MJ.PBMEF.FamilyANGELS
Declaration	formula F-078 'Formula verification residual'
Definition	Silent formula corruption is detected by independent deterministic recomputation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JO, MK, ANGELS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	r_formula=y_reported-y_recomputed
Statement	When typed inputs and evidence gates pass, evaluate F-078; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: output unit; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-078', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-078); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-078 and applicable family/product/representation white papers
Type	output unit
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

29.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_078 : Formula<output unit>
  definition "Silent formula corruption is detected by independent deterministic
  ↪ recomputation."
  expression `r_formula=y_reported-y_recomputed`
  participants ["JO", "MK", "ANGELS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

29.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-078 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-079 - Operational intake completeness

Exact expression

IntakePass=process_defined AND users_known AND workload_known AND SLA_known AND authority_known

Meaning. Scaling work begins only after the process, concurrency, workload, service target, and authority are explicit.

Bound manifestations. Bangel , ELSA, JP, JO, MJ

Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_079
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.ELSA, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.JO
Declaration	formula F-079 'Operational intake completeness'
Definition	Scaling work begins only after the process, concurrency, workload, service target, and authority are explicit.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , ELSA, JP, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	IntakePass=process_defined AND users_known AND workload_known AND SLA_known AND authority_known
Statement	When typed inputs and evidence gates pass, evaluate F-079; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-079', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-079); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-079 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

30.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_079 : Formula<logical>
  definition "Scaling work begins only after the process, concurrency, workload, service
  ↪ target, and authority are explicit."
  expression `IntakePass=process_defined AND users_known AND workload_known AND SLA_known
  ↪ AND authority_known`
  participants ["Bangel ", "ELSA", "JP", "JO", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
```

```
    output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

30.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-079 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-080 - Spreadsheet capacity gate

Exact expression

lambda_total<=rho_max*sum_p(mu_p) AND memory_required<=memory_available AND
↪ cross_partition_edges<=cut_limit

Meaning. Admission requires throughput, memory, and partition-boundary capacity to pass together.
Bound manifestations. MK, J0, M3, SISTER, MJ0S
Gateway stage. Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution

Construct	Formula-specific expression
Module	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling
Namespace	MJ.PBMEF.Bangel.spreadsheets.algorithms_scaling.F_080
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.SISTER
Declaration	formula F-080 'Spreadsheet capacity gate'
Definition	Admission requires throughput, memory, and partition-boundary capacity to pass together.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	MK, J0, M3, SISTER, MJ0S
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution
Expression	lambda_total<=rho_max*sum_p(mu_p) AND memory_required<=memory_available AND cross_partition_edges<=cut_limit
Statement	When typed inputs and evidence gates pass, evaluate F-080; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-080', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-080); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-080 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED.CANON; stage='Bangel.begin workbook declaration, JP model, MK cost, JO deterministic execution'; physical_validation=false; authority=false

31.1 Gateway life-cycle example

```
module MJ.PBMEF.Bangel .spreadsheets.algorithms_scaling {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_080 : Formula<logical>
  definition "Admission requires throughput, memory, and partition-boundary capacity to pass
  ↪ together."
  expression `lambda_total<=rho_max*sum_p(mu_p) AND memory_required<=memory_available AND
  ↪ cross_partition_edges<=cut_limit`
  participants ["MK", "J0", "M3", "SISTER", "MJ0S"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


31.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-080 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-081 - First-noise rectangle height

Exact expression

H_R=h_noise,1

Meaning. Rectangle maximum height is the first validated noise-detection plane.

Bound manifestations. SISTER, MK, JO

Gateway stage. R1 prediction and normal-constellation calibration before N1

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_081
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-081 'First-noise rectangle height'
Definition	Rectangle maximum height is the first validated noise-detection plane.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	R1 prediction and normal-constellation calibration before N1
Expression	H_R=h_noise,1
Statement	When typed inputs and evidence gates pass, evaluate F-081; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-081', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-081); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-081 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='R1 prediction and normal-constellation calibration before N1'; physical_validation=false; authority=false

32.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_081 : Formula<length>
  definition "Rectangle maximum height is the first validated noise-detection plane."
  expression `H_R=h_noise,1`
  participants ["SISTER", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

32.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-081 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-082 - Reference gas density

Exact expression

rho_g=P*M/(Z*R*T)

Meaning. Actual gas density depends on measured pressure, temperature, molar mass, and compressibility.

Bound manifestations. MK, J0, JP

Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_082
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.JP
Declaration	formula F-082 'Reference gas density'
Definition	Actual gas density depends on measured pressure, temperature, molar mass, and compressibility.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0, JP
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	rho_g=P*M/(Z*R*T)
Statement	When typed inputs and evidence gates pass, evaluate F-082; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass/volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-082', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-082); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-082 and applicable family/product/representation white papers
Type	mass/volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

33.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_082 : Formula<mass/volume>
  definition "Actual gas density depends on measured pressure, temperature, molar mass, and
  ↪ compressibility."
  expression `rho_g=P*M/(Z*R*T)`
  participants ["MK", "J0", "JP"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

33.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-082 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-083 - 24 mg reference volume

Exact expression

V_24=m_24/rho_ref

Meaning. 24 mg defines a reference gas volume under a declared state and does not replace the 23 mg floor.

Bound manifestations. JP, MK, J0

Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_083
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,J0
Declaration	formula F-083 '24 mg reference volume'
Definition	24 mg defines a reference gas volume under a declared state and does not replace the 23 mg floor.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	V_24=m_24/rho_ref
Statement	When typed inputs and evidence gates pass, evaluate F-083; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-083', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-083); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	4
Reference	pathways/FORMULA-REGISTER.json#F-083 and applicable family/product/representation white papers
Type	volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

34.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_083 : Formula<volume>
  definition "24 mg defines a reference gas volume under a declared state and does not
  ↪ replace the 23 mg floor."
  expression `V_24=m_24/rho_ref`
  participants ["JP", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

34.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-083 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-084 - Rectangle depth

Exact expression

D_R=V_24/(W_R*H_R)

Meaning. Reference depth adapts to measured height and declared width.
Bound manifestations. SISTER, MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_084
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-084 'Rectangle depth'
Definition	Reference depth adapts to measured height and declared width.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	D_R=V_24/(W_R*H_R)
Statement	When typed inputs and evidence gates pass, evaluate F-084; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-084', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-084); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	4
Reference	pathways/FORMULA-REGISTER.json#F-084 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

35.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_084 : Formula<length>
  definition "Reference depth adapts to measured height and declared width."
  expression `D_R=V_24/(W_R*H_R)`
  participants ["SISTER", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


35.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-084 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-085 - Cone height ratio

Exact expression

H_C=k_H*H_R; k_H,std=2

Meaning. Standard cone height is twice rectangle height.
Bound manifestations. JP, MK, J0
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_085
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,JO
Declaration	formula F-085 'Cone height ratio'
Definition	Standard cone height is twice rectangle height.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	H_C=k_H*H_R; k_H,std=2
Statement	When typed inputs and evidence gates pass, evaluate F-085; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-085', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-085); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-085 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

36.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_085 : Formula<length>
  definition "Standard cone height is twice rectangle height."
  expression `H_C=k_H*H_R; k_H,std=2`
  participants ["JP", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

36.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-085 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-086 - Cone top-width ratio

Exact expression

$$W_T=k_WW_B; k_W, std=2$$

Meaning. Standard top characteristic width is twice bottom width.
Bound manifestations. JP, MK, JO
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_086
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,JO
Declaration	formula F-086 'Cone top-width ratio'
Definition	Standard top characteristic width is twice bottom width.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$W_T=k_WW_B; k_W, std=2$
Statement	When typed inputs and evidence gates pass, evaluate F-086; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-086', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-086); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-086 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

37.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_086 : Formula<length>
  definition "Standard top characteristic width is twice bottom width."
  expression `W_T=k_WW_B; k_W,std=2`
  participants ["JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

37.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-086 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-087 - Cone area by height

Exact expression

$$A(z)=A_B*(1+(k_W-1)*z/H_C)^2$$

Meaning. Similar-section conical expansion area.
Bound manifestations. MK, J0, SISTER
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_087
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.SISTER
Declaration	formula F-087 "Cone area by height"
Definition	Similar-section conical expansion area.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$A(z)=A_B*(1+(k_W-1)*z/H_C)^2$
Statement	When typed inputs and evidence gates pass, evaluate F-087; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: area; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-087', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel, begin; R1.predict; JP.represent(F-087); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1, 2
Reference	pathways/FORMULA-REGISTER.json#F-087 and applicable family/product/representation white papers
Type	area
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

38.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_087 : Formula<area>
  definition "Similar-section conical expansion area."
  expression `A(z)=A_B*(1+(k_W-1)*z/H_C)^2`
  participants ["MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

38.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-087 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-088 - Cone partial volume

Exact expression

$$V_C(z)=A_B*(z+(k_W-1)z^2/H_C+(k_W-1)^2*z^3/(3H_C^2))$$

Meaning. Volume up to observed gas height.
Bound manifestations. MK, JO, SISTER
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_088
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.SISTER
Declaration	formula F-088 'Cone partial volume'
Definition	Volume up to observed gas height.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$V_C(z)=A_B*(z+(k_W-1)z^2/H_C+(k_W-1)^2*z^3/(3H_C^2))$
Statement	When typed inputs and evidence gates pass, evaluate F-088; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-088', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-088); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1, 2, 3
Reference	pathways/FORMULA-REGISTER.json#F-088 and applicable family/product/representation white papers
Type	volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

39.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_088 : Formula<volume>
  definition "Volume up to observed gas height."
  expression `V_C(z)=A_B*(z+(k_W-1)z^2/H_C+(k_W-1)^2*z^3/(3H_C^2))`
  participants ["MK", "JO", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


39.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-088 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-089 - Full conical-frustum volume

Exact expression

$$V_C=H_C/3*(A_B+sqrt(A_B*A_T)+A_T)$$

Meaning. Full conical expansion volume.
Bound manifestations. MK, J0, JP
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_089
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.JP
Declaration	formula F-089 'Full conical-frustum volume'
Definition	Full conical expansion volume.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, JP
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$V_C=H_C/3*(A_B+sqrt(A_B*A_T)+A_T)$
Statement	When typed inputs and evidence gates pass, evaluate F-089; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-089', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-089); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	3
Reference	pathways/FORMULA-REGISTER.json#F-089 and applicable family/product/representation white papers
Type	volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

40.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_089 : Formula<volume>
  definition "Full conical expansion volume."
  expression `V_C=H_C/3*(A_B+sqrt(A_B*A_T)+A_T)`
  participants ["MK", "J0", "JP"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

40.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-089 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-090 - Pearl cone-top anchor

Exact expression

z_P0=H_R+H_C; standard=3H_R

Meaning. Pearl simulation begins at the top-of-cone information plane.

Bound manifestations. PEARL, MK, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_090
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.PEARL, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-090 "Pearl cone-top anchor"
Definition	Pearl simulation begins at the top-of-cone information plane.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	PEARL, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	z_P0=H_R+H_C; standard=3H_R
Statement	When typed inputs and evidence gates pass, evaluate F-090; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-090', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-090); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	3
Reference	pathways/FORMULA-REGISTER.json#F-090 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

41.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_090 : Formula<length>
  definition "Pearl simulation begins at the top-of-cone information plane."
  expression `z_P0=H_R+H_C; standard=3H_R`
  participants ["PEARL", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

41.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-090 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-091 - Observed gas mass

Exact expression

$$m_g = \rho_g \cdot V_C(h_g)$$

Meaning. Gas mass from observed height and state-dependent density.
Bound manifestations. MK, EVE, J0
Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_091
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.J0
Declaration	formula F-091 "Observed gas mass"
Definition	Gas mass from observed height and state-dependent density.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	$m_g = \rho_g \cdot V_C(h_g)$
Statement	When typed inputs and evidence gates pass, evaluate F-091; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-091', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-091); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-091 and applicable family/product/representation white papers
Type	mass
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

42.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_091 : Formula<mass>
  definition "Gas mass from observed height and state-dependent density."
  expression `m_g=rho_g*V_C(h_g)`
  participants ["MK", "EVE", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

42.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-091 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-092 - Gas mass-flow from height

Exact expression

$$m_dot = \rho * A(h_g) * h_dot_g + V_C(h_g) * \rho_dot$$

Meaning. Mass-flow accounting includes density changes.
Bound manifestations. MK, EVE, J0
Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_092
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.J0
Declaration	formula F-092 'Gas mass-flow from height'
Definition	Mass-flow accounting includes density changes.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, EVE, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	$m_dot = \rho * A(h_g) * h_dot_g + V_C(h_g) * \rho_dot$
Statement	When typed inputs and evidence gates pass, evaluate F-092; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: mass/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-092', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-092); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-092 and applicable family/product/representation white papers
Type	mass/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

43.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_092 : Formula<mass/time>
  definition "Mass-flow accounting includes density changes."
  expression `m_dot=rho*A(h_g)*h_dot_g+V_C(h_g)*rho_dot`
  participants ["MK", "EVE", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


43.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-092 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-093 - Observed gas-height predictor

Exact expression

$$h_hat=clip(h+v*dt+0.5*a*dt^2,0,H_C)$$

Meaning. Bounded prediction of observed gas-front height.
Bound manifestations. SISTER, MK, JO
Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_093
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-093 'Observed gas-height predictor'
Definition	Bounded prediction of observed gas-front height.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	$h_hat=clip(h+v*dt+0.5*a*dt^2,0,H_C)$
Statement	When typed inputs and evidence gates pass, evaluate F-093; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-093', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-093); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0.5, 2, 0
Reference	pathways/FORMULA-REGISTER.json#F-093 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

44.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_093 : Formula<length>
  definition "Bounded prediction of observed gas-front height."
  expression `h_hat=clip(h+v*dt+0.5*a*dt^2,0,H_C)`
  participants ["SISTER", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

44.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-093 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-094 - Gas net-force balance

Exact expression

m_eff*a_z=F_b+F_p+F_act-F_d-F_wall-F_mix

Meaning. Geometry alone does not guarantee acceleration.
Bound manifestations. MK, J0, SISTER
Gateway stage. MJ.23 typed measurement branch and MK physics classification

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_094
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.SISTER
Declaration	formula F-094 "Gas net-force balance"
Definition	Geometry alone does not guarantee acceleration.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	MJ.23 typed measurement branch and MK physics classification
Expression	m_eff*a_z=F_b+F_p+F_act-F_d-F_wall-F_mix
Statement	When typed inputs and evidence gates pass, evaluate F-094; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: force; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-094', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-094); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-094 and applicable family/product/representation white papers
Type	force
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='MJ.23 typed measurement branch and MK physics classification'; physical_validation=false; authority=false

45.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_094 : Formula<force>
  definition "Geometry alone does not guarantee acceleration."
  expression `m_eff*a_z=F_b+F_p+F_act-F_d-F_wall-F_mix`
  participants ["MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

45.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-094 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-095 - Buoyancy force

Exact expression

$$F_b=(\rho_{\text{ambient}}-\rho_g)*g*V_g$$

Meaning. Reference buoyancy term under declared environment.
Bound manifestations. MK, J0, EVE
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_095
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE
Declaration	formula F-095 'Buoyancy force'
Definition	Reference buoyancy term under declared environment.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$F_b=(\rho_{\text{ambient}}-\rho_g)*g*V_g$
Statement	When typed inputs and evidence gates pass, evaluate F-095; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: force; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-095', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-095); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-095 and applicable family/product/representation white papers
Type	force
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

46.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_095 : Formula<force>
  definition "Reference buoyancy term under declared environment."
  expression `F_b=(rho_ambient-rho_g)*g*V_g`
  participants ["MK", "J0", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

46.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-095 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-096 - Drag force

Exact expression

$$F_d=0.5*C_d*rho_{ambient}*A_{projected}*u*abs(u)$$

Meaning. Reference drag term under declared coefficient and flow.
Bound manifestations. MK, J0, EVE
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_096
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE
Declaration	formula F-096 'Drag force'
Definition	Reference drag term under declared coefficient and flow.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$F_d=0.5*C_d*rho_{ambient}*A_{projected}*u*abs(u)$
Statement	When typed inputs and evidence gates pass, evaluate F-096; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: force; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-096', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-096); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0.5
Reference	pathways/FORMULA-REGISTER.json#F-096 and applicable family/product/representation white papers
Type	force
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

47.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_096 : Formula<force>
  definition "Reference drag term under declared coefficient and flow."
  expression `F_d=0.5*C_d*rho_ambient*A_projected*u*abs(u)`
  participants ["MK", "JO", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


47.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-096 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-097 - Flow continuity

Exact expression

$$Q=A(z)*u(z)$$

Meaning. For fixed flow, increasing area does not itself accelerate the gas.
Bound manifestations. MK, J0, SISTER
Gateway stage. JP canonical representation, MK applicability, JO proof, and bounded MJ output

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_097
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.SISTER
Declaration	formula F-097 'Flow continuity'
Definition	For fixed flow, increasing area does not itself accelerate the gas.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	JP canonical representation, MK applicability, JO proof, and bounded MJ output
Expression	$Q=A(z)*u(z)$
Statement	When typed inputs and evidence gates pass, evaluate F-097; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: volume/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-097', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-097); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-097 and applicable family/product/representation white papers
Type	volume/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='JP canonical representation, MK applicability, JO proof, and bounded MJ output'; physical_validation=false; authority=false

48.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_097 : Formula<volume/time>
  definition "For fixed flow, increasing area does not itself accelerate the gas."
  expression `Q=A(z)*u(z)`
  participants ["MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

48.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-097 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-098 - Residual reservoir capacity

Exact expression

C_res,k=gamma_k*C_rect,k; 0<=gamma_k<1

Meaning. Residual reservoir remains smaller than rectangle reference capacity.
Bound manifestations. SISTER, EVE, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_098
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-098 'Residual reservoir capacity'
Definition	Residual reservoir remains smaller than rectangle reference capacity.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	C_res,k=gamma_k*C_rect,k; 0<=gamma_k<1
Statement	When typed inputs and evidence gates pass, evaluate F-098; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed capacity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-098', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-098); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0, 1
Reference	pathways/FORMULA-REGISTER.json#F-098 and applicable family/product/representation white papers
Type	typed capacity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

49.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_098 : Formula<typed capacity>
  definition "Residual reservoir remains smaller than rectangle reference capacity."
  expression `C_res,k=gamma_k*C_rect,k; 0<=gamma_k<1`
  participants ["SISTER", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

49.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-098 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-099 - Umbrella/EVE/reservoir balance

Exact expression

q_cone=q_down+q_EVE+q_res+q_escape+r

Meaning. Downward redistribution, EVE evidence, reservoir admission, and escape are separately accounted.

Bound manifestations. EVE, SISTER, MERMAID

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_099
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MERMAID
Declaration	formula F-099 'Umbrella/EVE/reservoir balance'
Definition	Downward redistribution, EVE evidence, reservoir admission, and escape are separately accounted.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	EVE, SISTER, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	q_cone=q_down+q_EVE+q_res+q_escape+r
Statement	When typed inputs and evidence gates pass, evaluate F-099; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed quantity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-099', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-099); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-099 and applicable family/product/representation white papers
Type	typed quantity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

50.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_099 : Formula<typed quantity>
  definition "Downward redistribution, EVE evidence, reservoir admission, and escape are
↵ separately accounted."
  expression `q_cone=q_down+q_EVE+q_res+q_escape+r`
  participants ["EVE", "SISTER", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

50.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-099 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-100 - Containment modification predicate

Exact expression

Valid(theta)=typed&positive&recomputed&conserved&bounded&evidenced&MK&JO&MJ

Meaning. Size changes preserve core logic but require full recalculation and gates.

Bound manifestations. Bangel , JP, MK, JO, MJ

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.containment.geometry_h2_reference
Namespace	MJ.PBMEF.containment.geometry_h2_reference.F_100
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.Bangel , MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-100 'Containment modification predicate'
Definition	Size changes preserve core logic but require full recalculation and gates.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , JP, MK, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	Valid(theta)=typed&positive&recomputed&conserved&bounded&evidenced&MK&JO&MJ
Statement	When typed inputs and evidence gates pass, evaluate F-100; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-100', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-100); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-100 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

51.1 Gateway life-cycle example

```
module MJ.PBMEF.containment.geometry_h2_reference {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_100 : Formula<logical>
  definition "Size changes preserve core logic but require full recalculation and gates."
  expression `Valid(theta)=typed&positive&recomputed&conserved&bounded&evidenced&MK&JO&MJ`
  participants ["Bangel ", "JP", "MK", "JO", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


51.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-100 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

MJ-PBMEF Pink Paper - Volume IV
Formula Gateway Bindings F-101 through F-145

Michael Bangel - Author and Architect

August 2026

Contents

1	Verification method	5
2	F-101 - Rear outlet elevation	6
2.1	Gateway life-cycle example	6
2.2	Lifecycle from request to final output	7
3	F-102 - Pearl simulation exclusion radius	8
3.1	Gateway life-cycle example	8
3.2	Lifecycle from request to final output	9
4	F-103 - Outward-tangential outlet direction	10
4.1	Gateway life-cycle example	10
4.2	Lifecycle from request to final output	11
5	F-104 - Outside-circle outlet path	12
5.1	Gateway life-cycle example	12
5.2	Lifecycle from request to final output	13
6	F-105 - Reservoir volume balance	14
6.1	Gateway life-cycle example	14
6.2	Lifecycle from request to final output	15
7	F-106 - Typed reservoir quantity balance	16
7.1	Gateway life-cycle example	16
7.2	Lifecycle from request to final output	17
8	F-107 - Required buffer volume	18
8.1	Gateway life-cycle example	18
8.2	Lifecycle from request to final output	19
9	F-108 - Outlet area lower bound	20
9.1	Gateway life-cycle example	20
9.2	Lifecycle from request to final output	21
10	F-109 - Circular outlet radius lower bound	22
10.1	Gateway life-cycle example	22
10.2	Lifecycle from request to final output	23
11	F-110 - Bounded drip impulse	24
11.1	Gateway life-cycle example	24
11.2	Lifecycle from request to final output	25
12	F-111 - Small-wave energy reference	26
12.1	Gateway life-cycle example	26
12.2	Lifecycle from request to final output	27
13	F-112 - Froude reference	28
13.1	Gateway life-cycle example	28

13.2Lifecycle from request to final output	29
14F-113 - Circular return-port area	30
14.1Gateway life-cycle example	30
14.2Lifecycle from request to final output	31
15F-114 - Inward-tangential reentry components	32
15.1Gateway life-cycle example	32
15.2Lifecycle from request to final output	33
16F-115 - Spiral compatibility ratio	34
16.1Gateway life-cycle example	34
16.2Lifecycle from request to final output	35
17F-116 - Return continuity	36
17.1Gateway life-cycle example	36
17.2Lifecycle from request to final output	37
18F-117 - Relative-frame velocity	38
18.1Gateway life-cycle example	38
18.2Lifecycle from request to final output	39
19F-118 - Frictional dissipation	40
19.1Gateway life-cycle example	40
19.2Lifecycle from request to final output	41
20F-119 - Recoverable friction-energy bound	42
20.1Gateway life-cycle example	42
20.2Lifecycle from request to final output	43
21F-120 - Reservoir transaction gate	44
21.1Gateway life-cycle example	44
21.2Lifecycle from request to final output	45
22F-121 - Re-entry swirl ratio	46
22.1Gateway life-cycle example	46
22.2Lifecycle from request to final output	47
23F-122 - Re-entry processing cycle	48
23.1Gateway life-cycle example	48
23.2Lifecycle from request to final output	49
24F-123 - Perspective transform residual	50
24.1Gateway life-cycle example	50
24.2Lifecycle from request to final output	51
25F-124 - Physical pressure-flow dissipation	52
25.1Gateway life-cycle example	52
25.2Lifecycle from request to final output	53
26F-125 - Information friction	54
26.1Gateway life-cycle example	54
26.2Lifecycle from request to final output	55
27F-126 - Rotational setpoint damping	56
27.1Gateway life-cycle example	56
27.2Lifecycle from request to final output	57
28F-127 - Rotational step cap	58
28.1Gateway life-cycle example	58
28.2Lifecycle from request to final output	59

29F-128 - Outlet transfer conservation	60
29.1 Gateway life-cycle example	60
29.2 Lifecycle from request to final output	61
30F-129 - Re-entry recalculation vector	62
30.1 Gateway life-cycle example	62
30.2 Lifecycle from request to final output	63
31F-130 - Re-entry admissibility predicate	64
31.1 Gateway life-cycle example	64
31.2 Lifecycle from request to final output	65
32F-131 - Uncertainty-aware Pearl reference clearance	66
32.1 Gateway life-cycle example	66
32.2 Lifecycle from request to final output	67
33F-132 - Outward angular-gap predicate	68
33.1 Gateway life-cycle example	68
33.2 Lifecycle from request to final output	69
34F-133 - Available outlet pressure	70
34.1 Gateway life-cycle example	70
34.2 Lifecycle from request to final output	71
35F-134 - Outlet pressure margin	72
35.1 Gateway life-cycle example	72
35.2 Lifecycle from request to final output	73
36F-135 - Minimum outlet grade	74
36.1 Gateway life-cycle example	74
36.2 Lifecycle from request to final output	75
37F-136 - Selected positive outlet grade	76
37.1 Gateway life-cycle example	76
37.2 Lifecycle from request to final output	77
38F-137 - Incompressible reference outlet flow	78
38.1 Gateway life-cycle example	78
38.2 Lifecycle from request to final output	79
39F-138 - Mean outlet velocity	80
39.1 Gateway life-cycle example	80
39.2 Lifecycle from request to final output	81
40F-139 - Weber number reference	82
40.1 Gateway life-cycle example	82
40.2 Lifecycle from request to final output	83
41F-140 - Wave amplitude ratio	84
41.1 Gateway life-cycle example	84
41.2 Lifecycle from request to final output	85
42F-141 - Small-wave observation gate	86
42.1 Gateway life-cycle example	86
42.2 Lifecycle from request to final output	87
43F-142 - Discrete reservoir inventory	88
43.1 Gateway life-cycle example	88
43.2 Lifecycle from request to final output	89

44F-143 - Vector reservoir headroom	90
44.1 Gateway life-cycle example	90
44.2 Lifecycle from request to final output	91
45F-144 - Vector reservoir admission	92
45.1 Gateway life-cycle example	92
45.2 Lifecycle from request to final output	93
46F-145 - No same-cycle feedback predicate	94
46.1 Gateway life-cycle example	94
46.2 Lifecycle from request to final output	95

Document control	
Project	MJos Predictive Model
Project ID	MJ - PBMEF - 001
Source build	MJ - PBMEF - DAY0 - R5 - REVIEW - CANDIDATE
Document ID	MJ - PBMEF - PINK - PAPER - 001 / VOL - IV
Author and architect	Michael Bangel
Status	FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE
Scope	Formula-level gateway bindings for F-101 through F-145.

Claims ceiling

This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Verification method

Each formula receives the same twenty-construct Bangel identity, a gateway-stage assignment, a life-cycle example, and explicit evidence and ethics boundaries. The repetitive structure is intentional: it allows formula-by-formula founder review and later automated completeness checking.

F-101 - Rear outlet elevation

Exact expression

`z_out=H_P-delta_z; 0<delta_z<H_P`

Meaning. Outlet is below the containment maximum height.
Bound manifestations. SISTER, MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_101
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-101 'Rear outlet elevation'
Definition	Outlet is below the containment maximum height.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	z_out=H_P-delta_z; 0<delta_z<H_P
Statement	When typed inputs and evidence gates pass, evaluate F-101; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-101', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-101); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-101 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

2.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_101 : Formula<length>
  definition "Outlet is below the containment maximum height."
  expression `z_out=H_P-delta_z; 0<delta_z<H_P`
  participants ["SISTER", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


2.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-101 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-102 - Pearl simulation exclusion radius

Exact expression

R_P,sim=R_top+c_P; c_P>=0

Meaning. Nonphysical reference circle plus declared clearance.

Bound manifestations. PEARL, MK, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_102
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.PEARL, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-102 'Pearl simulation exclusion radius'
Definition	Nonphysical reference circle plus declared clearance.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	PEARL, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	R_P,sim=R_top+c_P; c_P>=0
Statement	When typed inputs and evidence gates pass, evaluate F-102; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-102', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-102); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-102 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

3.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_102 : Formula<length>
  definition "Nonphysical reference circle plus declared clearance."
  expression `R_P,sim=R_top+c_P; c_P>=0`
  participants ["PEARL", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

3.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-102 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-103 - Outward-tangential outlet direc- tion

Exact expression

d_out=cos(alpha_out)t+sin(alpha_out)n_out; 0<alpha_out<pi/2

Meaning. Slight positive outward cant from the local tangent.

Bound manifestations. JP, MK, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_103
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,JO
Declaration	formula F-103 'Outward-tangential outlet direction'
Definition	Slight positive outward cant from the local tangent.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	d_out=cos(alpha_out)t+sin(alpha_out)n_out; 0<alpha_out<pi/2
Statement	When typed inputs and evidence gates pass, evaluate F-103; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-103', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-103); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0, 2
Reference	pathways/FORMULA-REGISTER.json#F-103 and applicable family/product/representation white papers
Type	dimensionless vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

4.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_103 : Formula<dimensionless vector>
  definition "Slight positive outward cant from the local tangent."
  expression `d_out=cos(alpha_out)t+sin(alpha_out)n_out; 0<alpha_out<pi/2`
  participants ["JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

4.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-103 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-104 - Outside-circle outlet path

Exact expression

$$||\gamma(s)-c_P||^2=R_P^2+2R_Ps\sin(\alpha_{out})+s^2$$

Meaning. Path remains outside the Pearl simulation circle for $s>0$.
Bound manifestations. PEARL, MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_104
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.PEARL, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-104 "Outside-circle outlet path"
Definition	Path remains outside the Pearl simulation circle for $s>0$.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	PEARL, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$ \gamma(s)-c_P ^2=R_P^2+2R_Ps\sin(\alpha_{out})+s^2$
Statement	When typed inputs and evidence gates pass, evaluate F-104; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length^2; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-104', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-104); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-104 and applicable family/product/representation white papers
Type	length^2
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

5.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_104 : Formula<length^2>
  definition "Path remains outside the Pearl simulation circle for s>0."
  expression `||gamma(s)-c_P||^2=R_P^2+2R_P*s*sin(alpha_out)+s^2`
  participants ["PEARL", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

5.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-104 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-105 - Reservoir volume balance

Exact expression

$$dV_L/dt=Q_{out}-Q_{return}-Q_{drain}-Q_{escape}$$

Meaning. Connected lake-like buffer control-volume balance.

Bound manifestations. SISTER, EVE, MERMAID, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_105
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-105 'Reservoir volume balance'
Definition	Connected lake-like buffer control-volume balance.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, EVE, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$dV_L/dt=Q_{out}-Q_{return}-Q_{drain}-Q_{escape}$
Statement	When typed inputs and evidence gates pass, evaluate F-105; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: volume/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-105', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-105); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-105 and applicable family/product/representation white papers
Type	volume/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

6.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_105 : Formula<volume/time>
  definition "Connected lake-like buffer control-volume balance."
  expression `dV_L/dt=Q_out-Q_return-Q_drain-Q_escape`
  participants ["SISTER", "EVE", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


6.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-105 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-106 - Typed reservoir quantity balance

Exact expression

$$dq_L, k/dt = q_{out}, k - q_{return}, k - q_{drain}, k - q_{escape}, k$$

Meaning. Per-dimension balance prevents cross-unit collapse.

Bound manifestations. SISTER, EVE, MERMAID, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_106
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-106 'Typed reservoir quantity balance'
Definition	Per-dimension balance prevents cross-unit collapse.
Capability	MEASURE, REFERENCE, SIMULATE, VERIFY, UNITS, RECONCILE
Participant	SISTER, EVE, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$dq_L, k/dt = q_{out}, k - q_{return}, k - q_{drain}, k - q_{escape}, k$
Statement	When typed inputs and evidence gates pass, evaluate F-106; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed quantity/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-106', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-106); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-106 and applicable family/product/representation white papers
Type	typed quantity/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

7.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_106 : Formula<typed quantity/time>
  definition "Per-dimension balance prevents cross-unit collapse."
  expression `dq_L, k/dt = q_out, k - q_return, k - q_drain, k - q_escape, k`
  participants ["SISTER", "EVE", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

7.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-106 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-107 - Required buffer volume

Exact expression

$$V_L, req=T_hold*max(0,Q_out,H-Q_return,L)+V_residual,H$$

Meaning. Conservative buffer capacity from inflow-return mismatch and residual.
Bound manifestations. MK, SISTER, JO
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_107
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.JO
Declaration	formula F-107 'Required buffer volume'
Definition	Conservative buffer capacity from inflow-return mismatch and residual.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, SISTER, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	$V_L, req=T_hold*max(0,Q_out,H-Q_return,L)+V_residual,H$
Statement	When typed inputs and evidence gates pass, evaluate F-107; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: volume; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-107', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-107); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-107 and applicable family/product/representation white papers
Type	volume
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

8.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_107 : Formula<volume>
  definition "Conservative buffer capacity from inflow-return mismatch and residual."
  expression `V_L, req=T_hold*max(0,Q_out,H-Q_return,L)+V_residual,H`
  participants ["MK", "SISTER", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

8.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-107 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-108 - Outlet area lower bound

Exact expression

A_out>=Q_design/u_out,max

Meaning. Area sizing from conservative design flow and allowable velocity.
Bound manifestations. MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_108
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-108 'Outlet area lower bound'
Definition	Area sizing from conservative design flow and allowable velocity.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	A_out>=Q_design/u_out,max
Statement	When typed inputs and evidence gates pass, evaluate F-108; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: area; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-108', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-108); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-108 and applicable family/product/representation white papers
Type	area
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

9.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_108 : Formula<area>
  definition "Area sizing from conservative design flow and allowable velocity."
  expression `A_out>=Q_design/u_out,max`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

9.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-108 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-109 - Circular outlet radius lower bound

Exact expression

$$r_{out} \geq \sqrt{A_{out}/\pi}$$

Meaning. Circular outlet radius derived from required area.

Bound manifestations. MK, J0

Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_109
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-109 "Circular outlet radius lower bound"
Definition	Circular outlet radius derived from required area.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	$r_{out} \geq \sqrt{A_{out}/\pi}$
Statement	When typed inputs and evidence gates pass, evaluate F-109; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-109', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-109); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-109 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

10.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_109 : Formula<length>
  definition "Circular outlet radius derived from required area."
  expression `r_out>=sqrt(A_out/pi)`
  participants ["MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


10.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-109 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-110 - Bounded drip impulse

Exact expression

J_drop=m_drop*v_drop<=J_drop,max

Meaning. Small-discharge reference objective; threshold requires evidence.
Bound manifestations. MK, ANGELS, JO
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 110
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.JO
Declaration	formula F-110 'Bounded drip impulse'
Definition	Small-discharge reference objective; threshold requires evidence.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, ANGELS, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	J_drop=m_drop*v_drop<=J_drop,max
Statement	When typed inputs and evidence gates pass, evaluate F-110; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: impulse; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-110', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-110); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-110 and applicable family/product/representation white papers
Type	impulse
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

11.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_110 : Formula<impulse>
  definition "Small-discharge reference objective; threshold requires evidence."
  expression `J_drop=m_drop*v_drop<=J_drop,max`
  participants ["MK", "ANGELS", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

11.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-110 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-111 - Small-wave energy reference

Exact expression

E_wave~= $0.5 \cdot \rho \cdot g \cdot a_{\text{wave}}^2 \cdot A_{\text{surface}}$

Meaning. Applies only under small-amplitude liquid-surface assumptions.
Bound manifestations. MK, JO, EVE
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_111
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE
Declaration	formula F-111 'Small-wave energy reference'
Definition	Applies only under small-amplitude liquid-surface assumptions.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	E_wave~= $0.5 \cdot \rho \cdot g \cdot a_{\text{wave}}^2 \cdot A_{\text{surface}}$
Statement	When typed inputs and evidence gates pass, evaluate F-111; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-111', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-111); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0.5, 2
Reference	pathways/FORMULA-REGISTER.json#F-111 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

12.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_111 : Formula<energy>
  definition "Applies only under small-amplitude liquid-surface assumptions."
  expression `E_wave~= $0.5 \cdot \rho \cdot g \cdot a_{\text{wave}}^2 \cdot A_{\text{surface}}$ `
  participants ["MK", "JO", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

12.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-111 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-112 - Froude reference

Exact expression

Fr=U/sqrt(gL)

Meaning. Flow-regime reference; Fr<1 is a conditional subcritical target.

Bound manifestations. MK, JO

Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 112
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-112 'Froude reference'
Definition	Flow-regime reference; Fr<1 is a conditional subcritical target.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	Fr=U/sqrt(gL)
Statement	When typed inputs and evidence gates pass, evaluate F-112; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-112', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-112); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-112 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

13.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_112 : Formula<dimensionless>
  definition "Flow-regime reference; Fr<1 is a conditional subcritical target."
  expression `Fr=U/sqrt(gL)`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

13.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-112 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-113 - Circular return-port area

Exact expression

A_in=pi*r_in^2

Meaning. Circular re-entry cross-section.
Bound manifestations. MK, JO
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_113
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-113 'Circular return-port area'
Definition	Circular re-entry cross-section.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	A_in=pi*r_in^2
Statement	When typed inputs and evidence gates pass, evaluate F-113; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: area; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-113', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-113); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-113 and applicable family/product/representation white papers
Type	area
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

14.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_113 : Formula<area>
  definition "Circular re-entry cross-section."
  expression `A_in=pi*r_in^2`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


14.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-113 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-114 - Inward-tangential reentry components

Exact expression

$$u_r = -U \sin(\beta_{in}); u_{\theta} = \sigma U \cos(\beta_{in})$$

Meaning. Small inward angle plus tangential component; no vortex proof.
Bound manifestations. SISTER, MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_114
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-114 'Inward-tangential reentry components'
Definition	Small inward angle plus tangential component; no vortex proof.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	SISTER, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$u_r = -U \sin(\beta_{in}); u_{\theta} = \sigma U \cos(\beta_{in})$
Statement	When typed inputs and evidence gates pass, evaluate F-114; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: velocity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-114', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-114); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-114 and applicable family/product/representation white papers
Type	velocity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

15.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_114 : Formula<velocity>
  definition "Small inward angle plus tangential component; no vortex proof."
  expression `u_r=-U*sin(beta_in); u_theta=sigma*U*cos(beta_in)`
  participants ["SISTER", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

15.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-114 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-115 - Spiral compatibility ratio

Exact expression

chi_spiral=|u_theta|/max(|u_r|,epsilon)

Meaning. Reference ratio for tangential-dominant reentry.
Bound manifestations. MK, J0
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_115
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-115 'Spiral compatibility ratio'
Definition	Reference ratio for tangential-dominant reentry.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	chi_spiral= u_theta /max(u_r ,epsilon)
Statement	When typed inputs and evidence gates pass, evaluate F-115; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-115', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-115); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-115 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

16.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_115 : Formula<dimensionless>
  definition "Reference ratio for tangential-dominant reentry."
  expression `chi_spiral=|u_theta|/max(|u_r|,epsilon)`
  participants ["MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

16.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-115 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-116 - Return continuity

Exact expression

Q_return=A_in*u_n

Meaning. Re-entry flow through the circular port.
Bound manifestations. MK, J0, SISTER
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_116
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.SISTER
Declaration	formula F-116 'Return continuity'
Definition	Re-entry flow through the circular port.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	Q_return=A_in*u_n
Statement	When typed inputs and evidence gates pass, evaluate F-116; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: volume/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-116', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-116); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-116 and applicable family/product/representation white papers
Type	volume/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

17.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_116 : Formula<volume/time>
  definition "Re-entry flow through the circular port."
  expression `Q_return=A_in*u_n`
  participants ["MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

17.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-116 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-117 - Relative-frame velocity

Exact expression

$$v_{rel}=v_B-v_A-\Omega_A \times r$$

Meaning. Coordinate-frame-relative motion; perspective does not create energy.

Bound manifestations. MK, J0

Gateway stage. N1 prediction-first allocation, M3 routing, and G123 reconciliation

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 117
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-117 'Relative-frame velocity'
Definition	Coordinate-frame-relative motion; perspective does not create energy.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	N1 prediction-first allocation, M3 routing, and G123 reconciliation
Expression	$v_{rel}=v_B-v_A-\Omega_A \times r$
Statement	When typed inputs and evidence gates pass, evaluate F-117; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: velocity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-117', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-117); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-117 and applicable family/product/representation white papers
Type	velocity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='N1 prediction-first allocation, M3 routing, and G123 reconciliation'; physical_validation=false; authority=false

18.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_117 : Formula<velocity>
  definition "Coordinate-frame-relative motion; perspective does not create energy."
  expression `v_rel=v_B-v_A-Ω_A x r`
  participants ["MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


18.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-117 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-118 - Frictional dissipation

Exact expression

P_diss=max(0,-F_f dot v_rel)

Meaning. Measured frame-relative frictional dissipation.
Bound manifestations. MK, J0, MERMAID
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_118
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.MERMAID
Declaration	formula F-118 'Frictional dissipation'
Definition	Measured frame-relative frictional dissipation.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, J0, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	P_diss=max(0,-F_f dot v_rel)
Statement	When typed inputs and evidence gates pass, evaluate F-118; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: power; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-118', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-118); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-118 and applicable family/product/representation white papers
Type	power
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

19.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_118 : Formula<power>
  definition "Measured frame-relative frictional dissipation."
  expression `P_diss=max(0,-F_f dot v_rel)`
  participants ["MK", "J0", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

19.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-118 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-119 - Recoverable friction-energy bound

Exact expression

$$E_rec \leq \eta_rec * \int (P_diss \, dt); \, 0 \leq \eta_rec \leq 1$$

Meaning. No physical recovery without an evidenced conversion mechanism.
Bound manifestations. MK, JO, MERMAID, SHIVA
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 119
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.SHIVA
Declaration	formula F-119 'Recoverable friction-energy bound'
Definition	No physical recovery without an evidenced conversion mechanism.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, MERMAID, SHIVA
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	$E_rec \leq \eta_rec * \int (P_diss \, dt); \, 0 \leq \eta_rec \leq 1$
Statement	When typed inputs and evidence gates pass, evaluate F-119; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-119', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-119); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; MJ.receipt; }
Literal	0, 1
Reference	pathways/FORMULA-REGISTER.json#F-119 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

20.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_119 : Formula<energy>
  definition "No physical recovery without an evidenced conversion mechanism."
  expression `E_rec<=eta_rec*integral(P_diss dt); 0<=eta_rec<=1`
  participants ["MK", "JO", "MERMAID", "SHIVA"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

20.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-119 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-120 - Reservoir transaction gate

Exact expression

Admit=AngelPass&M3Lease&MKPass&JOPass&MermaidReconciled&MJPermit

Meaning. Every reservoir transfer requires safety, routing, physics, proof, reconciliation, and permit.
Bound manifestations. ANGELS, M3, MK, JO, MERMAID, MJ
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 120
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-120 'Reservoir transaction gate'
Definition	Every reservoir transfer requires safety, routing, physics, proof, reconciliation, and permit.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	ANGELS, M3, MK, JO, MERMAID, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	Admit=AngelPass&M3Lease&MKPass&JOPass&MermaidReconciled&MJPermit
Statement	When typed inputs and evidence gates pass, evaluate F-120; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-120', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-120); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-120 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

21.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_120 : Formula<logical>
  definition "Every reservoir transfer requires safety, routing, physics, proof,
  ↵ reconciliation, and permit."
  expression `Admit=AngelPass&M3Lease&MKPass&JOPass&MermaidReconciled&MJPermit`
  participants ["ANGELS", "M3", "MK", "JO", "MERMAID", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

21.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-120 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-121 - Re-entry swirl ratio

Exact expression

$$\text{chi_i} = |u_{\text{theta}}| / \max(|u_r|, \epsilon_u)$$

Meaning. Represents tangential-to-inward re-entry velocity.
Bound manifestations. MK, J0
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_121
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-121 'Re-entry swirl ratio'
Definition	Represents tangential-to-inward re-entry velocity.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	$\text{chi_i} = u_{\text{theta}} / \max(u_r , \epsilon_u)$
Statement	When typed inputs and evidence gates pass, evaluate F-121; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-121', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-121); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-121 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

22.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_121 : Formula<dimensionless>
  definition "Represents tangential-to-inward re-entry velocity."
  expression `chi_i=|u_theta|/max(|u_r|,epsilon_u)`
  participants ["MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


22.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-121 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-122 - Re-entry processing cycle

Exact expression

cycle_reentry=cycle_exit+1

Meaning. Prohibits same-cycle feedback and creates a new receipt chain.
Bound manifestations. J0, M3, SISTER
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_122
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.SISTER
Declaration	formula F-122 'Re-entry processing cycle'
Definition	Prohibits same-cycle feedback and creates a new receipt chain.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	J0, M3, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	cycle_reentry=cycle_exit+1
Statement	When typed inputs and evidence gates pass, evaluate F-122; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: cycle identifier; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-122', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-122); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-122 and applicable family/product/representation white papers
Type	cycle identifier
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

23.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_122 : Formula<cycle identifier>
  definition "Prohibits same-cycle feedback and creates a new receipt chain."
  expression `cycle_reentry=cycle_exit+1`
  participants ["J0", "M3", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

23.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-122 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-123 - Perspective transform residual

Exact expression

$$r_Pi=x_B-T_A_to_B*x_A$$

Meaning. Measures disagreement after transforming observations between reference frames.
Bound manifestations. MK, JO, EVE, MERMAID
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_123
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.MERMAID
Declaration	formula F-123 'Perspective transform residual'
Definition	Measures disagreement after transforming observations between reference frames.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, EVE, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	$r_Pi=x_B-T_A_to_B*x_A$
Statement	When typed inputs and evidence gates pass, evaluate F-123; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-123', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-123); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-123 and applicable family/product/representation white papers
Type	typed vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

24.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_123 : Formula<typed vector>
  definition "Measures disagreement after transforming observations between reference
↵ frames."
  expression `r_Pi=x_B-T_A_to_B*x_A`
  participants ["MK", "JO", "EVE", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

24.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-123 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-124 - Physical pressure-flow dissipation

Exact expression

E_diss=int(Delta_p(t)*Q(t)dt)

Meaning. Stores measured physical dissipation only when pressure and flow are evidenced.

Bound manifestations. MK, JO, MERMAID

Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_124
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MERMAID
Declaration	formula F-124 'Physical pressure-flow dissipation'
Definition	Stores measured physical dissipation only when pressure and flow are evidenced.
Capability	MEASURE, REFERENCE, SIMULATE, VERIFY, UNITS, RECONCILE
Participant	MK, JO, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	E_diss=int(Delta_p(t)*Q(t)dt)
Statement	When typed inputs and evidence gates pass, evaluate F-124; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: energy; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-124', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel, begin; R1, predict; JP,represent(F-124); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-124 and applicable family/product/representation white papers
Type	energy
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

25.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_124 : Formula<energy>
  definition "Stores measured physical dissipation only when pressure and flow are
  ↪ evidenced."
  expression `E_diss=int(Delta_p(t)*Q(t)dt)`
  participants ["MK", "JO", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

25.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-124 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-125 - Information friction

Exact expression

C_info=int(B_residual(t)dt)

Meaning. Stores unresolved information or memory cost without treating it as energy.
Bound manifestations. J0, M3, MERMAID
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_125
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.FamilyJO, MJ.PBMEF.FamilyM3, MJ.PBMEF.FamilyMERMAID
Declaration	formula F-125 'Information friction'
Definition	Stores unresolved information or memory cost without treating it as energy.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	J0, M3, MERMAID
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	C_info=int(B_residual(t)dt)
Statement	When typed inputs and evidence gates pass, evaluate F-125; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: byte*time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-125', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MKJO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-125); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-125 and applicable family/product/representation white papers
Type	byte*time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

26.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_125 : Formula<byte*time>
  definition "Stores unresolved information or memory cost without treating it as energy."
  expression `C_info=int(B_residual(t)dt)`
  participants ["J0", "M3", "MERMAID"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


26.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-125 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-126 - Rotational setpoint damping

Exact expression

$$\omega_{\tilde{}}=(2/3)\omega+(1/3)\omega_{\text{star}}$$

Meaning. Damps the desired rotational-wave setpoint.
Bound manifestations. MK, JO, SISTER
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_126
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.SISTER
Declaration	formula F-126 'Rotational setpoint damping'
Definition	Damps the desired rotational-wave setpoint.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	$\omega_{\tilde{}}=(2/3)\omega+(1/3)\omega_{\text{star}}$
Statement	When typed inputs and evidence gates pass, evaluate F-126; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: angular velocity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-126', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-126); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2, 3, 1
Reference	pathways/FORMULA-REGISTER.json#F-126 and applicable family/product/representation white papers
Type	angular velocity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

27.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_126 : Formula<angular velocity>
  definition "Damps the desired rotational-wave setpoint."
  expression `omega_tilde=(2/3)*omega+(1/3)*omega_star`
  participants ["MK", "JO", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

27.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-126 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-127 - Rotational step cap

Exact expression

|omega_next-omega|<=0.1*omega_scale

Meaning. Limits one-step rotational changes.
Bound manifestations. MK, J0, ANGELS
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F 127
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.ANGELS
Declaration	formula F-127 'Rotational step cap'
Definition	Limits one-step rotational changes.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0, ANGELS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	omega_next-omega <=0.1*omega_scale
Statement	When typed inputs and evidence gates pass, evaluate F-127; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: angular velocity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-127', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-127); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	0.1
Reference	pathways/FORMULA-REGISTER.json#F-127 and applicable family/product/representation white papers
Type	angular velocity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

28.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_127 : Formula<angular velocity>
  definition "Limits one-step rotational changes."
  expression `|omega_next-omega|<=0.1*omega_scale`
  participants ["MK", "J0", "ANGELS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

28.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-127 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-128 - Outlet transfer conservation

Exact expression

q_exit=q_lake_in+q_EVE+q_escape+r_o

Meaning. Separates lake admission, EVE observation, escape, and residual.
Bound manifestations. EVE, SISTER, MERMAID, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_128
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-128 "Outlet transfer conservation"
Definition	Separates lake admission, EVE observation, escape, and residual.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	EVE, SISTER, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	q_exit=q_lake_in+q_EVE+q_escape+r_o
Statement	When typed inputs and evidence gates pass, evaluate F-128; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed quantity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-128', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-128); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-128 and applicable family/product/representation white papers
Type	typed quantity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

29.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_128 : Formula<typed quantity>
  definition "Separates lake admission, EVE observation, escape, and residual."
  expression `q_exit=q_lake_in+q_EVE+q_escape+r_o`
  participants ["EVE", "SISTER", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

29.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-128 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-129 - Re-entry recalculation vector

Exact expression

Delta_x=[Delta_m,Delta_W,Delta_V,Delta_rho,Delta_T,Delta_p,Delta_h]

Meaning. Declares the observed changes that trigger recalculation before re-entry.
Bound manifestations. MK, J0, EVE, SISTER
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_129
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.SISTER
Declaration	formula F-129 "Re-entry recalculation vector"
Definition	Declares the observed changes that trigger recalculation before re-entry.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, J0, EVE, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	Delta_x=[Delta_m,Delta_W,Delta_V,Delta_rho,Delta_T,Delta_p,Delta_h]
Statement	When typed inputs and evidence gates pass, evaluate F-129; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed vector; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-129', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-129); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-129 and applicable family/product/representation white papers
Type	typed vector
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

30.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_129 : Formula<typed vector>
  definition "Declares the observed changes that trigger recalculation before re-entry."
  expression `Delta_x=[Delta_m,Delta_W,Delta_V,Delta_rho,Delta_T,Delta_p,Delta_h]`
  participants ["MK", "J0", "EVE", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


30.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-129 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-130 - Re-entry admissibility predicate

Exact expression

Admit_re=types&units&new_cycle&capacity&wave&MK&J0&Angels&M3&MJ

Meaning. Requires complete physics, evidence, safety, routing, and authority before physical re-entry.
Bound manifestations. Bangel , JP, MK, J0, ANGELS, M3, MJ
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_130
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family:Bangel , MJ.PBMEF.Family:JP, MJ.PBMEF.Family:MK, MJ.PBMEF.Family:J0
Declaration	formula F-130 'Re-entry admissibility predicate'
Definition	Requires complete physics, evidence, safety, routing, and authority before physical re-entry.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	Bangel , JP, MK, J0, ANGELS, M3, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	Admit_re=types&units&new_cycle&capacity&wave&MK&J0&Angels&M3&MJ
Statement	When typed inputs and evidence gates pass, evaluate F-130; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-130', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel .begin; R1.predict; JP.represent(F-130); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-130 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

31.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_130 : Formula<logical>
  definition "Requires complete physics, evidence, safety, routing, and authority before
  ↪ physical re-entry."
  expression `Admit_re=types&units&new_cycle&capacity&wave&MK&J0&Angels&M3&MJ`
  participants ["Bangel ", "JP", "MK", "J0", "ANGELS", "M3", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

31.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-130 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-131 - Uncertainty-aware Pearl reference clearance

Exact expression

$$\min_s(||\gamma_{out}(s)-c_P||-R_P,sim) \geq c_{min}+U_{path}$$

Meaning. Path remains outside the nonphysical Pearl simulation reference circle after uncertainty is included.

Bound manifestations. PEARL, MK, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_131
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.PEARL, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-131 'Uncertainty-aware Pearl reference clearance'
Definition	Path remains outside the nonphysical Pearl simulation reference circle after uncertainty is included.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	PEARL, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$\min_s(\gamma_{out}(s)-c_P -R_P,sim) \geq c_{min}+U_{path}$
Statement	When typed inputs and evidence gates pass, evaluate F-131; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-131', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-131); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-131 and applicable family/product/representation white papers
Type	length
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

32.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_131 : Formula<length>
  definition "Path remains outside the nonphysical Pearl simulation reference circle after
  ↪ uncertainty is included."
  expression `min_s(||gamma_out(s)-c_P||-R_P,sim) >= c_min+U_path`
  participants ["PEARL", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
```

}

32.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-131 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-132 - Outward angular-gap predicate

Exact expression

abs(wrap(alpha_out-alpha_gap)) <= Delta_alpha_gap/2

Meaning. Outlet direction remains within the declared outward-facing gap.
Bound manifestations. JP, MK, J0
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_132
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,J0
Declaration	formula F-132 'Outward angular-gap predicate'
Definition	Outlet direction remains within the declared outward-facing gap.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	JP, MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	abs(wrap(alpha_out-alpha_gap)) <= Delta_alpha_gap/2
Statement	When typed inputs and evidence gates pass, evaluate F-132; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-132', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-132); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-132 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

33.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_132 : Formula<logical>
  definition "Outlet direction remains within the declared outward-facing gap."
  expression `abs(wrap(alpha_out-alpha_gap)) <= Delta_alpha_gap/2`
  participants ["JP", "MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

33.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-132 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-133 - Available outlet pressure

Exact expression

Delta_p_available=p_containment-p_lake+rho*g*(z_out-z_lake)

Meaning. Pressure and elevation state available to drive a reference outlet flow.
Bound manifestations. MK, J0, SISTER
Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_133
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.SISTER
Declaration	formula F-133 'Available outlet pressure'
Definition	Pressure and elevation state available to drive a reference outlet flow.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0, SISTER
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	Delta_p_available=p_containment-p_lake+rho*g*(z_out-z_lake)
Statement	When typed inputs and evidence gates pass, evaluate F-133; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: pressure; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-133', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-133); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-133 and applicable family/product/representation white papers
Type	pressure
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

34.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_133 : Formula<pressure>
  definition "Pressure and elevation state available to drive a reference outlet flow."
  expression `Delta_p_available=p_containment-p_lake+rho*g*(z_out-z_lake)`
  participants ["MK", "J0", "SISTER"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


34.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-133 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-134 - Outlet pressure margin

Exact expression

Delta_p_margin=Delta_p_available-Delta_p_loss-U_Delta_p

Meaning. Conservative pressure margin after losses and uncertainty.
Bound manifestations. MK, J0
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_134
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-134 'Outlet pressure margin'
Definition	Conservative pressure margin after losses and uncertainty.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	Delta_p_margin=Delta_p_available-Delta_p_loss-U_Delta_p
Statement	When typed inputs and evidence gates pass, evaluate F-134; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: pressure; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-134', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-134); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-134 and applicable family/product/representation white papers
Type	pressure
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

35.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_134 : Formula<pressure>
  definition "Conservative pressure margin after losses and uncertainty."
  expression `Delta_p_margin=Delta_p_available-Delta_p_loss-U_Delta_p`
  participants ["MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

35.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-134 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-135 - Minimum outlet grade

Exact expression

$$\alpha_{\min} = \text{atan}(\max(0, \Delta p_{\text{loss}} + U_{\Delta p} - (p_{\text{containment}} - p_{\text{lake}})) / (\rho \cdot g \cdot L_{\text{path}}))$$

Meaning. Minimum modeled grade needed to overcome pressure deficit under declared assumptions.
Bound manifestations. JP, MK, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_135
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family,JP, MJ.PBMEF.Family,MK, MJ.PBMEF.Family,JO
Declaration	formula F-135 'Minimum outlet grade'
Definition	Minimum modeled grade needed to overcome pressure deficit under declared assumptions.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$\alpha_{\min} = \text{atan}(\max(0, \Delta p_{\text{loss}} + U_{\Delta p} - (p_{\text{containment}} - p_{\text{lake}})) / (\rho \cdot g \cdot L_{\text{path}}))$
Statement	When typed inputs and evidence gates pass, evaluate F-135; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: angle; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-135', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-135); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-135 and applicable family/product/representation white papers
Type	angle
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

36.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_135 : Formula<angle>
  definition "Minimum modeled grade needed to overcome pressure deficit under declared
  ↪ assumptions."
  expression
  ↪ `alpha_min=atan(max(0,Delta_p_loss+U_Delta_p-(p_containment-p_lake))/(rho*g*L_path))`
  participants ["JP", "MK", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

36.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-135 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-136 - Selected positive outlet grade

Exact expression

alpha_selected=alpha_min+delta_alpha; delta_alpha>0

Meaning. Slight positive increase above the modeled minimum; no universal value is asserted.

Bound manifestations. JP, MK, JO, MJ

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_136
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.JP, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.MJ
Declaration	formula F-136 'Selected positive outlet grade'
Definition	Slight positive increase above the modeled minimum; no universal value is asserted.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	JP, MK, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	alpha_selected=alpha_min+delta_alpha; delta_alpha>0
Statement	When typed inputs and evidence gates pass, evaluate F-136; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: angle; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-136', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-136); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	0
Reference	pathways/FORMULA-REGISTER.json#F-136 and applicable family/product/representation white papers
Type	angle
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

37.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_136 : Formula<angle>
  definition "Slight positive increase above the modeled minimum; no universal value is
  ↪ asserted."
  expression `alpha_selected=alpha_min+delta_alpha; delta_alpha>0`
  participants ["JP", "MK", "JO", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

37.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-136 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-137 - Incompressible reference outlet flow

Exact expression

$$Q_{ref}=C_dA_{out}\sqrt{2\max(0,\Delta p_{available}-\Delta p_{loss})/\rho}$$

Meaning. Conditional reference flow under evidenced incompressible assumptions.
Bound manifestations. MK, J0
Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_137
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-137 'Incompressible reference outlet flow'
Definition	Conditional reference flow under evidenced incompressible assumptions.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	$Q_{ref}=C_dA_{out}\sqrt{2\max(0,\Delta p_{available}-\Delta p_{loss})/\rho}$
Statement	When typed inputs and evidence gates pass, evaluate F-137; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: volume/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-137', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-137); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	2, 0
Reference	pathways/FORMULA-REGISTER.json#F-137 and applicable family/product/representation white papers
Type	volume/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

38.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_137 : Formula<volume/time>
  definition "Conditional reference flow under evidenced incompressible assumptions."
  expression `Q_ref=C_d*A_out*sqrt(2*max(0,Delta_p_available-Delta_p_loss)/rho)`
  participants ["MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


38.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-137 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-138 - Mean outlet velocity

Exact expression

U_out=Q_ref/A_out

Meaning. Conditional mean velocity for the declared outlet area.
Bound manifestations. MK, J0
Gateway stage. Sister/EVE/MK/J0 containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_138
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-138 'Mean outlet velocity'
Definition	Conditional mean velocity for the declared outlet area.
Capability	MEASURE_REFERENCE, SIMULATE, VERIFY_UNITS, RECONCILE
Participant	MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Sister/EVE/MK/J0 containment or simulation evidence before MJ permit
Expression	U_out=Q_ref/A_out
Statement	When typed inputs and evidence gates pass, evaluate F-138; otherwise preserve HOLD, FAIL_TECHNICAL, or DENY.
Measurement	Result dimension/type: length/time; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-138', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-138); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-138 and applicable family/product/representation white papers
Type	length/time
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/J0 containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

39.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_138 : Formula<length/time>
  definition "Conditional mean velocity for the declared outlet area."
  expression `U_out=Q_ref/A_out`
  participants ["MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

39.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-138 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-139 - Weber number reference

Exact expression

We=rho*U^2*L/sigma

Meaning. Surface-tension-to-inertia reference when the model applies.
Bound manifestations. MK, J0
Gateway stage. Reservoir/lake/re-entry reference pathway and successor-cycle evidence

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_139
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.J0
Declaration	formula F-139 "Weber number reference"
Definition	Surface-tension-to-inertia reference when the model applies.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, J0
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> J0 -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> J0 output
Function	Reservoir/lake/re-entry reference pathway and successor-cycle evidence
Expression	We=rho*U^2*L/sigma
Statement	When typed inputs and evidence gates pass, evaluate F-139; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-139', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-139); MK.classify; J0.verify; N1.allocate_if_applicable; MJ.decide; J0.receipt; }
Literal	2
Reference	pathways/FORMULA-REGISTER.json#F-139 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Reservoir/lake/re-entry reference pathway and successor-cycle evidence'; physical_validation=false; authority=false

40.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_139 : Formula<dimensionless>
  definition "Surface-tension-to-inertia reference when the model applies."
  expression `We=rho*U^2*L/sigma`
  participants ["MK", "J0"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> J0.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

40.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-139 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-140 - Wave amplitude ratio

Exact expression

epsilon_a=a_wave/h_L

Meaning. Dimensionless small-amplitude observation ratio.

Bound manifestations. MK, JO, EVE

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_140
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.EVE
Declaration	formula F-140 "Wave amplitude ratio"
Definition	Dimensionless small-amplitude observation ratio.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	MK, JO, EVE
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	epsilon_a=a_wave/h_L
Statement	When typed inputs and evidence gates pass, evaluate F-140; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: dimensionless; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-140', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-140); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-140 and applicable family/product/representation white papers
Type	dimensionless
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

41.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_140 : Formula<dimensionless>
  definition "Dimensionless small-amplitude observation ratio."
  expression `epsilon_a=a_wave/h_L`
  participants ["MK", "JO", "EVE"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

41.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-140 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-141 - Small-wave observation gate

Exact expression

WaveGate=(Fr<=Fr_max)&(epsilon_a<=epsilon_a,max)&(We<=We_max when applicable)

Meaning. Reference gate for bounded low-amplitude observations; not proof of wave suppression.

Bound manifestations. MK, JO, ANGELS

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_141
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO, MJ.PBMEF.Family.ANGELS
Declaration	formula F-141 'Small-wave observation gate'
Definition	Reference gate for bounded low-amplitude observations; not proof of wave suppression.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	MK, JO, ANGELS
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	WaveGate=(Fr<=Fr_max)&(epsilon_a<=epsilon_a,max)&(We<=We_max when applicable)
Statement	When typed inputs and evidence gates pass, evaluate F-141; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-141', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-141); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-141 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

42.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_141 : Formula<logical>
  definition "Reference gate for bounded low-amplitude observations; not proof of wave
  ↪ suppression."
  expression `WaveGate=(Fr<=Fr_max)&(epsilon_a<=epsilon_a,max)&(We<=We_max when applicable)`
  participants ["MK", "JO", "ANGELS"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


42.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-141 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-142 - Discrete reservoir inventory

Exact expression

$$q_L, t+1 = q_L, t + q_{out} - q_{return} - q_{drain} - q_{escape} - r_L$$

Meaning. Receipted discrete update for the separate lake/buffer control volume.

Bound manifestations. EVE, M3, MERMAID, JO

Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_142
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MERMAID, MJ.PBMEF.Family.JO
Declaration	formula F-142 'Discrete reservoir inventory'
Definition	Receipted discrete update for the separate lake/buffer control volume.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	EVE, M3, MERMAID, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	$q_L, t+1 = q_L, t + q_{out} - q_{return} - q_{drain} - q_{escape} - r_L$
Statement	When typed inputs and evidence gates pass, evaluate F-142; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed quantity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-142', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-142); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-142 and applicable family/product/representation white papers
Type	typed quantity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

43.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_142 : Formula<typed quantity>
  definition "Receipted discrete update for the separate lake/buffer control volume."
  expression `q_L, t+1=q_L, t+q_out-q_return-q_drain-q_escape-r_L`
  participants ["EVE", "M3", "MERMAID", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

43.2 Lifecycle from request to final output

- 1. R/R0: receive founder or user purpose and exact command scope.
- 2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
- 3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
- 4. JP: create the canonical CAPO for F-142 and its assumptions, inputs, outputs, and invariants.
- 5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
- 6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
- 7. R1: hold the object in unidentified transition until required evidence is sufficient.
- 8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
- 9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
- 10. M3: route admitted resources and handoffs without minting authority.
- 11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
- 12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
- 13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-143 - Vector reservoir headroom

Exact expression

H_L,k=C_L,k-q_L,k

Meaning. Headroom remains separate for every resource dimension.
Bound manifestations. SISTER, EVE, JO
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_143
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.SISTER, MJ.PBMEF.Family.EVE, MJ.PBMEF.Family.JO
Declaration	formula F-143 'Vector reservoir headroom'
Definition	Headroom remains separate for every resource dimension.
Capability	REPRESENT, CALCULATE, VERIFY, RECEIPT
Participant	SISTER, EVE, JO
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	H_L,k=C_L,k-q_L,k
Statement	When typed inputs and evidence gates pass, evaluate F-143; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: typed capacity; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-143', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel.begin; R1.predict; JP.represent(F-143); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	No numeric literal; symbolic inputs only
Reference	pathways/FORMULA-REGISTER.json#F-143 and applicable family/product/representation white papers
Type	typed capacity
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

44.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_143 : Formula<typed capacity>
  definition "Headroom remains separate for every resource dimension."
  expression `H_L,k=C_L,k-q_L,k`
  participants ["SISTER", "EVE", "JO"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

44.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-143 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-144 - Vector reservoir admission

Exact expression

Admit_L=AND_k[q_L,k+q_in,k <= (1-h_L,k)C_L,k]

Meaning. Admission fails when any resource dimension lacks required headroom.
Bound manifestations. ANGELS, M3, MK, J0, MJ
Gateway stage. Sister/EVE/MK/JO containment or simulation evidence before MJ permit

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_144
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.MK, MJ.PBMEF.Family.JO
Declaration	formula F-144 'Vector reservoir admission'
Definition	Admission fails when any resource dimension lacks required headroom.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	ANGELS, M3, MK, JO, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Sister/EVE/MK/JO containment or simulation evidence before MJ permit
Expression	Admit_L=AND_k[q_L,k+q_in,k <= (1-h_L,k)C_L,k]
Statement	When typed inputs and evidence gates pass, evaluate F-144; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-144', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP,MK,JO); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predict; JP.represent(F-144); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-144 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Sister/EVE/MK/JO containment or simulation evidence before MJ permit'; physical_validation=false; authority=false

45.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_144 : Formula<logical>
  definition "Admission fails when any resource dimension lacks required headroom."
  expression `Admit_L=AND_k[q_L,k+q_in,k <= (1-h_L,k)C_L,k]`
  participants ["ANGELS", "M3", "MK", "J0", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output JO.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```

45.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-144 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

F-145 - No same-cycle feedback predicate

Exact expression

ReentryValid=(cycle_reentry=cycle_exit+1)&no_uncleared_generation_reuse

Meaning. Re-entry starts a new receipted cycle and cannot feed the same active generation.

Bound manifestations. M3, J0, ANGELS, MJ

Gateway stage. Mermaid/Shiva financial analysis and reconciliation before MJ decision

Construct	Formula-specific expression
Module	MJ.PBMEF.reservoir.outlet_lake_reentry_friction
Namespace	MJ.PBMEF.reservoir.outlet_lake_reentry_friction.F_145
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Formulas, MJ.PBMEF.Family.M3, MJ.PBMEF.Family.J0, MJ.PBMEF.Family.ANGELS, MJ.PBMEF.Family.MJ
Declaration	formula F-145 'No same-cycle feedback predicate'
Definition	Re-entry starts a new receipted cycle and cannot feed the same active generation.
Capability	CLASSIFY, VALIDATE, HOLD, DENY
Participant	M3, J0, ANGELS, MJ
Relationship	Human purpose -> MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence families -> M3 -> Mermaid/Shiva -> MJ -> JO output
Function	Mermaid/Shiva financial analysis and reconciliation before MJ decision
Expression	ReentryValid=(cycle_reentry=cycle_exit+1)&no_uncleared_generation_reuse
Statement	When typed inputs and evidence gates pass, evaluate F-145; otherwise preserve HOLD, FAIL, TECHNICAL, or DENY.
Measurement	Result dimension/type: logical; physical inputs require units, boundary, time, calibration, and uncertainty.
Constraint	UNKNOWN != 0; no self-authorization; no cross-unit coercion; evidence ceiling controls claims.
Annotation	@formula(id='F-145', source='pathways/FORMULA-REGISTER.json', build='MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE')
Directive	verify_with(JP.MK.J0); route_with(M3 when applicable); reconcile_with(Mermaid/Shiva when applicable); permit_by(MJ).
Block	R0 { Bangel; begin; R1.predit; JP.represent(F-145); MK.classify; JO.verify; N1.allocate_if_applicable; MJ.decide; JO.receipt; }
Literal	1
Reference	pathways/FORMULA-REGISTER.json#F-145 and applicable family/product/representation white papers
Type	logical
Attribute	status=REFERENCE_OR_TYPED_CANON; stage='Mermaid/Shiva financial analysis and reconciliation before MJ decision'; physical_validation=false; authority=false

46.1 Gateway life-cycle example

```
module MJ.PBMEF.reservoir.outlet_lake_reentry_friction {
  import MJ.PBMEF.Manifest
  import MJ.PBMEF.Formulas
  declaration F_145 : Formula<logical>
  definition "Re-entry starts a new receipted cycle and cannot feed the same active
↵ generation."
  expression `ReentryValid=(cycle_reentry=cycle_exit+1)&no_uncleared_generation_reuse`
  participants ["M3", "J0", "ANGELS", "MJ"]
  constraint UNKNOWN != 0
  constraint authority == MJ.only
  directive JP.represent -> MK.classify -> JO.verify
  directive N1.allocate when resource_path_applicable
  directive M3.route when handoff_applicable
  directive Mermaid.reconcile when balance_applicable
  directive Shiva.analyze when capital_applicable
  output J0.receipt(PASS | HOLD | FAIL_TECHNICAL | DENY)
}
```


46.2 Lifecycle from request to final output

1. R/R0: receive founder or user purpose and exact command scope.
2. Bangel.begin: parse modules, namespaces, declarations, literals, types, constraints, and directives.
3. Elsa: recover semantic purpose, variable meaning, and ambiguity without creating authority.
4. JP: create the canonical CAPO for F-145 and its assumptions, inputs, outputs, and invariants.
5. MK: classify direct-physical, resource-physical, or abstract-nonphysical applicability; validate units, boundary, conservation, scale, and evidence ceiling.
6. JO: run deterministic validation, preserve unknowns, and create a proof-receipt candidate.
7. R1: hold the object in unidentified transition until required evidence is sufficient.
8. N1: when allocation applies, use the prediction-first node and exact front-end allocation constraints; no physical coordinate is inferred.
9. Angels/Bellatrix/Sister/EVE: provide applicable safety, anomaly, prediction, containment, screen, and egress evidence.
10. M3: route admitted resources and handoffs without minting authority.
11. Mermaid/Shiva: reconcile balances and financial implications when relevant.
12. MJ: issue PASS, HOLD, FAIL_TECHNICAL, or DENY within the bounded permit class.
13. JO: execute only admitted non-prohibited effects and emit the final R2 living-static receipt.

Evidence and ethics boundary

Mathematical correctness does not prove physical performance and does not authorize an effect. A formula may remain fully valid while a product instance is held for missing calibration, dimensions, environmental state, uncertainty, authority, or safety evidence. Weaponized use, destructive delivery, offensive targeting, and authorization laundering are DENY states.

MJ-PBMEF Pink Paper - Volume V
Family Manifestations and Governed Object Gateway Bindings

Michael Bangel - Author and Architect

August 2026

Contents

1 Family manifestation verification	4
2 MJ - MJ	5
2.1 Command-life-cycle role	5
3 Bangel - Bangel	6
3.1 Command-life-cycle role	6
4 Elsa - ELSA	7
4.1 Command-life-cycle role	7
5 JP - JP	8
5.1 Command-life-cycle role	8
6 Mika / MK - MK	9
6.1 Command-life-cycle role	9
7 JO - JO	10
7.1 Command-life-cycle role	10
8 MJOS - MJOS	11
8.1 Command-life-cycle role	11
9 Angels - ANGELS	12
9.1 Command-life-cycle role	12
10 Bellatrix - BELLATRIX	13
10.1 Command-life-cycle role	13
11 Sister - SISTER	14
11.1 Command-life-cycle role	14
12 EVE - EVE	15
12.1 Command-life-cycle role	15
13 Mary / M3 - M3	16
13.1 Command-life-cycle role	16
14 Mermaid - MERMAID	17
14.1 Command-life-cycle role	17
15 Shiva - SHIVA	18
15.1 Command-life-cycle role	18
16 Shekina - SHEKINA	19
16.1 Command-life-cycle role	19

17 Belle - BELLE	20
17.1 Command-life-cycle role	20
18 Lecanto - LECANTO	21
18.1 Command-life-cycle role	21
19 Moana - MOANA	22
19.1 Command-life-cycle role	22
20 Aviator - AVIATOR	23
20.1 Command-life-cycle role	23
21 CHI - CHI	24
21.1 Command-life-cycle role	24
22 WATER - WATER	25
22.1 Command-life-cycle role	25
23 Governed object verification	26
23.1 JP_CAPO	27
23.2 MK_PHYSICS_CAPO	27
23.3 JO_PROOF_RECEIPT	28
23.4 MJ_PERMIT	28
23.5 EVE_OBSERVATION	29
23.6 M3_ROUTE_RECEIPT	29
23.7 MERMAID_ACCOUNT	30
23.8 SHIVA_SHELL	30
23.9 SHIVAS_INTERNAL_REFLECTION	31
23.10 HI_VARIANCE_OBJECT	31
23.11 WATER_INTERVAL_STATE	32
23.12 PASSKEY_PUBLIC_RECEIPT	32
23.13 PEARL_VARIANCE_CONTAINER	33
23.14 PEARL_ALLOCATION_RECEIPT	33
23.15 PEARL_ACOUSTIC_PROFILE	34
23.16 PEARL_SYMPORIUM_REGISTRY	34
23.17 Bangel_SHEET	35
23.18 Bangel_SHEET_CELL	35
23.19 Bangel_SHEET_REVISION	36
23.20 Bangel_SHEET_AUDIT_PARTICLE	36
23.21 POSMJ_PRODUCT_ENVELOPE	37
23.22 RISTER_PHYSICAL_CONTAINMENT_PROFILE	37
23.23 STANDARD_CONTAINMENT_GEOMETRY_PROFILE	38
23.24 REFERENCE_GAS_PROFILE_H2	38
23.25 CONTAINMENT_MODIFICATION_RECEIPT	39
23.26 ONE_TOP_PEARL_ANCHOR	39
23.27 GAS_HEIGHT_OBSERVATION	40
23.28 RESERVOIR_RETURN_LOOP_PROFILE	40
23.29 OUTWARD_GAP_PATH_RECEIPT	41
23.30 RESERVOIR_BUFFER_ACCOUNT	41
23.31 CIRCULAR_REENTRY_RECEIPT	42
23.32 RELATIVE_FRAME_FRICTION_LEDGER	42
23.33 RESERVOIR_LAKE_BUFFER	43
23.34 BACKSIDE_OUTLET_PORT	43
23.35 OUTWARD_GAP_ARC	44
23.36 PEARL_REFERENCE_CIRCLE	44
23.37 CIRCULAR_REENTRY_PORT	45
23.38 RESERVOIR_TRANSFER_RECEIPT	45
23.39 PERSPECTIVE_FRICTION_RECEIPT	46

Document control

Project

Project ID

Source build

Document ID

Author and architect

Status

Scope

MJos Predictive Model

MJ - PBMEF - 001

MJ - PBMEF - DAY0 - R5 - REVIEW - CANDIDATE

MJ - PBMEF - PINK - PAPER - 001 / VOL - V

Michael Bangel

FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE

All family manifestations and governed objects in gateway and life-cycle context.

Claims ceiling

This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Family manifestation verification

MJ - MJ

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.MJ
Namespace	MJ.PBMEF.Family.MJ.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant MJ
Definition	Project root, founder-governed authority and final bounded permit decision.
Capability	bounded permit, hold, deny, project state
Participant	MJ
Relationship	Incoming: MICHAEL_BANGEL; outgoing: Bangel
Function	Project root, founder-governed authority and final bounded permit decision.
Expression	Applicable formula set and bounded family receipt
Statement	MJ contributes its role but cannot substitute for another participant.
Measurement	founder purpose, verified evidence, family receipts, Pearl and Bangel Spreadsheets decision packets
Constraint	Cannot convert unknown evidence into permission or claim external authority.
Annotation	@family(id='MJ', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant MJ { input; verify; output; boundary; }
Literal	truth, measurement, human authority, stewardship, non-weaponization
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	ROOT
Attribute	full_family_identity=true; self_authority=false

2.1 Command-life-cycle role

At R0/R1, MJ receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Cannot convert unknown evidence into permission or claim external authority.

Bangel - Bangel

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.Bangel
Namespace	MJ.PBMEF.Family.Bangel .Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant Bangel
Definition	Human-facing governed language that preserves purpose and command structure.
Capability	typed command envelope, source representation, Bangel Sheet source, if/how/then operational intake
Participant	Bangel
Relationship	Incoming: MJ; outgoing: ELSA
Function	Human-facing governed language that preserves purpose and command structure.
Expression	Applicable formula set and bounded family receipt
Statement	Bangel contributes its role but cannot substitute for another participant.
Measurement	human purpose, declared scope
Constraint	No independent execution, financial issuance, or physical truth.
Annotation	@family(id='Bangel ', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant Bangel { input; verify; output; boundary; }
Literal	intent integrity, explicit types, traceability
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

3.1 Command-life-cycle role

At R0/R1, Bangel receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No independent execution, financial issuance, or physical truth.

Elsa - ELSA

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.ELSA
Namespace	MJ.PBMEF.Family.ELSA.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant ELSA
Definition	Deterministic semantic recovery and purpose-preservation layer.
Capability	semantic envelope, ambiguity hold
Participant	Elsa
Relationship	Incoming: Bangel ; outgoing: JP
Function	Deterministic semantic recovery and purpose-preservation layer.
Expression	Applicable formula set and bounded family receipt
Statement	Elsa contributes its role but cannot substitute for another participant.
Measurement	Bangel source, context evidence
Constraint	No execution, permit, finance, or invented intent.
Annotation	@family(id='ELSA', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant ELSA { input; verify; output; boundary; }
Literal	meaning fidelity, purpose confinement, clarity
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

4.1 Command-life-cycle role

At R0/R1, Elsa receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No execution, permit, finance, or invented intent.

JP - JP

Construct	Formula-specific expression
Module	MJ.PBMEF.FamilyJP
Namespace	MJ.PBMEF.FamilyJP.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant JP
Definition	Canonical mathematical, algorithmic, topology, CAPO, and architecture representation.
Capability	math CAPO, algorithm CAPO, architecture CAPO, Pearl CAPO, Bangel Sheet dependency CAPO, JPOSMJ product envelope
Participant	JP
Relationship	Incoming: ELSA; outgoing: MK
Function	Canonical mathematical, algorithmic, topology, CAPO, and architecture representation.
Expression	Applicable formula set and bounded family receipt
Statement	JP contributes its role but cannot substitute for another participant.
Measurement	semantic envelope, founder laws
Constraint	Representation is not admission, execution, or authority.
Annotation	@family(id='JP', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant JP { input; verify; output; boundary; }
Literal	mathematical rigor, provenance, equivalence
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

5.1 Command-life-cycle role

At R0/R1, JP receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Representation is not admission, execution, or authority.

Mika / MK - MK

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.MK
Namespace	MJ.PBMEF.Family.MK.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant MK
Definition	Physics Modulator System for dimensional, conservation, boundary, scale, and evidence representation.
Capability	physics CAPO, not-applicable receipt, hold, technical fail, Pearl physics receipt, spreadsheet resource-physics receipt
Participant	Mika / MK
Relationship	Incoming: JP; outgoing: JO, BELLE
Function	Physics Modulator System for dimensional, conservation, boundary, scale, and evidence representation.
Expression	Applicable formula set and bounded family receipt
Statement	Mika / MK contributes its role but cannot substitute for another participant.
Measurement	JP math CAPO, environment, control volume, evidence, Pearl simulation geometry/acoustic profile, Bangel Sheet workload and dependency field
Constraint	No MJ permit, coordinate approval, physical validation, or evidence invention.
Annotation	@family(id='MK', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant MK { input; verify; output; boundary; }
Literal	physical truth, unit integrity, conservation, uncertainty honesty
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

6.1 Command-life-cycle role

At R0/R1, Mika / MK receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No MJ permit, coordinate approval, physical validation, or evidence invention.

JO - JO

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.JO
Namespace	MJ.PBMEF.Family.JO.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant JO
Definition	Deterministic type, unit, proof, validation, runtime, and evidence engine.
Capability	proof receipt, runtime result, hold, deny, sheet revision receipt, Pearl balance receipt
Participant	JO
Relationship	Incoming: MK; outgoing: ANGELS, BELLATRIX, SISTER, EVE
Function	Deterministic type, unit, proof, validation, runtime, and evidence engine.
Expression	Applicable formula set and bounded family receipt
Statement	JO contributes its role but cannot substitute for another participant.
Measurement	typed CAPOs, authority receipts, evidence, Bangel Sheet revisions, Pearl lifecycle packets
Constraint	No invented purpose, physics, authority, finance, or external effect.
Annotation	@family(id='JO', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant JO { input; verify; output; boundary; }
Literal	fail closed, reproducibility, auditability
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

7.1 Command-life-cycle role

At R0/R1, JO receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No invented purpose, physics, authority, finance, or external effect.

MJOS - MJOS

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.MJOS
Namespace	MJ.PBMEF.Family.MJOS.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant MJOS
Definition	Operating-system and infrastructure substrate inside MJ.
Capability	resource service, infrastructure evidence
Participant	MJOS
Relationship	Incoming: JO_EXECUTION; outgoing: receipt to MJ/JO
Function	Operating-system and infrastructure substrate inside MJ.
Expression	Applicable formula set and bounded family receipt
Statement	MJOS contributes its role but cannot substitute for another participant.
Measurement	MJ leases, JO execution plan
Constraint	Not a second authority principal.
Annotation	@family(id='MJOS', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant MJOS { input; verify; output; boundary; }
Literal	bounded resources, continuity, isolation
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

8.1 Command-life-cycle role

At R0/R1, MJOS receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Not a second authority principal.

Angels - ANGELS

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.ANGELS
Namespace	MJ.PBMEF.Family.ANGELS.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant ANGELS
Definition	Domain-specific observation, telemetry, hold, denial, and corrective-command family.
Capability	safety receipt, hold, deny, correction request
Participant	Angels
Relationship	Incoming: JO; outgoing: M3
Function	Domain-specific observation, telemetry, hold, denial, and corrective-command family.
Expression	Applicable formula set and bounded family receipt
Statement	Angels contributes its role but cannot substitute for another participant.
Measurement	commands, evidence, state
Constraint	No self-admission, ordinary execution, or scope expansion.
Annotation	@family(id='ANGELS', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant ANGELS { input; verify; output; boundary; }
Literal	safety, watchfulness, correction
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION_FAMILY
Attribute	full_family_identity=true; self_authority=false

9.1 Command-life-cycle role

At R0/R1, Angels receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No self-admission, ordinary execution, or scope expansion.

Bellatrix - BELLATRIX

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.BELLATRIX
Namespace	MJ.PBMEF.Family.BELLATRIX.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant BELLATRIX
Definition	Independent defense, challenge, quarantine, hostile-deviation analysis, and denial.
Capability	deny, quarantine, challenge receipt
Participant	Bellatrix
Relationship	Incoming: JO; outgoing: M3
Function	Independent defense, challenge, quarantine, hostile-deviation analysis, and denial.
Expression	Applicable formula set and bounded family receipt
Statement	Bellatrix contributes its role but cannot substitute for another participant.
Measurement	commands, threat evidence
Constraint	No positive general admission.
Annotation	@family(id='BELLATRIX', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant BELLATRIX { input; verify; output; boundary; }
Literal	defense, independence, containment
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

10.1 Command-life-cycle role

At R0/R1, Bellatrix receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No positive general admission.

Sister - SISTER

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.SISTER
Namespace	MJ.PBMEF.Family.SISTER.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant SISTER
Definition	Predictive digital twin, preallocation evidence, anomaly detection, umbrella collection, and canonical physical containment request.
Capability	forecast, containment request, digital-twin receipt, physical containment request and Pearl simulation request
Participant	Sister
Relationship	Incoming: JO; outgoing: M3
Function	Predictive digital twin, preallocation evidence, anomaly detection, umbrella collection, and canonical physical containment request.
Expression	Applicable formula set and bounded family receipt
Statement	Sister contributes its role but cannot substitute for another participant.
Measurement	state stream, request trend, variance
Constraint	Prediction is not permission.
Annotation	@family(id='SISTER', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant SISTER { input; verify; output; boundary; }
Literal	prediction, redundancy, early warning
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

11.1 Command-life-cycle role

At R0/R1, Sister receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Prediction is not permission.

EVE - EVE

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.EVE
Namespace	MJ.PBMEF.Family.EVE.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant EVE
Definition	Variance, evaporative effect, screen capture, leakage, smoke-like egress, and boundary-accounting evidence.
Capability	EVE observation, capture/egress ledger, hold, Pearl escape/capture observation
Participant	EVE
Relationship	Incoming: JO; outgoing: M3
Function	Variance, evaporative effect, screen capture, leakage, smoke-like egress, and boundary-accounting evidence.
Expression	Applicable formula set and bounded family receipt
Statement	EVE contributes its role but cannot substitute for another participant.
Measurement	mass/weight states, flows, screen measurements, residuals
Constraint	No release, pricing, minting, or execution.
Annotation	@family(id='EVE', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant EVE { input; verify; output; boundary; }
Literal	diligence, respect, loss accounting, boundary truth
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

12.1 Command-life-cycle role

At R0/R1, EVE receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No release, pricing, minting, or execution.

Mary / M3 - M3

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.M3
Namespace	MJ.PBMEF.Family.M3.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant M3
Definition	Bounded routing, API gateway, load balancing, connection pooling, and allocation stewardship.
Capability	route receipt, allocation lease use, return receipt, Pearl allocation/transfer receipt, Bangel Sheet partition route receipt
Participant	Mary / M3
Relationship	Incoming: ANGELS, BELLATRIX, SISTER, EVE; outgoing: MERMAID, SHIVA
Function	Bounded routing, API gateway, load balancing, connection pooling, and allocation stewardship.
Expression	Applicable formula set and bounded family receipt
Statement	Mary / M3 contributes its role but cannot substitute for another participant.
Measurement	admitted command, MJ lease, capacity evidence
Constraint	No authority minting, lease widening, or denial bypass.
Annotation	@family(id='M3', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant M3 { input; verify; output; boundary; }
Literal	fair allocation, resource hygiene, bounded routing
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

13.1 Command-life-cycle role

At R0/R1, Mary / M3 receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No authority minting, lease widening, or denial bypass.

Mermaid - MERMAID

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.MERMAID
Namespace	MJ.PBMEF.Family.MERMAID.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant MERMAID
Definition	Accounting, reconciliation, exposure, custody evidence, statements, tax lots, and financial consequence.
Capability	account, balance, exposure, reconciliation receipt
Participant	Mermaid
Relationship	Incoming: M3; outgoing: MJ_DECISION
Function	Accounting, reconciliation, exposure, custody evidence, statements, tax lots, and financial consequence.
Expression	Applicable formula set and bounded family receipt
Statement	Mermaid contributes its role but cannot substitute for another participant.
Measurement	transaction evidence, EVE evidence, Shiva proposal, Pearl lifecycle and Bangel Sheet audit particles
Constraint	No source-truth invention, minting, or final permit.
Annotation	@family(id='MERMAID', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant MERMAID { input; verify; output; boundary; }
Literal	ledger truth, reconciliation, transparency
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

14.1 Command-life-cycle role

At R0/R1, Mermaid receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No source-truth invention, minting, or final permit.

Shiva - SHIVA

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.SHIVA
Namespace	MJ.PBMEF.Family.SHIVA.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant SHIVA
Definition	Finance, money, treasury, liquidity, capital-job classification, risk/opportunity analysis, and distribution proposal.
Capability	capital proposal, job-of-money classification, distribution plan
Participant	Shiva
Relationship	Incoming: M3; outgoing: MJ_DECISION
Function	Finance, money, treasury, liquidity, capital-job classification, risk/opportunity analysis, and distribution proposal.
Expression	Applicable formula set and bounded family receipt
Statement	Shiva contributes its role but cannot substitute for another participant.
Measurement	capital purpose, Mermaid account, MK friction, risk evidence, Pearl regeneration opportunity vectors
Constraint	No banking, investment advice, custody, exchange, minting, or external operation authority.
Annotation	@family(id='SHIVA', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant SHIVA { input; verify; output; boundary; }
Literal	liquidity first, stability, abundance with discipline, auditability
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

15.1 Command-life-cycle role

At R0/R1, Shiva receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No banking, investment advice, custody, exchange, minting, or external operation authority.

Shekina - SHEKINA

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.SHEKINA
Namespace	MJ.PBMEF.Family.SHEKINA.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant SHEKINA
Definition	Distributed placement, replication, continuity, and infrastructure evidence.
Capability	placement receipt, continuity evidence
Participant	Shekina
Relationship	Incoming: JO_EXECUTION; outgoing: receipt to MJ/JO
Function	Distributed placement, replication, continuity, and infrastructure evidence.
Expression	Applicable formula set and bounded family receipt
Statement	Shekina contributes its role but cannot substitute for another participant.
Measurement	placement request, MJ lease
Constraint	No authority from location and no scope widening.
Annotation	@family(id='SHEKINA', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant SHEKINA { input; verify; output; boundary; }
Literal	continuity, bounded placement, resilience
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

16.1 Command-life-cycle role

At R0/R1, Shekina receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No authority from location and no scope widening.

Belle - BELLE

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.BELLE
Namespace	MJ.PBMEF.Family.BELLE.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant BELLE
Definition	Engineering analysis, feasibility, topology review, and bounded proposals.
Capability	engineering proposal, risk note
Participant	Belle
Relationship	Incoming: MK; outgoing: receipt to MJ/JO
Function	Engineering analysis, feasibility, topology review, and bounded proposals.
Expression	Applicable formula set and bounded family receipt
Statement	Belle contributes its role but cannot substitute for another participant.
Measurement	design CAPO, physics CAPO
Constraint	Proposal is not execution or permit.
Annotation	@family(id='BELLE', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant BELLE { input; verify; output; boundary; }
Literal	engineering clarity, feasibility, benchmarking
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

17.1 Command-life-cycle role

At R0/R1, Belle receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Proposal is not execution or permit.

Lecanto - LECANTO

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.LECANTO
Namespace	MJ.PBMEF.Family.LECANTO.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant LECANTO
Definition	Truthful governed visualization of state, provenance, uncertainty, and system structure.
Capability	visual representation
Participant	Lecanto
Relationship	Incoming: JO_EXECUTION; outgoing: MOANA
Function	Truthful governed visualization of state, provenance, uncertainty, and system structure.
Expression	Applicable formula set and bounded family receipt
Statement	Lecanto contributes its role but cannot substitute for another participant.
Measurement	JO evidence, Mermaid account, MK physics receipt, Bangel Sheet lineage and Pearl state
Constraint	Cannot manufacture certainty or underlying effects.
Annotation	@family(id='LECANTO', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant LECANTO { input; verify; output; boundary; }
Literal	visibility, truth, uncertainty disclosure
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

18.1 Command-life-cycle role

At R0/R1, Lecanto receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

Cannot manufacture certainty or underlying effects.

Moana - MOANA

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.MOANA
Namespace	MJ.PBMEF.Family.MOANA.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant MOANA
Definition	Browser and interaction presentation of governed applications and evidence.
Capability	interaction surface
Participant	Moana
Relationship	Incoming: LECANTO; outgoing: receipt to MJ/JO
Function	Browser and interaction presentation of governed applications and evidence.
Expression	Applicable formula set and bounded family receipt
Statement	Moana contributes its role but cannot substitute for another participant.
Measurement	Lecanto views, JO evidence
Constraint	No underlying effect or credential authority.
Annotation	@family(id='MOANA', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant MOANA { input; verify; output; boundary; }
Literal	interaction truth, accessibility, bounded presentation
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

19.1 Command-life-cycle role

At R0/R1, Moana receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No underlying effect or credential authority.

Aviator - AVIATOR

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.AVIATOR
Namespace	MJ.PBMEF.Family.AVIATOR.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant AVIATOR
Definition	Organizational workspace, projects, decisions, roles, knowledge, and governed workflow.
Capability	workspace state, decision records
Participant	Aviator
Relationship	Incoming: JO_EXECUTION; outgoing: receipt to MJ/JO
Function	Organizational workspace, projects, decisions, roles, knowledge, and governed workflow.
Expression	Applicable formula set and bounded family receipt
Statement	Aviator contributes its role but cannot substitute for another participant.
Measurement	member purpose, governed records, Bangel Spreadsheets workbooks and reports
Constraint	No root authority, cross-tenant scope, or unadmitted finance.
Annotation	@family(id='AVIATOR', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant AVIATOR { input; verify; output; boundary; }
Literal	understanding first, organization, decision trace
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	MANIFESTATION
Attribute	full_family_identity=true; self_authority=false

20.1 Command-life-cycle role

At R0/R1, Aviator receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No root authority, cross-tenant scope, or unadmitted finance.

CHI - CHI

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.CHI
Namespace	MJ.PBMEF.Family.CHI.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant CHI
Definition	Temporal variance and expected-observed-delivered-reconciled difference state.
Capability	variance object
Participant	CHI
Relationship	Incoming: MJ/root context; outgoing: receipt to MJ/JO
Function	Temporal variance and expected-observed-delivered-reconciled difference state.
Expression	Applicable formula set and bounded family receipt
Statement	CHI contributes its role but cannot substitute for another participant.
Measurement	timestamps, expected/observed states
Constraint	No pricing, punishment, rank, or execution.
Annotation	@family(id='CHI', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant CHI { input; verify; output; boundary; }
Literal	variance truth, time awareness
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	STATE_ENTITY
Attribute	full_family_identity=true; self_authority=false

21.1 Command-life-cycle role

At R0/R1, CHI receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No pricing, punishment, rank, or execution.

WATER - WATER

Construct	Formula-specific expression
Module	MJ.PBMEF.Family.WATER
Namespace	MJ.PBMEF.Family.WATER.Day0
Import	MJ.PBMEF.Manifest, MJ.PBMEF.Authority, MJ.PBMEF.Formulas
Declaration	participant WATER
Definition	Interval uncertainty, verified floor, and bounded unknown-state classification.
Capability	state classification
Participant	WATER
Relationship	Incoming: MJ/root context; outgoing: receipt to MJ/JO
Function	Interval uncertainty, verified floor, and bounded unknown-state classification.
Expression	Applicable formula set and bounded family receipt
Statement	WATER contributes its role but cannot substitute for another participant.
Measurement	measurement intervals, evidence limits
Constraint	No authority or value from classification.
Annotation	@family(id='WATER', equal_identity=true, authority_bounded=true)
Directive	produce typed output; preserve unknown; return receipt
Block	participant WATER { input; verify; output; boundary; }
Literal	uncertainty honesty, bounded intervals
Reference	manifest/FAMILY-MANIFESTATION-REGISTER.json
Type	STATE_CLASS
Attribute	full_family_identity=true; self_authority=false

22.1 Command-life-cycle role

At R0/R1, WATER receives only the typed inputs applicable to its role. Before N1 it may contribute semantic, canonical, physics, verification, prediction, safety, or allocation evidence. After N1 it may route, reconcile, or prepare a bounded proposal. It cannot issue the final MJ permit unless it is MJ. Its output becomes part of JO’s final R2 receipt.

Hard boundary

No authority or value from classification.

Governed object verification

23.1 JP_CAPO

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.JP_CAPO
Namespace	MJ.PBMEF.Object.JP_CAPO.Day0
Declaration	object JP_CAPO
Definition	Canonical math, algorithm, topology, or architecture representation
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Canonical math, algorithm, topology, or architecture representation
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='JP_CAPO')
Directive	validate schema and provenance before use
Block	object JP_CAPO { fields; invariants; evidence; }
Literal	JP_CAPO
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.2 MK_PHYSICS_CAPO

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.MK_PHYSICS_CAPO
Namespace	MJ.PBMEF.Object.MK_PHYSICS_CAPO.Day0
Declaration	object MK_PHYSICS_CAPO
Definition	Physics applicability, quantities, units, boundaries, equations, uncertainty, and evidence
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Physics applicability, quantities, units, boundaries, equations, uncertainty, and evidence
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='MK_PHYSICS_CAPO')
Directive	validate schema and provenance before use
Block	object MK_PHYSICS_CAPO { fields; invariants; evidence; }
Literal	MK_PHYSICS_CAPO
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.3 JO_PROOF_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.JO_PROOF_RECEIPT
Namespace	MJ.PBMEF.Object.JO_PROOF_RECEIPT.Day0
Declaration	object JO_PROOF_RECEIPT
Definition	Executed verification result
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Executed verification result
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='JO_PROOF_RECEIPT')
Directive	validate schema and provenance before use
Block	object JO_PROOF_RECEIPT { fields; invariants; evidence; }
Literal	JO_PROOF_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.4 MJ_PERMIT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.MJ_PERMIT
Namespace	MJ.PBMEF.Object.MJ_PERMIT.Day0
Declaration	object MJ_PERMIT
Definition	Bounded permit decision issued only by MJ
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Bounded permit decision issued only by MJ
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='MJ_PERMIT')
Directive	validate schema and provenance before use
Block	object MJ_PERMIT { fields; invariants; evidence; }
Literal	MJ_PERMIT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.5 EVE_OBSERVATION

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.EVE_OBSERVATION
Namespace	MJ.PBMEF.Object.EVE_OBSERVATION.Day0
Declaration	object EVE_OBSERVATION
Definition	Variance, screen, capture, egress, or residual evidence
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Variance, screen, capture, egress, or residual evidence
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='EVE_OBSERVATION')
Directive	validate schema and provenance before use
Block	object EVE_OBSERVATION { fields; invariants; evidence; }
Literal	EVE_OBSERVATION
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.6 M3_ROUTE_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.M3_ROUTE_RECEIPT
Namespace	MJ.PBMEF.Object.M3_ROUTE_RECEIPT.Day0
Declaration	object M3_ROUTE_RECEIPT
Definition	Bounded routing and resource-use receipt
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Bounded routing and resource-use receipt
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='M3_ROUTE_RECEIPT')
Directive	validate schema and provenance before use
Block	object M3_ROUTE_RECEIPT { fields; invariants; evidence; }
Literal	M3_ROUTE_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.7 MERMAID_ACCOUNT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.MERMAID_ACCOUNT
Namespace	MJ.PBMEF.Object.MERMAID_ACCOUNT.Day0
Declaration	object MERMAID_ACCOUNT
Definition	Accounting, custody, exposure, tax, and reconciliation record
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Accounting, custody, exposure, tax, and reconciliation record
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id="MERMAID_ACCOUNT")
Directive	validate schema and provenance before use
Block	object MERMAID_ACCOUNT { fields; invariants; evidence; }
Literal	MERMAID_ACCOUNT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.8 SHIVA_SHELL

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.SHIVA_SHELL
Namespace	MJ.PBMEF.Object.SHIVA_SHELL.Day0
Declaration	object SHIVA_SHELL
Definition	Governed account envelope for typed financial representations
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Governed account envelope for typed financial representations
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id="SHIVA_SHELL")
Directive	validate schema and provenance before use
Block	object SHIVA_SHELL { fields; invariants; evidence; }
Literal	SHIVA_SHELL
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.9 SHIVAS_INTERNAL_REFLECTION

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.SHIVAS_INTERNAL_REFLECTION
Namespace	MJ.PBMEF.Object.SHIVAS_INTERNAL_REFLECTION.Day0
Declaration	object SHIVAS_INTERNAL_REFLECTION
Definition	Internal non-transferable capital-reflection object
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Internal non-transferable capital-reflection object
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='SHIVAS_INTERNAL_REFLECTION')
Directive	validate schema and provenance before use
Block	object SHIVAS_INTERNAL_REFLECTION { fields; invariants; evidence; }
Literal	SHIVAS_INTERNAL_REFLECTION
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.10 CHI_VARIANCE_OBJECT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.CHI_VARIANCE_OBJECT
Namespace	MJ.PBMEF.Object.CHI_VARIANCE_OBJECT.Day0
Declaration	object CHI_VARIANCE_OBJECT
Definition	Temporal difference object
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Temporal difference object
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='CHI_VARIANCE_OBJECT')
Directive	validate schema and provenance before use
Block	object CHI_VARIANCE_OBJECT { fields; invariants; evidence; }
Literal	CHI_VARIANCE_OBJECT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.11 WATER_INTERVAL_STATE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.WATER_INTERVAL_STATE
Namespace	MJ.PBMEF.Object.WATER_INTERVAL_STATE.Day0
Declaration	object WATER_INTERVAL_STATE
Definition	Uncertainty interval state
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Uncertainty interval state
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='WATER_INTERVAL_STATE')
Directive	validate schema and provenance before use
Block	object WATER_INTERVAL_STATE { fields; invariants; evidence; }
Literal	WATER_INTERVAL_STATE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.12 PASSKEY_PUBLIC_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PASSKEY_PUBLIC_RECEIPT
Namespace	MJ.PBMEF.Object.PASSKEY_PUBLIC_RECEIPT.Day0
Declaration	object PASSKEY_PUBLIC_RECEIPT
Definition	Public verification of founder signature over a bounded content root
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Public verification of founder signature over a bounded content root
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='PASSKEY_PUBLIC_RECEIPT')
Directive	validate schema and provenance before use
Block	object PASSKEY_PUBLIC_RECEIPT { fields; invariants; evidence; }
Literal	PASSKEY_PUBLIC_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.13 PEARL_VARIANCE_CONTAINER

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PEARL_VARIANCE_CONTAINER
Namespace	MJ.PBMEF.Object.PEARL_VARIANCE_CONTAINER.Day0
Declaration	object PEARL_VARIANCE_CONTAINER
Definition	Legacy stable ID for a pearl-shaped hypothetical simulation and information-retention object; never a physical container
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Legacy stable ID for a pearl-shaped hypothetical simulation and information-retention object; never a physical container
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id="PEARL_VARIANCE_CONTAINER")
Directive	validate schema and provenance before use
Block	object PEARL_VARIANCE_CONTAINER { fields; invariants; evidence; }
Literal	PEARL_VARIANCE_CONTAINER
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.14 PEARL_ALLOCATION_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PEARL_ALLOCATION_RECEIPT
Namespace	MJ.PBMEF.Object.PEARL_ALLOCATION_RECEIPT.Day0
Declaration	object PEARL_ALLOCATION_RECEIPT
Definition	M3/JO receipt for simulated Pearl allocation, scenario capacity, source, destination, and lifecycle state; no physical effect
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	M3/JO receipt for simulated Pearl allocation, scenario capacity, source, destination, and lifecycle state; no physical effect
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id="PEARL_ALLOCATION_RECEIPT")
Directive	validate schema and provenance before use
Block	object PEARL_ALLOCATION_RECEIPT { fields; invariants; evidence; }
Literal	PEARL_ALLOCATION_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.15 PEARL_ACOUSTIC_PROFILE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PEARL_ACOUSTIC_PROFILE
Namespace	MJ.PBMEF.Object.PEARL_ACOUSTIC_PROFILE.Day0
Declaration	object PEARL_ACOUSTIC_PROFILE
Definition	Hypothetical acoustic simulation profile with declared frequency, medium, observability, uncertainty, and no physical cohesion claim
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Hypothetical acoustic simulation profile with declared frequency, medium, observability, uncertainty, and no physical cohesion claim
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='PEARL_ACOUSTIC_PROFILE')
Directive	validate schema and provenance before use
Block	object PEARL_ACOUSTIC_PROFILE { fields; invariants; evidence; }
Literal	PEARL_ACOUSTIC_PROFILE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.16 PEARL_SYMPOSIUM_REGISTRY

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PEARL_SYMPOSIUM_REGISTRY
Namespace	MJ.PBMEF.Object.PEARL_SYMPOSIUM_REGISTRY.Day0
Declaration	object PEARL_SYMPOSIUM_REGISTRY
Definition	Mermaid/Shiva record of Pearl simulation scenarios, quantities, costs, implications, and regeneration opportunities under MJ
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Mermaid/Shiva record of Pearl simulation scenarios, quantities, costs, implications, and regeneration opportunities under MJ
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='PEARL_SYMPOSIUM_REGISTRY')
Directive	validate schema and provenance before use
Block	object PEARL_SYMPOSIUM_REGISTRY { fields; invariants; evidence; }
Literal	PEARL_SYMPOSIUM_REGISTRY
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.17 Bangel _SHEET

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.Bangel _SHEET
Namespace	MJ.PBMEF.Object.Bangel _SHEET.Day0
Declaration	object Bangel _SHEET
Definition	Governed spreadsheet-like workbook with immutable revisions, typed cells, dependency graph, and authority scopes
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Governed spreadsheet-like workbook with immutable revisions, typed cells, dependency graph, and authority scopes
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='Bangel _SHEET')
Directive	validate schema and provenance before use
Block	object Bangel _SHEET { fields; invariants; evidence; }
Literal	Bangel _SHEET
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.18 Bangel _SHEET_CELL

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.Bangel _SHEET_CELL
Namespace	MJ.PBMEF.Object.Bangel _SHEET_CELL.Day0
Declaration	object Bangel _SHEET_CELL
Definition	Typed measurement cell with value, unit, uncertainty, formula, evidence, lineage, and revision
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Typed measurement cell with value, unit, uncertainty, formula, evidence, lineage, and revision
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='Bangel _SHEET_CELL')
Directive	validate schema and provenance before use
Block	object Bangel _SHEET_CELL { fields; invariants; evidence; }
Literal	Bangel _SHEET_CELL
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.19 Bangel _SHEET_REVISION

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.Bangel _SHEET_REVISION
Namespace	MJ.PBMEF.Object.Bangel _SHEET_REVISION.Day0
Declaration	object Bangel _SHEET_REVISION
Definition	Content-addressed immutable workbook revision and conflict/merge evidence
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Content-addressed immutable workbook revision and conflict/merge evidence
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='Bangel _SHEET_REVISION')
Directive	validate schema and provenance before use
Block	object Bangel _SHEET_REVISION { fields; invariants; evidence; }
Literal	Bangel _SHEET_REVISION
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.20 Bangel _SHEET_AUDIT_PARTICLE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.Bangel _SHEET_AUDIT_PARTICLE
Namespace	MJ.PBMEF.Object.Bangel _SHEET_AUDIT_PARTICLE.Day0
Declaration	object Bangel _SHEET_AUDIT_PARTICLE
Definition	Complete audit record for critical spreadsheet edits, formulas, recomputation, and reports
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Complete audit record for critical spreadsheet edits, formulas, recomputation, and reports
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='Bangel _SHEET_AUDIT_PARTICLE')
Directive	validate schema and provenance before use
Block	object Bangel _SHEET_AUDIT_PARTICLE { fields; invariants; evidence; }
Literal	Bangel _SHEET_AUDIT_PARTICLE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.21 JPOSMJ_PRODUCT_ENVELOPE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.JPOSMJ_PRODUCT_ENVELOPE
Namespace	MJ.PBMEF.Object.JPOSMJ_PRODUCT_ENVELOPE.Day0
Declaration	object JPOSMJ_PRODUCT_ENVELOPE
Definition	Portfolio envelope binding JP-origin product logic through MK physics, JO proof, and MJ permit
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Portfolio envelope binding JP-origin product logic through MK physics, JO proof, and MJ permit
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='JPOSMJ_PRODUCT_ENVELOPE')
Directive	validate schema and provenance before use
Block	object JPOSMJ_PRODUCT_ENVELOPE { fields; invariants; evidence; }
Literal	JPOSMJ_PRODUCT_ENVELOPE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.22 SISTER_PHYSICAL_CONTAINMENT_PROFILE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.SISTER_PHYSICAL_CONTAINMENT_PROFILE
Namespace	MJ.PBMEF.Object.SISTER_PHYSICAL_CONTAINMENT_PROFILE.Day0
Declaration	object SISTER_PHYSICAL_CONTAINMENT_PROFILE
Definition	Pre-Pearl physical umbrella/descent/containment profile with normalized topology and profile-specific unknown physical size/capacity
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Pre-Pearl physical umbrella/descent/containment profile with normalized topology and profile-specific unknown physical size/capacity
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='SISTER_PHYSICAL_CONTAINMENT_PROFILE')
Directive	validate schema and provenance before use
Block	object SISTER_PHYSICAL_CONTAINMENT_PROFILE { fields; invariants; evidence; }
Literal	SISTER_PHYSICAL_CONTAINMENT_PROFILE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.23 STANDARD_CONTAINMENT_GEOMETRY_PROFILE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.STANDARD_CONTAINMENT_GEOMETRY_PROFILE
Namespace	MJ.PBMEF.Object.STANDARD_CONTAINMENT_GEOMETRY_PROFILE.Day0
Declaration	object STANDARD_CONTAINMENT_GEOMETRY_PROFILE
Definition	Typed scale-independent rectangle/cone/umbrella/descent/EVE/reservoir geometry and modification parameters
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Typed scale-independent rectangle/cone/umbrella/descent/EVE/reservoir geometry and modification parameters
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='STANDARD_CONTAINMENT_GEOMETRY_PROFILE')
Directive	validate schema and provenance before use
Block	object STANDARD_CONTAINMENT_GEOMETRY_PROFILE { fields; invariants; evidence; }
Literal	STANDARD_CONTAINMENT_GEOMETRY_PROFILE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.24 REFERENCE_GAS_PROFILE_H2

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.REFERENCE_GAS_PROFILE_H2
Namespace	MJ.PBMEF.Object.REFERENCE_GAS_PROFILE_H2.Day0
Declaration	object REFERENCE_GAS_PROFILE_H2
Definition	H2 equation/reference profile for density, equivalent volume, observed gas height, and motion calculations; no physical use authority
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	H2 equation/reference profile for density, equivalent volume, observed gas height, and motion calculations; no physical use authority
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='REFERENCE_GAS_PROFILE_H2')
Directive	validate schema and provenance before use
Block	object REFERENCE_GAS_PROFILE_H2 { fields; invariants; evidence; }
Literal	REFERENCE_GAS_PROFILE_H2
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.25 CONTAINMENT_MODIFICATION_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.CONTAINMENT_MODIFICATION_RECEIPT
Namespace	MJ.PBMEF.Object.CONTAINMENT_MODIFICATION_RECEIPT.Day0
Declaration	object CONTAINMENT_MODIFICATION_RECEIPT
Definition	Recalculation and revalidation receipt for command/profile-specific geometry changes
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Recalculation and revalidation receipt for command/profile-specific geometry changes
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='CONTAINMENT_MODIFICATION_RECEIPT')
Directive	validate schema and provenance before use
Block	object CONTAINMENT_MODIFICATION_RECEIPT { fields; invariants; evidence; }
Literal	CONTAINMENT_MODIFICATION_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.26 CONE_TOP_PEARL_ANCHOR

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.CONE_TOP_PEARL_ANCHOR
Namespace	MJ.PBMEF.Object.CONE_TOP_PEARL_ANCHOR.Day0
Declaration	object CONE_TOP_PEARL_ANCHOR
Definition	Hypothetical information coordinate at the top-of-cone observation plane; no physical placement
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Hypothetical information coordinate at the top-of-cone observation plane; no physical placement
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='CONE_TOP_PEARL_ANCHOR')
Directive	validate schema and provenance before use
Block	object CONE_TOP_PEARL_ANCHOR { fields; invariants; evidence; }
Literal	CONE_TOP_PEARL_ANCHOR
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.27 GAS_HEIGHT_OBSERVATION

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.GAS_HEIGHT_OBSERVATION
Namespace	MJ.PBMEF.Object.GAS_HEIGHT_OBSERVATION.Day0
Declaration	object GAS_HEIGHT_OBSERVATION
Definition	Calibrated pressure/temperature/density/height/time observation for gas-front reference calculations
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Calibrated pressure/temperature/density/height/time observation for gas-front reference calculations
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='GAS_HEIGHT_OBSERVATION')
Directive	validate schema and provenance before use
Block	object GAS_HEIGHT_OBSERVATION { fields; invariants; evidence; }
Literal	GAS_HEIGHT_OBSERVATION
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.28 RESERVOIR_RETURN_LOOP_PROFILE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.RESERVOIR_RETURN_LOOP_PROFILE
Namespace	MJ.PBMEF.Object.RESERVOIR_RETURN_LOOP_PROFILE.Day0
Declaration	object RESERVOIR_RETURN_LOOP_PROFILE
Definition	Typed rear outlet, external reservoir, and circular reentry geometry/profile.
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Typed rear outlet, external reservoir, and circular reentry geometry/profile.
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='RESERVOIR_RETURN_LOOP_PROFILE')
Directive	validate schema and provenance before use
Block	object RESERVOIR_RETURN_LOOP_PROFILE { fields; invariants; evidence; }
Literal	RESERVOIR_RETURN_LOOP_PROFILE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.29 OUTWARD_GAP_PATH_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.OUTWARD_GAP_PATH_RECEIPT
Namespace	MJ.PBMEF.Object.OUTWARD_GAP_PATH_RECEIPT.Day0
Declaration	object OUTWARD_GAP_PATH_RECEIPT
Definition	JO/MK proof that the outlet path remains outside the nonphysical Pearl reference circle.
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	JO/MK proof that the outlet path remains outside the nonphysical Pearl reference circle.
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='OUTWARD_GAP_PATH_RECEIPT')
Directive	validate schema and provenance before use
Block	object OUTWARD_GAP_PATH_RECEIPT { fields; invariants; evidence; }
Literal	OUTWARD_GAP_PATH_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.30 RESERVOIR_BUFFER_ACCOUNT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.RESERVOIR_BUFFER_ACCOUNT
Namespace	MJ.PBMEF.Object.RESERVOIR_BUFFER_ACCOUNT.Day0
Declaration	object RESERVOIR_BUFFER_ACCOUNT
Definition	EVE/Mermaid typed balance of admitted, returned, drained, escaped, and retained quantities.
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	EVE/Mermaid typed balance of admitted, returned, drained, escaped, and retained quantities.
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='RESERVOIR_BUFFER_ACCOUNT')
Directive	validate schema and provenance before use
Block	object RESERVOIR_BUFFER_ACCOUNT { fields; invariants; evidence; }
Literal	RESERVOIR_BUFFER_ACCOUNT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.31 CIRCULAR_REENTRY_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.CIRCULAR_REENTRY_RECEIPT
Namespace	MJ.PBMEF.Object.CIRCULAR_REENTRY_RECEIPT.Day0
Declaration	object CIRCULAR_REENTRY_RECEIPT
Definition	Circular port, inward angle, tangential component, continuity, and spiral-compatibility evidence.
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Circular port, inward angle, tangential component, continuity, and spiral-compatibility evidence.
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='CIRCULAR_REENTRY_RECEIPT')
Directive	validate schema and provenance before use
Block	object CIRCULAR_REENTRY_RECEIPT { fields; invariants; evidence; }
Literal	CIRCULAR_REENTRY_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.32 RELATIVE_FRAME_FRICTION_LEDGER

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.RELATIVE_FRAME_FRICTION_LEDGER
Namespace	MJ.PBMEF.Object.RELATIVE_FRAME_FRICTION_LEDGER.Day0
Declaration	object RELATIVE_FRAME_FRICTION_LEDGER
Definition	MK/JO/Mermaid record of frame-relative velocity, dissipation, and any bounded recoverable-energy claim.
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	MK/JO/Mermaid record of frame-relative velocity, dissipation, and any bounded recoverable-energy claim.
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='RELATIVE_FRAME_FRICTION_LEDGER')
Directive	validate schema and provenance before use
Block	object RELATIVE_FRAME_FRICTION_LEDGER { fields; invariants; evidence; }
Literal	RELATIVE_FRAME_FRICTION_LEDGER
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.33 RESERVOIR_LAKE_BUFFER

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.RESERVOIR_LAKE_BUFFER
Namespace	MJ.PBMEF.Object.RESERVOIR_LAKE_BUFFER.Day0
Declaration	object RESERVOIR_LAKE_BUFFER
Definition	Bounded post-containment buffer candidate for retention, redistribution, and receipted re-entry
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Bounded post-containment buffer candidate for retention, redistribution, and receipted re-entry
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='RESERVOIR_LAKE_BUFFER')
Directive	validate schema and provenance before use
Block	object RESERVOIR_LAKE_BUFFER { fields; invariants; evidence; }
Literal	RESERVOIR_LAKE_BUFFER
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.34 BACKSIDE_OUTLET_PORT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.BACKSIDE_OUTLET_PORT
Namespace	MJ.PBMEF.Object.BACKSIDE_OUTLET_PORT.Day0
Declaration	object BACKSIDE_OUTLET_PORT
Definition	High backside outlet candidate located below containment maximum height
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	High backside outlet candidate located below containment maximum height
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='BACKSIDE_OUTLET_PORT')
Directive	validate schema and provenance before use
Block	object BACKSIDE_OUTLET_PORT { fields; invariants; evidence; }
Literal	BACKSIDE_OUTLET_PORT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.35 OUTWARD_GAP_ARC

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.OUTWARD_GAP_ARC
Namespace	MJ.PBMEF.Object.OUTWARD_GAP_ARC.Day0
Declaration	object OUTWARD_GAP_ARC
Definition	Outward-facing angular reference through which the outlet clears the nonphysical Pearl reference circle
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Outward-facing angular reference through which the outlet clears the nonphysical Pearl reference circle
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='OUTWARD_GAP_ARC')
Directive	validate schema and provenance before use
Block	object OUTWARD_GAP_ARC { fields; invariants; evidence; }
Literal	OUTWARD_GAP_ARC
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.36 PEARL_REFERENCE_CIRCLE

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PEARL_REFERENCE_CIRCLE
Namespace	MJ.PBMEF.Object.PEARL_REFERENCE_CIRCLE.Day0
Declaration	object PEARL_REFERENCE_CIRCLE
Definition	Hypothetical simulation/measurement circle used for path-clearance calculations; no physical wall or capacity
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Hypothetical simulation/measurement circle used for path-clearance calculations; no physical wall or capacity
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='PEARL_REFERENCE_CIRCLE')
Directive	validate schema and provenance before use
Block	object PEARL_REFERENCE_CIRCLE { fields; invariants; evidence; }
Literal	PEARL_REFERENCE_CIRCLE
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.37 CIRCULAR_REENTRY_PORT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.CIRCULAR_REENTRY_PORT
Namespace	MJ.PBMEF.Object.CIRCULAR_REENTRY_PORT.Day0
Declaration	object CIRCULAR_REENTRY_PORT
Definition	Circular inward-angled port candidate supplying measured radial and tangential re-entry components
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Circular inward-angled port candidate supplying measured radial and tangential re-entry components
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='CIRCULAR_REENTRY_PORT')
Directive	validate schema and provenance before use
Block	object CIRCULAR_REENTRY_PORT { fields; invariants; evidence; }
Literal	CIRCULAR_REENTRY_PORT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.38 RESERVOIR_TRANSFER_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.RESERVOIR_TRANSFER_RECEIPT
Namespace	MJ.PBMEF.Object.RESERVOIR_TRANSFER_RECEIPT.Day0
Declaration	object RESERVOIR_TRANSFER_RECEIPT
Definition	Per-transaction outlet/lake/re-entry/cycle/participant evidence receipt
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Per-transaction outlet/lake/re-entry/cycle/participant evidence receipt
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id='RESERVOIR_TRANSFER_RECEIPT')
Directive	validate schema and provenance before use
Block	object RESERVOIR_TRANSFER_RECEIPT { fields; invariants; evidence; }
Literal	RESERVOIR_TRANSFER_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

23.39 PERSPECTIVE_FRICTION_RECEIPT

Construct	Formula-specific expression
Module	MJ.PBMEF.Object.PERSPECTIVE_FRICTION_RECEIPT
Namespace	MJ.PBMEF.Object.PERSPECTIVE_FRICTION_RECEIPT.Day0
Declaration	object PERSPECTIVE_FRICTION_RECEIPT
Definition	Separates coordinate-transform residual, physical dissipation, and information friction
Capability	Represent, retain, route, reconcile, or evidence only as declared
Participant	Bound participants determined by object role
Relationship	Referenced by JP/MK/JO and applicable family manifestations
Function	Separates coordinate-transform residual, physical dissipation, and information friction
Expression	Typed object fields and invariant predicates
Statement	Object identity is not authority.
Measurement	Only when fields include valid quantity, units, boundary, time, and uncertainty
Constraint	authority=false; no self-admission
Annotation	@object(id="PERSPECTIVE_FRICTION_RECEIPT")
Directive	validate schema and provenance before use
Block	object PERSPECTIVE_FRICTION_RECEIPT { fields; invariants; evidence; }
Literal	PERSPECTIVE_FRICTION_RECEIPT
Reference	manifest/FAMILY-OBJECT-REGISTER.json
Type	GOVERNED_OBJECT
Attribute	authority=false

MJ-PBMEF Pink Paper - Volume VI
Product Manifestations, White-Paper Lineage, and Verification Crosswalk

Michael Bangel - Author and Architect

August 2026

Contents

1	Product gateway verification	5
2	MJ Physics Based Measurement Engineering Framework - PBMEF-CORE	6
2.1	Application and life-cycle potential	6
3	Bangel Governed Measurement Language - Bangel -LANGUAGE	7
3.1	Application and life-cycle potential	7
4	Elsa Deterministic Semantic Recovery - ELSA-SEMANTICS	8
4.1	Application and life-cycle potential	8
5	JP Mathematical and Architectural Canon - JP-CANON	9
5.1	Application and life-cycle potential	9
6	Mika/MK Physics Modulator System - MK-PHYSICS	10
6.1	Application and life-cycle potential	10
7	JO Deterministic Proof and Runtime - JO-RUNTIME	11
7.1	Application and life-cycle potential	11
8	MJOS Operating Substrate - MJOS-SUBSTRATE	12
8.1	Application and life-cycle potential	12
9	JP Semiconductor Phone Battery and OS Candidate - JP-SC-PHONE	13
9.1	Application and life-cycle potential	13
10	JP Large-Scale Boating Power Candidate - JP-LS-BOAT	14
10.1	Application and life-cycle potential	14
11	JP Peaceful High-Energy Propulsion Research Candidate - JP-PEACEFUL-PROPULSION	15
11.1	Application and life-cycle potential	15
12	Sister Predictive Containment System - SISTER-CONTAINMENT	16
12.1	Application and life-cycle potential	16
13	EVE Variance Screen and Egress Accounting - EVE-SCREEN	17
13.1	Application and life-cycle potential	17
14	Angels Safety and Corrective Command System - ANGELS-SAFETY	18
14.1	Application and life-cycle potential	18
15	Mermaid Accounting and Reconciliation System - MERMAID-RECON	19
15.1	Application and life-cycle potential	19
16	Shiva Dual Financial Rails - SHIVA-RAILS	20
16.1	Application and life-cycle potential	20

17SHIVAS Internal Settlement Reflection - SHIVAS-INTERNAL	21
17.1Application and life-cycle potential	21
18Shiva Crypto External-Market Candidate - SHIVA-CRYPTO	22
18.1Application and life-cycle potential	22
19Shiva Exchange Rule Reference - SHIVA-EXCHANGE	23
19.1Application and life-cycle potential	23
20Moana Governed Browser - MOANA-BROWSER	24
20.1Application and life-cycle potential	24
21Aviator Organizational Workspace - AVIATOR-WORKSPACE	25
21.1Application and life-cycle potential	25
22Lecanto Truthful Visualization - LECANTO-VISUAL	26
22.1Application and life-cycle potential	26
23Elsa Governed Marketplace Reference - ELSA-MARKETPLACE	27
23.1Application and life-cycle potential	27
24Shekina Distributed Continuity - SHEKINA-CONTINUITY	28
24.1Application and life-cycle potential	28
25Pearl Hypothetical Simulation and Information-Retention System - PEARL-CONTAINMENT	29
25.1Application and life-cycle potential	29
26Bangel Spreadsheets - Bangel -SPREADSHEETS	30
26.1Application and life-cycle potential	30
27JPOSMJ Product Portfolio Envelope - JPOSMJ-PORTFOLIO	31
27.1Application and life-cycle potential	31
28MJ Standard Containment Geometry and Reference Gas Model - STANDARD-CONTAINMENT-GEOMETRY	32
28.1Application and life-cycle potential	32
29MJ Reservoir Collection, Lake Buffer, and Spiral-Compatible Re-entry - RESERVOIR-COLLECTION-MODULATION	33
29.1Application and life-cycle potential	33
30Registered white-paper verification crosswalk	34
30.1MJ — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-01	35
30.2Bangel — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-02	35
30.3Elsa — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-03	36
30.4JP — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-04	36
30.5Mika / MK — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-05	37
30.6JO — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-06	37
30.7MJOS — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-07	38
30.8Angels — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-08	38
30.9Bellatrix — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-09	39
30.10Sister — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-10	39
30.11EVE — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-11	40
30.12Mary / M3 — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-12	40
30.13Mermaid — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-13	41
30.14Shiva — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-14	41
30.15Shekina — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-15	42
30.16Belle — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-16	42
30.17Lecanto — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-17	43
30.18Moana — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-18	43
30.19Aviator — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-19	44

30.2CHI — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-20	44
30.2WATER — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-21	45
30.2MJ Physics Based Measurement Engineering Framework - MJ-PBMEF-PRODUCT-WP-01	45
30.23 Bangel Governed Measurement Language - MJ-PBMEF-PRODUCT-WP-02	46
30.24Elsa Deterministic Semantic Recovery - MJ-PBMEF-PRODUCT-WP-03	46
30.25P Mathematical and Architectural Canon - MJ-PBMEF-PRODUCT-WP-04	47
30.26Mika/MK Physics Modulator System - MJ-PBMEF-PRODUCT-WP-05	47
30.27O Deterministic Proof and Runtime - MJ-PBMEF-PRODUCT-WP-06	48
30.28MJOS Operating Substrate - MJ-PBMEF-PRODUCT-WP-07	48
30.29P Semiconductor Phone Battery and OS Candidate - MJ-PBMEF-PRODUCT-WP-08	49
30.30P Large-Scale Boating Power Candidate - MJ-PBMEF-PRODUCT-WP-09	49
30.31P Peaceful High-Energy Propulsion Research Candidate - MJ-PBMEF-PRODUCT-WP-10	50
30.32Sister Predictive Containment System - MJ-PBMEF-PRODUCT-WP-11	50
30.33EVE Variance Screen and Egress Accounting - MJ-PBMEF-PRODUCT-WP-12	51
30.34Angels Safety and Corrective Command System - MJ-PBMEF-PRODUCT-WP-13	51
30.35Mermaid Accounting and Reconciliation System - MJ-PBMEF-PRODUCT-WP-14	52
30.36Shiva Dual Financial Rails - MJ-PBMEF-PRODUCT-WP-15	52
30.38HIVAS Internal Settlement Reflection - MJ-PBMEF-PRODUCT-WP-16	53
30.38Shiva Crypto External-Market Candidate - MJ-PBMEF-PRODUCT-WP-17	53
30.38Shiva Exchange Rule Reference - MJ-PBMEF-PRODUCT-WP-18	54
30.40Moana Governed Browser - MJ-PBMEF-PRODUCT-WP-19	54
30.41Aviator Organizational Workspace - MJ-PBMEF-PRODUCT-WP-20	55
30.42ecanto Truthful Visualization - MJ-PBMEF-PRODUCT-WP-21	55
30.43Elsa Governed Marketplace Reference - MJ-PBMEF-PRODUCT-WP-22	56
30.44\$hekina Distributed Continuity - MJ-PBMEF-PRODUCT-WP-23	56
30.45Pearl Hypothetical Simulation and Information-Retention System - MJ-PBMEF-PRODUCT-WP-24	57
30.46 Bangel Spreadsheets - MJ-PBMEF-PRODUCT-WP-25	57
30.47POSMJ Product Portfolio Envelope - MJ-PBMEF-PRODUCT-WP-26	58
30.48MJ Standard Containment Geometry and Reference Gas Model - MJ-PBMEF-PRODUCT-WP-27	58
30.49MJ Reservoir Collection Modulation and Return Loop - MJ-PBMEF-PRODUCT-WP-28	59
30.50R1 and R2 State Representation - MJ-PBMEF-REPRESENTATION-WP-01	59
30.51Noise Floor and 23 mg Inflection - MJ-PBMEF-REPRESENTATION-WP-02	60
30.52Upward 3x3 Node and Umbrella Representation - MJ-PBMEF-REPRESENTATION-WP-03	60
30.53Memory, Request Occultation, and Generational Handoff - MJ-PBMEF-REPRESENTATION-WP-04	61
30.54Static Intake and Energy-Wake Representation - MJ-PBMEF-REPRESENTATION-WP-05	61
30.55EVE Variance, Screen, Evaporation, and Egress - MJ-PBMEF-REPRESENTATION-WP-06	62
30.56Shiva and Mermaid Financial Rails - MJ-PBMEF-REPRESENTATION-WP-07	62
30.57Passkey, Claims Ceiling, and Repository Authentication - MJ-PBMEF-REPRESENTATION-WP-08	63
30.58Pearl Hypothetical Geometry and Acoustic Simulation Representation - MJ-PBMEF-REPRESENTATION-WP-09	63
30.59 Bangel Spreadsheets Cell, Dependency, Revision, and Pearl Simulation Field - MJ-PBMEF-REPRESENTATION-WP-10	64
30.60Standard Containment Geometry and H2 Reference Representation - MJ-PBMEF-REPRESENTATION-WP-11	64
30.61Reservoir Return Loop Physics Representation - MJ-PBMEF-REPRESENTATION-WP-12	65

Document control

Project	MJos Predictive Model
Project ID	MJ-PBMEF-001
Source build	MJ-PBMEF-DAY0-R5-REVIEW-CANDIDATE
Document ID	MJ-PBMEF-PINK-PAPER-001/VOL-VI
Author and architect	Michael Bangel
Status	FOUNDER_REVIEW_CANDIDATE_PENDING_FREEZE
Scope	All products and registered white papers mapped into the gateway lifecycle.

Claims ceiling

This document is a private pre-Day-0 review and verification candidate. It authenticates no private key and creates no physical validation, physical operation authority, product certification, external regulatory authority, production deployment, financial-product launch, token issuance, AI integration, or physical-coordinate approval. Formula pages distinguish mathematical validity, reference implementation, simulation, measured evidence, authority, and execution.

Product gateway verification

MJ Physics Based Measurement Engineering Framework - PBMEF-CORE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.PBMEF-CORE
Namespace	MJ.PBMEF.Product.PBMEF-CORE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product PBMEF-CORE
Definition	Integrate purpose, mathematics, physics, verification, safety, resource routing, accounting, finance, evidence, and bounded permit decisions.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Integrate purpose, mathematics, physics, verification, safety, resource routing, accounting, finance, evidence, and bounded permit decisions.
Expression	Product-specific composition of formula and object records
Statement	Status: DAY0_PREPASSKEY_COMPLETE_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='PBMEF-CORE', class='CORE_FRAMEWORK')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product PBMEF-CORE { purpose; formulas; families; evidence; permit; }
Literal	PBMEF-CORE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	CORE_FRAMEWORK
Attribute	status=DAY0_PREPASSKEY_COMPLETE_CANDIDATE

2.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Bangel Governed Measurement Language - Bangel -LANGUAGE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.Bangel -LANGUAGE
Namespace	MJ.PBMEF.Product.Bangel -LANGUAGE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product Bangel -LANGUAGE
Definition	Express human purpose, typed measurements, formulas, evidence, and command pathways.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Express human purpose, typed measurements, formulas, evidence, and command pathways.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='Bangel -LANGUAGE', class='LANGUAGE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product Bangel -LANGUAGE { purpose; formulas; families; evidence; permit; }
Literal	Bangel -LANGUAGE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	LANGUAGE
Attribute	status=SPECIFICATION_CANDIDATE

3.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Elsa Deterministic Semantic Recovery - ELSA-SEMANTICS

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.ELSA-SEMANTICS
Namespace	MJ.PBMEF.Product.ELSA-SEMANTICS.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product ELSA-SEMANTICS
Definition	Recover and preserve declared meaning without autonomous inference or authority.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Recover and preserve declared meaning without autonomous inference or authority.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='ELSA-SEMANTICS', class='SEMANTIC_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product ELSA-SEMANTICS { purpose; formulas; families; evidence; permit; }
Literal	ELSA-SEMANTICS
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	SEMANTIC_SYSTEM
Attribute	status=SPECIFICATION_CANDIDATE

4.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JP Mathematical and Architectural Canon - JP-CANON

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JP-CANON
Namespace	MJ.PBMEF.Product.JP-CANON.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JP-CANON
Definition	Represent equations, algorithms, CAPOs, topology, products, and proofs.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Represent equations, algorithms, CAPOs, topology, products, and proofs.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JP-CANON', class='CANONICAL_REPRESENTATION')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JP-CANON { purpose; formulas; families; evidence; permit; }
Literal	JP-CANON
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	CANONICAL_REPRESENTATION
Attribute	status=SPECIFICATION_CANDIDATE

5.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Mika/MK Physics Modulator System - MK-PHYSICS

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.MK-PHYSICS
Namespace	MJ.PBMEF.Product.MK-PHYSICS.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product MK-PHYSICS
Definition	Create physics representations and verify units, conservation, boundaries, scale, and evidence ceilings.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Create physics representations and verify units, conservation, boundaries, scale, and evidence ceilings.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_IMPLEMENTATION
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='MK-PHYSICS', class='PHYSICS_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product MK-PHYSICS { purpose; formulas; families; evidence; permit; }
Literal	MK-PHYSICS
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PHYSICS_SYSTEM
Attribute	status=REFERENCE_IMPLEMENTATION

6.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JO Deterministic Proof and Runtime - JO-RUNTIME

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JO-RUNTIME
Namespace	MJ.PBMEF.Product.JO-RUNTIME.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JO-RUNTIME
Definition	Verify types, units, authority, physics, tests, evidence, and bounded execution.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Verify types, units, authority, physics, tests, evidence, and bounded execution.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_IMPLEMENTATION
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JO-RUNTIME', class='RUNTIME')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JO-RUNTIME { purpose; formulas; families; evidence; permit; }
Literal	JO-RUNTIME
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	RUNTIME
Attribute	status=REFERENCE_IMPLEMENTATION

7.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

MJOS Operating Substrate - MJOS- SUBSTRATE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.MJOS-SUBSTRATE
Namespace	MJ.PBMEF.Product.MJOS-SUBSTRATE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product MJOS-SUBSTRATE
Definition	Provide isolated resources, memory, storage, network, scheduling, and continuity under MJ leases.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Provide isolated resources, memory, storage, network, scheduling, and continuity under MJ leases.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='MJOS-SUBSTRATE', class='OPERATING_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product MJOS-SUBSTRATE { purpose; formulas; families; evidence; permit; }
Literal	MJOS-SUBSTRATE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	OPERATING_SYSTEM
Attribute	status=SPECIFICATION_CANDIDATE

8.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JP Semiconductor Phone Battery and OS Candidate - JP-SC-PHONE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JP-SC-PHONE
Namespace	MJ.PBMEF.Product.JP-SC-PHONE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JP-SC-PHONE
Definition	Explore semiconductor-scale static intake, power wake, solar assist, battery, and operating-system integration.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	JP and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Explore semiconductor-scale static intake, power wake, solar assist, battery, and operating-system integration.
Expression	Product-specific composition of formula and object records
Statement	Status: PLANNED_ONLY_NO_PHYSICAL_ARTICLE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JP-SC-PHONE', class='PHYSICAL_PRODUCT_CANDIDATE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JP-SC-PHONE { purpose; formulas; families; evidence; permit; }
Literal	JP-SC-PHONE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PHYSICAL_PRODUCT_CANDIDATE
Attribute	status=PLANNED_ONLY_NO_PHYSICAL_ARTICLE

9.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JP Large-Scale Boating Power Candidate - JP-LS-B0AT

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JP-LS-B0AT
Namespace	MJ.PBMEF.Product.JP-LS-B0AT.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JP-LS-B0AT
Definition	Explore large-scale static intake, solar initiation, power bus, containment, and marine power integration.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	JP and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Explore large-scale static intake, solar initiation, power bus, containment, and marine power integration.
Expression	Product-specific composition of formula and object records
Statement	Status: PLANNED_ONLY_UNCLASSIFIED
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JP-LS-B0AT', class='PHYSICAL_PRODUCT_CANDIDATE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JP-LS-B0AT { purpose; formulas; families; evidence; permit; }
Literal	JP-LS-B0AT
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PHYSICAL_PRODUCT_CANDIDATE
Attribute	status=PLANNED_ONLY_UNCLASSIFIED

10.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JP Peaceful High-Energy Propulsion Research Candidate - JP-PEACEFUL-PROPULSION

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JP-PEACEFUL-PROPULSION
Namespace	MJ.PBMEF.Product.JP-PEACEFUL-PROPULSION.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JP-PEACEFUL-PROPULSION
Definition	Explore peaceful propulsion measurement and control under non-weaponization, safety, and regulatory gates.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	JP and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Explore peaceful propulsion measurement and control under non-weaponization, safety, and regulatory gates.
Expression	Product-specific composition of formula and object records
Statement	Status: PLANNED_ONLY_SAFETY_HOLD
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JP-PEACEFUL-PROPULSION', class='HIGH_RISK_PHYSICAL_RESEARCH_CANDIDATE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JP-PEACEFUL-PROPULSION { purpose; formulas; families; evidence; permit; }
Literal	JP-PEACEFUL-PROPULSION
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	HIGH_RISK_PHYSICAL_RESEARCH_CANDIDATE
Attribute	status=PLANNED_ONLY_SAFETY_HOLD

11.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Sister Predictive Containment System - SISTER-CONTAINMENT

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SISTER-CONTAINMENT
Namespace	MJ.PBMEF.Product.SISTER-CONTAINMENT.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SISTER-CONTAINMENT
Definition	Predict demand, allocate buffers, detect anomalies, and stage overflow in bounded umbrellas.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Predict demand, allocate buffers, detect anomalies, and stage overflow in bounded umbrellas.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SISTER-CONTAINMENT', class='PREDICTION_AND_CONTAINMENT')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SISTER-CONTAINMENT { purpose; formulas; families; evidence; permit; }
Literal	SISTER-CONTAINMENT
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PREDICTION_AND_CONTAINMENT
Attribute	status=SPECIFICATION_CANDIDATE

12.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

EVE Variance Screen and Egress Accounting - EVE-SCREEN

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.EVE-SCREEN
Namespace	MJ.PBMEF.Product.EVE-SCREEN.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product EVE-SCREEN
Definition	Account for variance, evaporation, leakage, capture, and natural egress without silent loss.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Account for variance, evaporation, leakage, capture, and natural egress without silent loss.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='EVE-SCREEN', class='MEASUREMENT_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product EVE-SCREEN { purpose; formulas; families; evidence; permit; }
Literal	EVE-SCREEN
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	MEASUREMENT_SYSTEM
Attribute	status=SPECIFICATION_CANDIDATE

13.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Angels Safety and Corrective Command System - ANGELS-SAFETY

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.ANGELS-SAFETY
Namespace	MJ.PBMEF.Product.ANGELS-SAFETY.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product ANGELS-SAFETY
Definition	Provide domain-bounded telemetry, hold, denial, isolation, and corrective protocols.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Provide domain-bounded telemetry, hold, denial, isolation, and corrective protocols.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='ANGELS-SAFETY', class='SAFETY_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product ANGELS-SAFETY { purpose; formulas; families; evidence; permit; }
Literal	ANGELS-SAFETY
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	SAFETY_SYSTEM
Attribute	status=SPECIFICATION_CANDIDATE

14.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Mermaid Accounting and Reconciliation System - MERMAID-RECON

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.MERMAID-RECON
Namespace	MJ.PBMEF.Product.MERMAID-RECON.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product MERMAID-RECON
Definition	Maintain balances, custody evidence, exposure, tax lots, statements, and reconciliation.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Maintain balances, custody evidence, exposure, tax lots, statements, and reconciliation.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='MERMAID-RECON', class='ACCOUNTING_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product MERMAID-RECON { purpose; formulas; families; evidence; permit; }
Literal	MERMAID-RECON
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	ACCOUNTING_SYSTEM
Attribute	status=SPECIFICATION_CANDIDATE

15.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Shiva Dual Financial Rails - SHIVA-RAILS

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SHIVA-RAILS
Namespace	MJ.PBMEF.Product.SHIVA-RAILS.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SHIVA-RAILS
Definition	Separate stability/cash functions from investment and crypto risk while preserving liquidity-first ethics.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Separate stability/cash functions from investment and crypto risk while preserving liquidity-first ethics.
Expression	Product-specific composition of formula and object records
Statement	Status: INTERNAL_MODEL_EXTERNAL_DISABLED
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SHIVA-RAILS', class='FINANCIAL_REFERENCE_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SHIVA-RAILS { purpose; formulas; families; evidence; permit; }
Literal	SHIVA-RAILS
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	FINANCIAL_REFERENCE_SYSTEM
Attribute	status=INTERNAL_MODEL_EXTERNAL_DISABLED

16.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

SHIVAS Internal Settlement Reflection - SHIVAS-INTERNAL

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SHIVAS-INTERNAL
Namespace	MJ.PBMEF.Product.SHIVAS-INTERNAL.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SHIVAS-INTERNAL
Definition	Represent internal capital reflections without minting, redemption, public offer, or value guarantee.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	SHIVA and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Represent internal capital reflections without minting, redemption, public offer, or value guarantee.
Expression	Product-specific composition of formula and object records
Statement	Status: NONTRANSFERABLE_NO_MONETARY_VALUE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SHIVAS-INTERNAL', class='CAPITAL_REFLECTION_OBJECT')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SHIVAS-INTERNAL { purpose; formulas; families; evidence; permit; }
Literal	SHIVAS-INTERNAL
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	CAPITAL_REFLECTION_OBJECT
Attribute	status=NONTRANSFERABLE_NO_MONETARY_VALUE

17.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Shiva Crypto External-Market Candidate - SHIVA-CRYPTO

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SHIVA-CRYPTO
Namespace	MJ.PBMEF.Product.SHIVA-CRYPTO.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SHIVA-CRYPTO
Definition	Model a separately governed external crypto rail subject to full classification and authorization.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	SHIVA and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Model a separately governed external crypto rail subject to full classification and authorization.
Expression	Product-specific composition of formula and object records
Statement	Status: DISABLED_ACTIVE_HOLD
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SHIVA-CRYPTO', class='EXTERNAL_FINANCIAL_CANDIDATE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SHIVA-CRYPTO { purpose; formulas; families; evidence; permit; }
Literal	SHIVA-CRYPTO
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	EXTERNAL_FINANCIAL_CANDIDATE
Attribute	status=DISABLED_ACTIVE_HOLD

18.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Shiva Exchange Rule Reference - SHIVA-EXCHANGE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SHIVA-EXCHANGE
Namespace	MJ.PBMEF.Product.SHIVA-EXCHANGE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SHIVA-EXCHANGE
Definition	Model transparent price-time, custody, audit, tax, and transfer rules without operating a market.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	SHIVA and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Model transparent price-time, custody, audit, tax, and transfer rules without operating a market.
Expression	Product-specific composition of formula and object records
Statement	Status: INTERNAL_SIMULATION_ONLY
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SHIVA-EXCHANGE', class='MARKET_REFERENCE_MODEL')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SHIVA-EXCHANGE { purpose; formulas; families; evidence; permit; }
Literal	SHIVA-EXCHANGE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	MARKET_REFERENCE_MODEL
Attribute	status=INTERNAL_SIMULATION_ONLY

19.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Moana Governed Browser - MOANA-BROWSER

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.MOANA-BROWSER
Namespace	MJ.PBMEF.Product.MOANA-BROWSER.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product MOANA-BROWSER
Definition	Present governed applications, evidence, holds, and uncertainty.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Present governed applications, evidence, holds, and uncertainty.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='MOANA-BROWSER', class='APPLICATION_PRODUCT')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product MOANA-BROWSER { purpose; formulas; families; evidence; permit; }
Literal	MOANA-BROWSER
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	APPLICATION_PRODUCT
Attribute	status=REFERENCE_CANDIDATE

20.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Aviator Organizational Workspace - AVIATOR-WORKSPACE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.AVIATOR-WORKSPACE
Namespace	MJ.PBMEF.Product.AVIATOR-WORKSPACE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product AVIATOR-WORKSPACE
Definition	Organize spaces, projects, decisions, knowledge, members, roles, and capabilities.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Organize spaces, projects, decisions, knowledge, members, roles, and capabilities.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='AVIATOR-WORKSPACE', class='APPLICATION_PRODUCT')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product AVIATOR-WORKSPACE { purpose; formulas; families; evidence; permit; }
Literal	AVIATOR-WORKSPACE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	APPLICATION_PRODUCT
Attribute	status=REFERENCE_CANDIDATE

21.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Lecanto Truthful Visualization -

LECANTO-VISUAL

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.LECANTO-VISUAL
Namespace	MJ.PBMEF.Product.LECANTO-VISUAL.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product LECANTO-VISUAL
Definition	Display system truth, provenance, topology, uncertainty, and evidence.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Display system truth, provenance, topology, uncertainty, and evidence.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='LECANTO-VISUAL', class='VISUAL_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product LECANTO-VISUAL { purpose; formulas; families; evidence; permit; }
Literal	LECANTO-VISUAL
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	VISUAL_SYSTEM
Attribute	status=REFERENCE_CANDIDATE

22.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Elsa Governed Marketplace Reference - ELSA-MARKETPLACE

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.ELSA-MARKETPLACE
Namespace	MJ.PBMEF.Product.ELSA-MARKETPLACE.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product ELSA-MARKETPLACE
Definition	Coordinate semantic listings, workflow, accounting, execution, and resource evidence without live market authority.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Coordinate semantic listings, workflow, accounting, execution, and resource evidence without live market authority.
Expression	Product-specific composition of formula and object records
Statement	Status: INTERNAL_REFERENCE_ONLY
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='ELSA-MARKETPLACE', class='MARKETPLACE_REFERENCE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product ELSA-MARKETPLACE { purpose; formulas; families; evidence; permit; }
Literal	ELSA-MARKETPLACE
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	MARKETPLACE_REFERENCE
Attribute	status=INTERNAL_REFERENCE_ONLY

23.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Shekina Distributed Continuity - SHEKINA-CONTINUITY

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.SHEKINA-CONTINUITY
Namespace	MJ.PBMEF.Product.SHEKINA-CONTINUITY.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product SHEKINA-CONTINUITY
Definition	Model bounded replicas, failover, continuity, and placement evidence.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Model bounded replicas, failover, continuity, and placement evidence.
Expression	Product-specific composition of formula and object records
Statement	Status: SPECIFICATION_CANDIDATE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='SHEKINA-CONTINUITY', class='INFRASTRUCTURE_REFERENCE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product SHEKINA-CONTINUITY { purpose; formulas; families; evidence; permit; }
Literal	SHEKINA-CONTINUITY
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	INFRASTRUCTURE_REFERENCE
Attribute	status=SPECIFICATION_CANDIDATE

24.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Pearl Hypothetical Simulation and Information-Retention System - PEARL-CONTAINMENT

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.PEARL-CONTAINMENT
Namespace	MJ.PBMEF.Product.PEARL-CONTAINMENT.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product PEARL-CONTAINMENT
Definition	Acquire, retain, replay, and compare variance simulations and transfer/regeneration opportunities without asserting physical containment.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Acquire, retain, replay, and compare variance simulations and transfer/regeneration opportunities without asserting physical containment.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_SIMULATION_ONLY_PHYSICAL_NOT_APPLICABLE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='PEARL-CONTAINMENT', class='HYPOTHETICAL_SIMULATION_AND_INFORMATION_RETENTION')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product PEARL-CONTAINMENT { purpose; formulas; families; evidence; permit; }
Literal	PEARL-CONTAINMENT
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	HYPOTHETICAL_SIMULATION_AND_INFORMATION_RETENTION
Attribute	status=REFERENCE_SIMULATION_ONLY_PHYSICAL_NOT_APPLICABLE

25.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Bangel

Spreadsheets

-

Bangel

-

SPREADSHEETS

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.Bangel -SPREADSHEETS
Namespace	MJ.PBMEF.Product.Bangel -SPREADSHEETS.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product Bangel -SPREADSHEETS
Definition	Provide governed spreadsheet-like operational modeling through typed measurement cells, immutable revisions, Pearl simulation partitions, deterministic recalculation, concurrency control, and audit evidence.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	Bangel and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Provide governed spreadsheet-like operational modeling through typed measurement cells, immutable revisions, Pearl simulation partitions, deterministic recalculation, concurrency control, and audit evidence.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_MVP_PREPASKEY
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='Bangel -SPREADSHEETS', class='MEASUREMENT_SPREADSHEET_PLATFORM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product Bangel -SPREADSHEETS { purpose; formulas; families; evidence; permit; }
Literal	Bangel -SPREADSHEETS
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	MEASUREMENT_SPREADSHEET_PLATFORM
Attribute	status=REFERENCE_MVP_PREPASKEY

26.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

JPOSMJ Product Portfolio Envelope - JPOSMJ-PORTFOLIO

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.JPOSMJ-PORTFOLIO
Namespace	MJ.PBMEF.Product.JPOSMJ-PORTFOLIO.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product JPOSMJ-PORTFOLIO
Definition	Bind every JP-origin product candidate through MK physics representation, JO verification, participant evidence, and MJ bounded permit classification.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	JP and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Bind every JP-origin product candidate through MK physics representation, JO verification, participant evidence, and MJ bounded permit classification.
Expression	Product-specific composition of formula and object records
Statement	Status: PREPASKEY_PORTFOLIO_ENVELOPE
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='JPOSMJ-PORTFOLIO', class='PRODUCT_FAMILY_ENVELOPE')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product JPOSMJ-PORTFOLIO { purpose; formulas; families; evidence; permit; }
Literal	JPOSMJ-PORTFOLIO
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PRODUCT_FAMILY_ENVELOPE
Attribute	status=PREPASKEY_PORTFOLIO_ENVELOPE

27.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

MJ Standard Containment Geometry and Reference Gas Model - STANDARD-CONTAINMENT-GEOMETRY

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.STANDARD-CONTAINMENT-GEOMETRY
Namespace	MJ.PBMEF.Product.STANDARD-CONTAINMENT-GEOMETRY.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product STANDARD-CONTAINMENT-GEOMETRY
Definition	Provide a scale-independent rectangle/cone/Sister/EVE/reservoir calculation standard and H2 reference-gas observation profile.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Provide a scale-independent rectangle/cone/Sister/EVE/reservoir calculation standard and H2 reference-gas observation profile.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_MVP_PHYSICAL_VALUES_HOLD
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='STANDARD-CONTAINMENT-GEOMETRY', class='PHYSICS_REFERENCE_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product STANDARD-CONTAINMENT-GEOMETRY { purpose; formulas; families; evidence; permit; }
Literal	STANDARD-CONTAINMENT-GEOMETRY
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PHYSICS_REFERENCE_SYSTEM
Attribute	status=REFERENCE_MVP_PHYSICAL_VALUES_HOLD

28.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

MJ Reservoir Collection, Lake Buffer, and Spiral-Compatible Re-entry - RESERVOIR-COLLECTION-MODULATION

Construct	Formula-specific expression
Module	MJ.PBMEF.Product.RESERVOIR-COLLECTION-MODULATION
Namespace	MJ.PBMEF.Product.RESERVOIR-COLLECTION-MODULATION.Day0
Import	Manifest, product register, applicable formulas, family and object definitions
Declaration	product RESERVOIR-COLLECTION-MODULATION
Definition	Model the rear reservoir loop, exterior outlet, lake-like buffer, circular inward/tangential re-entry, wave/friction references, adaptive sizing, and full Sister/EVE/Angel/M3/MK/JO/Mermaid/Shiva/MJ transaction path.
Capability	Reference, simulation, implementation candidate, or evidence lane according to status
Participant	MJ and applicable family manifestations
Relationship	JP origin -> MK physics -> JO proof -> family evidence -> M3 -> Mermaid/Shiva -> MJ
Function	Model the rear reservoir loop, exterior outlet, lake-like buffer, circular inward/tangential re-entry, wave/friction references, adaptive sizing, and full Sister/EVE/Angel/M3/MK/JO/Mermaid/Shiva/MJ transaction path.
Expression	Product-specific composition of formula and object records
Statement	Status: REFERENCE_MVP_PHYSICAL_VALUES_HOLD
Measurement	Product-specific; physical products require actual article and calibrated evidence
Constraint	No product inherits permission from portfolio membership or mathematical validity
Annotation	@product(id='RESERVOIR-COLLECTION-MODULATION', class='PHYSICS_REFERENCE_SYSTEM')
Directive	retain status, claims ceiling, evidence gates, and permit class
Block	product RESERVOIR-COLLECTION-MODULATION { purpose; formulas; families; evidence; permit; }
Literal	RESERVOIR-COLLECTION-MODULATION
Reference	manifest/PROJECT-PRODUCT-REGISTER.json and matching product white paper
Type	PHYSICS_REFERENCE_SYSTEM
Attribute	status=REFERENCE_MVP_PHYSICAL_VALUES_HOLD

29.1 Application and life-cycle potential

The product enters through a purpose-specific Bangel declaration. Elsa recovers its intended application; JP composes its governed representation; MK determines physical applicability; JO verifies; the appropriate family manifestations contribute evidence; M3 routes resources; Mermaid and Shiva process balances or capital implications; MJ decides. A physical or external product remains held until its own evidence and authority gates pass.

Registered white-paper verification
crosswalk

30.1 MJ — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-01

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-01
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-01
Import	whitepapers/family/01-mj.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-01
Definition	Project root, founder-governed authority and final bounded permit decision. Project root, founder-governed authority and final bounded permit decision. truth, measurement, human authority, stewardship, non-weaponization.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MJ
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-01', path='whitepapers/family/01-mj.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-01 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-01
Reference	whitepapers/family/01-mj.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.2 Bangel — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-02

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-02
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-02
Import	whitepapers/family/02-Bangel.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-02
Definition	Human-facing governed language that preserves purpose and command structure. Human-facing governed language that preserves purpose and command structure. intent integrity, explicit types, traceability.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	Bangel
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-02', path='whitepapers/family/02-Bangel.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-02 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-02
Reference	whitepapers/family/02-Bangel.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.3 Elsa — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-03

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-03
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-03
Import	whitepapers/family/03-elsa.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-03
Definition	Deterministic semantic recovery and purpose-preservation layer. Deterministic semantic recovery and purpose-preservation layer. meaning fidelity, purpose confinement, clarity.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	ELSA
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-03', path='whitepapers/family/03-elsa.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-03 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-03
Reference	whitepapers/family/03-elsa.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.4 JP — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-04

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-04
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-04
Import	whitepapers/family/04-jp.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-04
Definition	Canonical mathematical, algorithmic, topology, CAPO, and architecture representation. Canonical mathematical, algorithmic, topology, CAPO, and architecture representation. mathematical rigor, provenance, equivalence.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JP
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-04', path='whitepapers/family/04-jp.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-04 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-04
Reference	whitepapers/family/04-jp.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.5 Mika / MK — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-05

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-05
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-05
Import	whitepapers/family/05-mk.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-05
Definition	Physics Modulator System for dimensional, conservation, boundary, scale, and evidence representation. Physics Modulator System for dimensional, conservation, boundary, scale, and evidence representation. physical truth, unit integrity, conservation, uncertainty honesty.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MK
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-05', path='whitepapers/family/05-mk.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-05 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-05
Reference	whitepapers/family/05-mk.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.6 JO — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-06

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-06
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-06
Import	whitepapers/family/06-jo.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-06
Definition	Deterministic type, unit, proof, validation, runtime, and evidence engine. Deterministic type, unit, proof, validation, runtime, and evidence engine. fail closed, reproducibility, auditability.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JO
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-06', path='whitepapers/family/06-jo.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-06 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-06
Reference	whitepapers/family/06-jo.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.7 MJOS — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-07

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-07
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-07
Import	whitepapers/family/07-mjos.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-07
Definition	Operating-system and infrastructure substrate inside MJ. Operating-system and infrastructure substrate inside MJ. bounded resources, continuity, isolation.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MJOS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-07', path='whitepapers/family/07-mjos.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-07 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-07
Reference	whitepapers/family/07-mjos.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.8 Angels — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-08

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-08
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-08
Import	whitepapers/family/08-angels.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-08
Definition	Domain-specific observation, telemetry, hold, denial, and corrective-command family. Domain-specific observation, telemetry, hold, denial, and corrective-command family. safety, watchfulness, correction.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	ANGELS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-08', path='whitepapers/family/08-angels.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-08 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-08
Reference	whitepapers/family/08-angels.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.9 Bellatrix — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-09

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-09
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-09
Import	whitepapers/family/09-bellatrix.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-09
Definition	Independent defense, challenge, quarantine, hostile-deviation analysis, and denial. Independent defense, challenge, quarantine, hostile-deviation analysis, and denial. defense, independence, containment.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	BELLATRIX
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-09', path='whitepapers/family/09-bellatrix.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-09 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-09
Reference	whitepapers/family/09-bellatrix.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.10 Sister — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-10

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-10
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-10
Import	whitepapers/family/10-sister.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-10
Definition	Predictive digital twin, preallocation evidence, anomaly detection, and umbrella containment. Predictive digital twin, preallocation evidence, anomaly detection, and umbrella containment. prediction, redundancy, early warning.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SISTER
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-10', path='whitepapers/family/10-sister.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-10 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-10
Reference	whitepapers/family/10-sister.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.11 EVE — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-11

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-11
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-11
Import	whitepapers/family/11-eve.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-11
Definition	Variance, evaporative effect, screen capture, leakage, smoke-like egress, and boundary-accounting evidence. Variance, evaporative effect, screen capture, leakage, smoke-like egress, and boundary-accounting evidence. diligence, respect, loss accounting, boundary truth.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	EVE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-11', path='whitepapers/family/11-eve.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-11 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-11
Reference	whitepapers/family/11-eve.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.12 Mary / M3 — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-12

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-12
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-12
Import	whitepapers/family/12-m3.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-12
Definition	Bounded routing, API gateway, load balancing, connection pooling, and allocation stewardship. Bounded routing, API gateway, load balancing, connection pooling, and allocation stewardship. fair allocation, resource hygiene, bounded routing.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	M3
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-12', path='whitepapers/family/12-m3.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-12 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-12
Reference	whitepapers/family/12-m3.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.13 Mermaid — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-13

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-13
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-13
Import	whitepapers/family/13-mermaid.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-13
Definition	Accounting, reconciliation, exposure, custody evidence, statements, tax lots, and financial consequence. Accounting, reconciliation, exposure, custody evidence, statements, tax lots, and financial consequence. ledger truth, reconciliation, transparency.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MERMAID
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-13', path='whitepapers/family/13-mermaid.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-13 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-13
Reference	whitepapers/family/13-mermaid.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.14 Shiva — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-14

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-14
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-14
Import	whitepapers/family/14-shiva.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-14
Definition	Finance, money, treasury, liquidity, capital-job classification, risk/opportunity analysis, and distribution proposal. Finance, money, treasury, liquidity, capital-job classification, risk/opportunity analysis, and distribution proposal. liquidity first, stability, abundance with discipline, auditability.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHIVA
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-14', path='whitepapers/family/14-shiva.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-14 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-14
Reference	whitepapers/family/14-shiva.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.15 Shekina — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-15

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-15
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-15
Import	whitepapers/family/15-shekina.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-15
Definition	Distributed placement, replication, continuity, and infrastructure evidence. Distributed placement, replication, continuity, and infrastructure evidence. continuity, bounded placement, resilience.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHEKINA
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-15', path='whitepapers/family/15-shekina.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-15 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-15
Reference	whitepapers/family/15-shekina.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.16 Belle — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-16

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-16
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-16
Import	whitepapers/family/16-belle.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-16
Definition	Engineering analysis, feasibility, topology review, and bounded proposals. Engineering analysis, feasibility, topology review, and bounded proposals. engi- neering clarity, feasibility, benchmarking.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	BELLE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-16', path='whitepapers/family/16-belle.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-16 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-16
Reference	whitepapers/family/16-belle.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.17 Lecanto — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-17

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-17
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-17
Import	whitepapers/family/17-lecanto.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-17
Definition	Truthful governed visualization of state, provenance, uncertainty, and system structure. Truthful governed visualization of state, provenance, uncertainty, and system structure. visibility, truth, uncertainty disclosure.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	LECANTO
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-17', path='whitepapers/family/17-lecanto.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-17 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-17
Reference	whitepapers/family/17-lecanto.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.18 Moana — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-18

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-18
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-18
Import	whitepapers/family/18-moana.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-18
Definition	Browser and interaction presentation of governed applications and evidence. Browser and interaction presentation of governed applications and evidence. interaction truth, accessibility, bounded presentation.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MOANA
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-18', path='whitepapers/family/18-moana.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-18 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-18
Reference	whitepapers/family/18-moana.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.19 Aviator — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-19

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-19
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-19
Import	whitepapers/family/19-aviator.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-19
Definition	Organizational workspace, projects, decisions, roles, knowledge, and governed workflow. Organizational workspace, projects, decisions, roles, knowledge, and governed workflow. understanding first, organization, decision trace.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	AVIATOR
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-19', path='whitepapers/family/19-aviator.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-19 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-19
Reference	whitepapers/family/19-aviator.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.20 CHI — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-20

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-20
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-20
Import	whitepapers/family/20-chi.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-20
Definition	Temporal variance and expected-observed-delivered-reconciled difference state. Temporal variance and expected-observed-delivered-reconciled difference state. variance truth, time awareness.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	CHI
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-20', path='whitepapers/family/20-chi.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-20 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-20
Reference	whitepapers/family/20-chi.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.21 WATER — MJ Manifestation White Paper - MJ-PBMEF-FAMILY-WP-21

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-FAMILY-WP-21
Namespace	MJ.PBMEF.Document.MJ-PBMEF-FAMILY-WP-21
Import	whitepapers/family/21-water.md
Declaration	whitepaper MJ-PBMEF-FAMILY-WP-21
Definition	Interval uncertainty, verified floor, and bounded unknown-state classification. Interval uncertainty, verified floor, and bounded unknown-state classification. uncertainty honesty, bounded intervals.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	WATER
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-FAMILY-WP-21', path='whitepapers/family/21-water.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-FAMILY-WP-21 { source; hash; coverage; status; }
Literal	MJ-PBMEF-FAMILY-WP-21
Reference	whitepapers/family/21-water.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.22 MJ Physics Based Measurement Engineering Framework - MJ-PBMEF-PRODUCT-WP-01

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-01
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCTWP-01
Import	whitepapers/products/01-pbmef-core.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-01
Definition	Integrate purpose, mathematics, physics, verification, safety, resource routing, accounting, finance, evidence, and bounded permit decisions. Integrate purpose, mathematics, physics, verification, safety, resource routing, accounting, finance, evidence, and bounded permit decisions. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	PBMEF-CORE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-01', path='whitepapers/products/01-pbmef-core.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-01 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-01
Reference	whitepapers/products/01-pbmef-core.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.23

Bangel

Governed Measurement Language - MJ-PBMEF-PRODUCT-WP-02

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-02
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-02
Import	whitepapers/products/02-Bangel-language.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-02
Definition	Express human purpose, typed measurements, formulas, evidence, and command pathways. Express human purpose, typed measurements, formulas, evidence, and command pathways. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	Bangel -LANGUAGE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-02', path='whitepapers/products/02-Bangel-language.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-02 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-02
Reference	whitepapers/products/02-Bangel-language.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.24

Elsa

Deterministic Semantic Recovery - MJ-PBMEF-PRODUCT-WP-03

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-03
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-03
Import	whitepapers/products/03-elsa-semantics.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-03
Definition	Recover and preserve declared meaning without autonomous inference or authority. Recover and preserve declared meaning without autonomous inference or authority. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	ELSA-SEMANTICS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-03', path='whitepapers/products/03-elsa-semantics.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-03 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-03
Reference	whitepapers/products/03-elsa-semantics.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.25 JP Mathematical and Architectural Canon - MJ-PBMEF-PRODUCT-WP-04

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-04
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-04
Import	whitepapers/products/04-jp-canon.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-04
Definition	Represent equations, algorithms, CAPOs, topology, products, and proofs. Represent equations, algorithms, CAPOs, topology, products, and proofs. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JP-CANON
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-04', path='whitepapers/products/04-jp-canon.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-04 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-04
Reference	whitepapers/products/04-jp-canon.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.26 Mika/MK Physics Modulator System - MJ-PBMEF-PRODUCT-WP-05

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-05
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-05
Import	whitepapers/products/05-mk-physics.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-05
Definition	Create physics representations and verify units, conservation, boundaries, scale, and evidence ceilings. Create physics representations and verify units, conservation, boundaries, scale, and evidence ceilings. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MK-PHYSICS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-05', path='whitepapers/products/05-mk-physics.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-05 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-05
Reference	whitepapers/products/05-mk-physics.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.27 JO Deterministic Proof and Runtime - MJ-PBMEF-PRODUCT-WP-06

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-06
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-06
Import	whitepapers/products/06-jo-runtime.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-06
Definition	Verify types, units, authority, physics, tests, evidence, and bounded execution. Verify types, units, authority, physics, tests, evidence, and bounded execution. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JO-RUNTIME
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-06', path='whitepapers/products/06-jo-runtime.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-06 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-06
Reference	whitepapers/products/06-jo-runtime.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.28 MJOS Operating Substrate - MJ-PBMEF-PRODUCT-WP-07

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-07
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-07
Import	whitepapers/products/07-mjos-substrate.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-07
Definition	Provide isolated resources, memory, storage, network, scheduling, and continuity under MJ leases. Provide isolated resources, memory, storage, network, scheduling, and continuity under MJ leases. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MJOS-SUBSTRATE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-07', path='whitepapers/products/07-mjos-substrate.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-07 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-07
Reference	whitepapers/products/07-mjos-substrate.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.29 JP Semiconductor Phone Battery and OS Candidate - MJ-PBMEF-PRODUCT-WP-08

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-08
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-08
Import	whitepapers/products/08-jp-sc-phone.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-08
Definition	Explore semiconductor-scale static intake, power wake, solar assist, battery, and operating-system integration. Explore semiconductor-scale static intake, power wake, solar assist, battery, and operating-system integration. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JP-SC-PHONE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-08', path='whitepapers/products/08-jp-sc-phone.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-08 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-08
Reference	whitepapers/products/08-jp-sc-phone.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.30 JP Large-Scale Boating Power Candidate - MJ-PBMEF-PRODUCT-WP-09

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-09
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-09
Import	whitepapers/products/09-jp-ls-boat.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-09
Definition	Explore large-scale static intake, solar initiation, power bus, containment, and marine power integration. Explore large-scale static intake, solar initiation, power bus, containment, and marine power integration. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JP-LS-BOAT
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-09', path='whitepapers/products/09-jp-ls-boat.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-09 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-09
Reference	whitepapers/products/09-jp-ls-boat.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.31 JP Peaceful High-Energy Propulsion Research Candidate - MJ-PBMEF-PRODUCT-WP-10

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-10
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-10
Import	whitepapers/products/10-jp-peaceful-propulsion.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-10
Definition	Explore peaceful propulsion measurement and control under non-weaponization, safety, and regulatory gates. Explore peaceful propulsion measurement and control under non-weaponization, safety, and regulatory gates. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JP-PEACEFUL-PROPULSION
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-10', path='whitepapers/products/10-jp-peaceful-propulsion.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-10 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-10
Reference	whitepapers/products/10-jp-peaceful-propulsion.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.32 Sister Predictive Containment System - MJ-PBMEF-PRODUCT-WP-11

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-11
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-11
Import	whitepapers/products/11-sister-containment.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-11
Definition	Define a scale-independent physical-containment calculation pathway without claiming a realized physical article. This representation is governed inside MJ and follows Bangel -> Elsa -> JP -> MK -> JO -> applicable evidence -> M3 -> Mermaid/Shiva -> MJ. Truthful measurement, scale independence, conservation, explicit uncertainty, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SISTER-CONTAINMENT
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-11', path='whitepapers/products/11-sister-containment.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-11 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-11
Reference	whitepapers/products/11-sister-containment.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.33 EVE Variance Screen and Egress Accounting - MJ-PBMEF-PRODUCT-WP-12

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-12
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-12
Import	whitepapers/products/12-eve-screen.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-12
Definition	Account for variance, evaporation, leakage, capture, and natural egress without silent loss. Account for variance, evaporation, leakage, capture, and natural egress without silent loss. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	EVE-SCREEN
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-12', path='whitepapers/products/12-eve-screen.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-12 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-12
Reference	whitepapers/products/12-eve-screen.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.34 Angels Safety and Corrective Command System - MJ-PBMEF-PRODUCT-WP-13

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-13
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-13
Import	whitepapers/products/13-angels-safety.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-13
Definition	Provide domain-bounded telemetry, hold, denial, isolation, and corrective protocols. Provide domain-bounded telemetry, hold, denial, isolation, and corrective protocols. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	ANGELS-SAFETY
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-13', path='whitepapers/products/13-angels-safety.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-13 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-13
Reference	whitepapers/products/13-angels-safety.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.35 Mermaid Accounting and Reconciliation System - MJ-PBMEF-PRODUCT-WP-14

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-14
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-14
Import	whitepapers/products/14-mermaid-recon.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-14
Definition	Maintain balances, custody evidence, exposure, tax lots, statements, and reconciliation. Maintain balances, custody evidence, exposure, tax lots, statements, and reconciliation. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MERMAID-RECON
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-14', path='whitepapers/products/14-mermaid-recon.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-14 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-14
Reference	whitepapers/products/14-mermaid-recon.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.36 Shiva Dual Financial Rails - MJ-PBMEF-PRODUCT-WP-15

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-15
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-15
Import	whitepapers/products/15-shiva-rails.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-15
Definition	Separate stability/cash functions from investment and crypto risk while preserving liquidity-first ethics. Separate stability/cash functions from investment and crypto risk while preserving liquidity-first ethics. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHIVA-RAILS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-15', path='whitepapers/products/15-shiva-rails.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-15 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-15
Reference	whitepapers/products/15-shiva-rails.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.37 SHIVAS Internal Settlement Reflection - MJ-PBMEF-PRODUCT-WP-16

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-16
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-16
Import	whitepapers/products/16-shivas-internal.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-16
Definition	Represent internal capital reflections without minting, redemption, public offer, or value guarantee. Represent internal capital reflections without minting, redemption, public offer, or value guarantee. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHIVAS-INTERNAL
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-16', path='whitepapers/products/16-shivas-internal.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-16 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-16
Reference	whitepapers/products/16-shivas-internal.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.38 Shiva Crypto External-Market Candidate - MJ-PBMEF-PRODUCT-WP-17

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-17
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-17
Import	whitepapers/products/17-shiva-crypto.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-17
Definition	Model a separately governed external crypto rail subject to full classification and authorization. Model a separately governed external crypto rail subject to full classification and authorization. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHIVA-CRYPTO
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-17', path='whitepapers/products/17-shiva-crypto.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-17 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-17
Reference	whitepapers/products/17-shiva-crypto.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.39 Shiva Exchange Rule Reference - MJ-PBMEF-PRODUCT-WP-18

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-18
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-18
Import	whitepapers/products/18-shiva-exchange.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-18
Definition	Model transparent price-time, custody, audit, tax, and transfer rules without operating a market. Model transparent price-time, custody, audit, tax, and transfer rules without operating a market. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHIVA-EXCHANGE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-18', path='whitepapers/products/18-shiva-exchange.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-18 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-18
Reference	whitepapers/products/18-shiva-exchange.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.40 Moana Governed Browser - MJ-PBMEF-PRODUCT-WP-19

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-19
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-19
Import	whitepapers/products/19-moana-browser.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-19
Definition	Present governed applications, evidence, holds, and uncertainty. Present governed applications, evidence, holds, and uncertainty. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MOANA-BROWSER
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-19', path='whitepapers/products/19-moana-browser.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-19 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-19
Reference	whitepapers/products/19-moana-browser.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.41 Aviator Organizational Workspace - MJ-PBMEF-PRODUCT-WP-20

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-20
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-20
Import	whitepapers/products/20-aviator-workspace.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-20
Definition	Organize spaces, projects, decisions, knowledge, members, roles, and capabilities. Organize spaces, projects, decisions, knowledge, members, roles, and capabilities. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	AVIATOR-WORKSPACE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-20', path='whitepapers/products/20-aviator-workspace.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-20 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-20
Reference	whitepapers/products/20-aviator-workspace.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.42 Lecanto Truthful Visualization - MJ-PBMEF-PRODUCT-WP-21

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-21
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-21
Import	whitepapers/products/21-lecanto-visual.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-21
Definition	Display system truth, provenance, topology, uncertainty, and evidence. Display system truth, provenance, topology, uncertainty, and evidence. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	LECANTO-VISUAL
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-21', path='whitepapers/products/21-lecanto-visual.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-21 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-21
Reference	whitepapers/products/21-lecanto-visual.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.43 Elsa Governed Marketplace Reference - MJ-PBMEF-PRODUCT-WP-22

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-22
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-22
Import	whitepapers/products/22-elsa-marketplace.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-22
Definition	Coordinate semantic listings, workflow, accounting, execution, and resource evidence without live market authority. Coordinate semantic listings, workflow, accounting, execution, and resource evidence without live market authority. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	ELSA-MARKETPLACE
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-22', path='whitepapers/products/22-elsa-marketplace.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-22 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-22
Reference	whitepapers/products/22-elsa-marketplace.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.44 Shekina Distributed Continuity - MJ-PBMEF-PRODUCT-WP-23

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-23
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-23
Import	whitepapers/products/23-shekina-continuity.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-23
Definition	Model bounded replicas, failover, continuity, and placement evidence. Model bounded replicas, failover, continuity, and placement evidence. measurement, safety, traceability, bounded development.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	SHEKINA-CONTINUITY
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-23', path='whitepapers/products/23-shekina-continuity.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-23 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-23
Reference	whitepapers/products/23-shekina-continuity.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.45 Pearl Hypothetical Simulation and Information-Retention System - MJ-PBMEF-PRODUCT-WP-24

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-24
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-24
Import	whitepapers/products/24-pearl-containment.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-24
Definition	Acquire, retain, compare, and replay variance information and simulation potential without asserting a physical Pearl container. This representation is governed inside MJ and follows Bangel -> Elsa -> JP -> MK -> JO -> applicable evidence -> M3 -> Mermaid/Shiva -> MJ. Truthful measurement, scale independence, conservation, explicit uncertainty, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	PEARL-CONTAINMENT
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-24', path='whitepapers/products/24-pearl-containment.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-24 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-24
Reference	whitepapers/products/24-pearl-containment.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.46 Bangel Spreadsheets - MJ-PBMEF-PRODUCT-WP-25

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-25
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-25
Import	whitepapers/products/25-Bangel-spreadsheets.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-25
Definition	Provide a physics-oriented, deterministic alternative to conventional spreadsheet workflows. Bangel Spreadsheets addresses founder-defined operational risks: siloed files, conflicting versions, calculation bottlenecks, weak governance, and silent manual errors. Bangel Spreadsheets is an MJ product manifestation. A workbook is a governed measurement field. A cell is a typed object containing value, unit, uncertainty, formula, revision, lineage, authority, evidence, and state. A workbook revision is immutable and content-addressed. Large workbooks are partitioned into Pearl simulation objects rather than silently copied into disconnected files. Unified measurement meaning, immutable lineage, incremental work, low-latency correlation, typed units, explicit uncertainty, concurrency safety, role-scoped access, auditability, and reality-based reporting.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	Bangel -SPREADSHEETS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-25', path='whitepapers/products/25-Bangel-spreadsheets.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-25 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-25
Reference	whitepapers/products/25-Bangel-spreadsheets.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.47 JPOSMJ Product Portfolio Envelope - MJ-PBMEF-PRODUCT-WP-26

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-26
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-26
Import	whitepapers/products/26-jposmj-portfolio.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-26
Definition	Give every JP-origin product and project option one consistent route through physics, proof, evidence, authority, and claims ceilings. 'JPOSMJ' is an internal portfolio label meaning JP product architecture → MK physics → JO verification → MJ permit classification. It is not a participant, authority, operating system, or physical product. Consistent articulation, minimal revision, product comparability, physics completeness, evidence honesty, safety, and bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	JPOSMJ-PORTFOLIO
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-26', path='whitepapers/products/26-jposmj-portfolio.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-26 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-26
Reference	whitepapers/products/26-jposmj-portfolio.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.48 MJ Standard Containment Geometry and Reference Gas Model - MJ-PBMEF-PRODUCT-WP-27

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-27
Namespace	MJ.PBMEF.Document.MJ-PBMEF-PRODUCT-WP-27
Import	whitepapers/products/27-standard-containment-geometry.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-27
Definition	Provide a scale-independent product-calculation standard for the founder-defined open rectangular intake, conical expansion, Sister umbrella capture, isolated descent, EVE residual and escape accounting, bounded residual reservoir, and Pearl top-of-cone simulation anchor. The product is an MJ manifestation. Bangel expresses the typed command; Elsa preserves its intended meaning; JP constructs the geometry and equation CAPOs; MK classifies physics applicability and verifies dimensions, gas state, forces, conservation, uncertainty, and validity domain; JO verifies code and evidence; Sister, EVE, Angels, Bellatrix, and M3 provide bounded routing, observation, containment, and safety evidence; Mermaid reconciles quantities; Shiva evaluates capital implications only when applicable; MJ retains the final bounded decision. Scale-independent ratios, explicit units, truthful evidence ceilings, co
Capability	Explain, constrain, cross-reference, and support founder review
Participant	STANDARD-CONTAINMENT-GEOMETRY
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-27', path='whitepapers/products/27-standard-containment-geometry.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-27 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-27
Reference	whitepapers/products/27-standard-containment-geometry.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.49 MJ Reservoir Collection Modulation and Return Loop - MJ-PBMEF-PRODUCT-WP-28

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-PRODUCT-WP-28
Namespace	MJ.PBMEF.Document.MJ-PBMEF-COLLECTION-MODULATION
Import	whitepapers/products/28-reservoir-collection-modulation.md
Declaration	whitepaper MJ-PBMEF-PRODUCT-WP-28
Definition	Provide one scale-independent reference product for the founder-defined backside outlet, outward-facing gap, connected but separately accounted lake/buffer, circular inward-tangential re-entry, and continued variance-processing cycle. JP defines the geometry and transaction CAPOs; MK provides physics applicability, units, flow, wave, force, friction, and conservation; JO produces deterministic proof and cycle receipts; Sister provides predictive placement and physical-containment evidence; EVE records screen, pass-through, escape, evaporation, and residual state; Angels provide safety checks; M3 routes every transaction under a bounded lease; Mermaid reconciles; Shiva analyzes opportunity only when capital applies; MJ alone decides whether a bounded effect is eligible. Scale independence, small-discharge intent, actual-boundary truth, nonphysical Pearl-reference separation, control-volum
Capability	Explain, constrain, cross-reference, and support founder review
Participant	RESERVOIR-COLLECTION-MODULATION
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-PRODUCT-WP-28', path='whitepapers/products/28-reservoir-collection-modulation.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-PRODUCT-WP-28 { source; hash; coverage; status; }
Literal	MJ-PBMEF-PRODUCT-WP-28
Reference	whitepapers/products/28-reservoir-collection-modulation.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.50 R1 and R2 State Representation - MJ-PBMEF-REPRESENTATION-WP-01

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-01
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-01
Import	whitepapers/representations/01-state-r1-r2.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-01
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	STATE-R1-R2
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-01', path='whitepapers/representations/01-state-r1-r2.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-01 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-01
Reference	whitepapers/representations/01-state-r1-r2.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.51 Noise Floor and 23 mg Inflection - MJ-PBMEF-REPRESENTATION-WP-02

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-02
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-02
Import	whitepapers/representations/02-noise-23mg.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-02
Definition	Separate the 23 mg pre-observational floor from the 24 mg containment-geometry reference and bind both to the first-noise plane. This representation is governed inside MJ and follows Bangel -> Elsa -> JP -> MK -> JO -> applicable evidence -> M3 -> Mermaid/Shiva -> MJ. Truthful measurement, scale independence, conservation, explicit uncertainty, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	NOISE-23MG
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-02', path='whitepapers/representations/02-noise-23mg.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-02 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-02
Reference	whitepapers/representations/02-noise-23mg.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.52 Upward 3x3 Node and Umbrella Representation - MJ-PBMEF-REPRESENTATION-WP-03

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-03
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-03
Import	whitepapers/representations/03-node-3x3.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-03
Definition	Integrate the open rectangle and conical expansion with the normalized N1-N9, U/D/C, EVE, and reservoir topology. This representation is governed inside MJ and follows Bangel -> Elsa -> JP -> MK -> JO -> applicable evidence -> M3 -> Mermaid/Shiva -> MJ. Truthful measurement, scale independence, conservation, explicit uncertainty, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	NODE-3X3
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-03', path='whitepapers/representations/03-node-3x3.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-03 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-03
Reference	whitepapers/representations/03-node-3x3.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.53 Memory, Request Occultation, and Generational Handoff - MJ-PBMEF-REPRESENTATION-WP-04

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-04
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-04
Import	whitepapers/representations/04-memory-handoff.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-04
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	MEMORY-HANDOFF
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-04', path='whitepapers/representations/04-memory-handoff.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-04 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-04
Reference	whitepapers/representations/04-memory-handoff.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.54 Static Intake and Energy-Wake Representation - MJ-PBMEF-REPRESENTATION-WP-05

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-05
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-05
Import	whitepapers/representations/05-static-impetus.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-05
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	STATIC-IMPETUS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-05', path='whitepapers/representations/05-static-impetus.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-05 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-05
Reference	whitepapers/representations/05-static-impetus.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.55 EVE Variance, Screen, Evaporation, and Egress - MJ-PBMEF-REPRESENTATION-WP-06

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-06
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-06
Import	whitepapers/representations/06-eve-egress.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-06
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	EVE-EGRESS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-06', path='whitepapers/representations/06-eve-egress.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-06 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-06
Reference	whitepapers/representations/06-eve-egress.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.56 Shiva and Mermaid Financial Rails - MJ-PBMEF-REPRESENTATION-WP-07

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-07
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-07
Import	whitepapers/representations/07-financial-rails.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-07
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	FINANCIAL-RAILS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-07', path='whitepapers/representations/07-financial-rails.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-07 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-07
Reference	whitepapers/representations/07-financial-rails.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.57 Passkey, Claims Ceiling, and Repository Authentication - MJ-PBMEF-REPRESENTATION-WP-08

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-08
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-08
Import	whitepapers/representations/08-passkey.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-08
Definition	Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. Define the minimum complete logic, equations, authority boundaries, evidence states, and passkey claims for this representation. truth, measurement, traceability, bounded authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	PASSKEY
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-08', path='whitepapers/representations/08-passkey.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-08 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-08
Reference	whitepapers/representations/08-passkey.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.58 Pearl Hypothetical Geometry and Acoustic Simulation Representation - MJ-PBMEF-REPRESENTATION-WP-09

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-09
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-09
Import	whitepapers/representations/09-pearl-container-acoustics.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-09
Definition	Bind Pearl simulation to the top-of-cone observation plane and retain acoustic variables as simulation-only. This representation is governed inside MJ and follows Bangel -> Elsa -> JP -> MK -> JO -> applicable evidence -> M3 -> Mermaid/Shiva -> MJ. Truthful measurement, scale independence, conservation, explicit uncertainty, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	PEARL-CONTAINER-ACOUSTICS
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-09', path='whitepapers/representations/09-pearl-container-acoustics.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-09 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-09
Reference	whitepapers/representations/09-pearl-container-acoustics.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.59

Bangel

Spreadsheets Cell, Dependency, Revision, and Pearl Simulation Field - MJ-PBMEF-REPRESENTATION-WP-10

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-10
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-10
Import	whitepapers/representations/10-Bangel-spreadsheets-field.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-10
Definition	Define a spreadsheet-like operational field in which cells are typed measurement objects and workbook changes are immutable, auditable, incremental, and partitionable. This representation is the technical core of Bangel Spreadsheets. It supports inventory, finance, project tracking, reporting, or other processes only after the process, users, workload, service level, and authority are declared. Meaning consistency, version truth, low-latency recalculation, role-scoped governance, manual-error resistance, complete audit, and measured capacity.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	Bangel -SPREADSHEETS-FIELD
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-10', path='whitepapers/representations/10-Bangel-spreadsheets-field.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-10 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-10
Reference	whitepapers/representations/10-Bangel-spreadsheets-field.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.60

Standard Containment Geometry and H2 Reference Representation - MJ-PBMEF-REPRESENTATION-WP-11

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-11
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-11
Import	whitepapers/representations/11-standard-containment-geometry-h2-reference.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-11
Definition	Provide one scale-independent containment calculation system for the open rectangle, conical expansion, Sister umbrella/descent/containment, EVE accounting, residual reservoir, and Pearl cone-top simulation anchor. This representation connects JP geometry and formulas to MK physics, JO verification, Sister and EVE evidence, M3 routing, Mermaid reconciliation, Shiva opportunity analysis when applicable, and MJ bounded decisions. Scale independence, unit integrity, conservation, explicit gas state, truthful acceleration limits, and adaptive modification without rewriting core logic.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	STANDARD-CONTAINMENT-GEOMETRY-H2
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-11', path='whitepapers/representations/11-standard-containment-geometry-h2-reference.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-11 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-11
Reference	whitepapers/representations/11-standard-containment-geometry-h2-reference.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

30.61 Reservoir Return Loop Physics Representation - MJ-PBMEF-REPRESENTATION-WP-12

Construct	Formula-specific expression
Module	MJ.PBMEF.WhitePaper.MJ-PBMEF-REPRESENTATION-WP-12
Namespace	MJ.PBMEF.Document.MJ-PBMEF-REPRESENTATION-WP-12
Import	whitepapers/representations/12-reservoir-return-loop.md
Declaration	whitepaper MJ-PBMEF-REPRESENTATION-WP-12
Definition	Represent the outlet, buffer/lake, circular re-entry, perspective, wave-state, capacity, and transaction-cycle evidence of 'RESERVOIR-COLLECTION-MODULATION' without treating the Pearl simulation circle as a physical wall. The representation passes from Bangel and Elsa into JP geometry CAPOs, MK physics checks, JO proof receipts, Sister/EVE/Angel evidence, M3 routing, Mermaid reconciliation, Shiva analysis when capital applies, and MJ bounded decision. Typed state, explicit units, actual-boundary truth, uncertainty-aware clearance, separate control volumes, vector capacity, no same-cycle feed-back, conservation, and non-substitutable authority.
Capability	Explain, constrain, cross-reference, and support founder review
Participant	RESERVOIR-RETURN-LOOP
Relationship	Source documentation -> manifest coverage -> passkey documentation manifest
Function	Provide rationale, formula links, scope, status, evidence ceiling, and boundaries
Expression	Narrative and referenced formulas
Statement	Documentation does not self-verify or self-authorize
Measurement	Not applicable unless the paper cites admitted measurement receipts
Constraint	Must match source hash, status, and claims ceiling
Annotation	@whitepaper(id='MJ-PBMEF-REPRESENTATION-WP-12', path='whitepapers/representations/12-reservoir-return-loop.md')
Directive	include or exclude with explicit manifest reason
Block	document MJ-PBMEF-REPRESENTATION-WP-12 { source; hash; coverage; status; }
Literal	MJ-PBMEF-REPRESENTATION-WP-12
Reference	whitepapers/representations/12-reservoir-return-loop.md
Type	WHITE_PAPER
Attribute	official_pre_day0_source=true

Semiconductor DRO/Pearl Charge, Energy, Memory, Wake, Profile, and Evidence Lifecycle

MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL | Pink paper | SC-DRO-PEARL-PINK-001

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Full Pink Paper source

Semiconductor DRO/Pearl Charge, Energy, Memory, Wake, Profile, and Evidence Lifecycle

****Pink-paper ID:**** `SC-DRO-PEARL-PINK-001`
****Build:**** `MJ-PBMEF-DAY0-R8-DRO-PEARL-LECANTO-90K-FINAL`
****Author and architect:**** Michael Bangel
****Status:**** `PREPASSKEY\_REFERENCE\_CANDIDATE`

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Gateway expression

text
{hage laohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile.Bangel .begin

The raw literal is retained as provenance. The normalized governed order remains MJ -> Bangel -> R/R1 -> N1 -> Elsa -> JP -> MK -> JO -> evidence -> M3 -> Mermaid/Shiva -> MJ permit -> R2 -> bounded output or hold.

Bangel construct coverage

- ****Module:**** the module role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Namespace:**** the namespace role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Import:**** the import role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Declaration:**** the declaration role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Definition:**** the definition role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Capability:**** the capability role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Participant:**** the participant role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Relationship:**** the relationship role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Function:**** the function role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Expression:**** the expression role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Statement:**** the statement role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Measurement:**** the measurement role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Constraint:**** the constraint role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Annotation:**** the annotation role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Directive:**** the directive role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Block:**** the block role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Literal:**** the literal role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Reference:**** the reference role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Type:**** the type role in this domain must preserve types, units, evidence, authority, and claims ceiling.
- ****Attribute:**** the attribute role in this domain must preserve types, units, evidence, authority, and claims ceiling.

Governed objects

- `SEMICONDUCTOR\_DRO\_ENERGY\_LEDGER`
- `SEMICONDUCTOR\_PEARL\_NODE`

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION, COMBUSTION, ENGINE, VESSEL, ROCKET, WEAPON, PRODUCTION, OR EXTERNAL-EFFECT AUTHORITY.

Formula-by-formula lifecycle

F-220 - DRO energy ledger

Expression: ``r_E = E_in-E_stored-E_start-E_restart-E_loss-E_containment``

Energy conservation for reference start accounting.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-221 - Available start energy lower bound

Expression: ``E_avail,L = E_solar,L + E_acoustic,L + E_other,L - E_loss,H``

Conservative available energy.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-222 - Start gate

Expression: ``G_start = E_avail,L >= M_E*(E_start,H+E_restart,H) AND all_safety_gates``

Start readiness requires immediate start plus restart reserve.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-223 - Restart reserve

Expression: ``E_restart,L = E_reserve,L - E_critical,H``

Lower-bound reserve after critical obligations.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-224 - Solar contribution

Expression: ``E_solar = integral(P_solar(t) dt)``

Measured solar contribution to the reference ledger.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-225 - Acoustic/noise contribution

Expression: ``E_acoustic = integral(eta_a(t) I(t) A(t) dt)``

Measured conversion only; noise alone does not prove usable energy.

Path: ``Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence``.

Evidence ceiling: ``REFERENCE_MODEL_OR_SIMULATION_UNTIL_CALIBRATED_PROFILE_SPECIFIC_EVIDENCE``.

Physical authority: ``NONE``.

F-226 - Generic separation-work lower bound

Expression: ``W_sep >= Delta G_sep``

INTERNAL PRE-PASSKEY REFERENCE. NOT PHYSICAL VALIDATION. NOT AN IP APPROVAL OR OWNERSHIP DETERMINATION. NO IGNITION, HYDROGEN SEPARATION OR COMBUSTION

Any species-separation claim requires a thermodynamic and measured energy balance.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-227 - Species availability

Expression: `n\_species = x\_species\*n\_source`

Available amount depends on measured composition, not assumption.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-228 - Conversion efficiency

Expression: `eta = E\_out/E\_in, 0<=eta<=1`

Measured conversion efficiency; undefined when input is zero or unknown.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-229 - Controlled logical release

Expression: `G\_release = authorization AND destination\_capacity AND conservation AND safety`

Normalizes pop/release language to a bounded logical event.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-230 - DRO thermal gate

Expression: `T\_H <= T\_allow-Delta T\_margin`

Conservative thermal boundary for any future physical profile.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-231 - Semiconductor DRO charge balance

Expression: `Delta Q = integral(I\_intake-I\_leak-I\_release)dt + r\_Q`

Charge accounting for the semiconductor profile.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.

Physical authority: `NONE`.

F-232 - Semiconductor Pearl-node memory

Expression: `B\_P = B\_DRO+B\_lineage+B\_uncertainty+B\_receipts+B\_headroom`

Memory required for a computational Pearl node.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

F-233 - Semiconductor wake-reserve gate

Expression: `E\_node,L >= M\_E\*(E\_wake,H+E\_restart,H)`

Reference wake and restart reserve gate.

Path: `Bangel -> Elsa -> JP -> MK -> JO -> safety/evidence -> M3 -> Mermaid/Shiva -> MJ -> JO evidence`.

Evidence ceiling: `REFERENCE\_MODEL\_OR\_SIMULATION\_UNTIL\_CALIBRATED\_PROFILE\_SPECIFIC\_EVIDENCE`.
Physical authority: `NONE`.

Referenced formulas

- F-220 - DRO energy ledger:** $r_E = E_{in} - E_{stored} - E_{start} - E_{restart} - E_{loss} - E_{containment}$
- F-221 - Available start energy lower bound:** $E_{avail,L} = E_{solar,L} + E_{acoustic,L} + E_{other,L} - E_{loss,H}$
- F-222 - Start gate:** $G_{start} = E_{avail,L} >= M_E*(E_{start,H} + E_{restart,H})$ AND all_safety_gates
- F-223 - Restart reserve:** $E_{restart,L} = E_{reserve,L} - E_{critical,H}$
- F-224 - Solar contribution:** $E_{solar} = \text{integral}(P_{solar}(t) dt)$
- F-225 - Acoustic/noise contribution:** $E_{acoustic} = \text{integral}(\eta_a(t) I(t) A(t) dt)$
- F-226 - Generic separation-work lower bound:** $W_{sep} >= \Delta G_{sep}$
- F-227 - Species availability:** $n_{species} = x_{species} * n_{source}$
- F-228 - Conversion efficiency:** $\eta = E_{out}/E_{in}, 0 \leq \eta \leq 1$
- F-229 - Controlled logical release:** $G_{release} = \text{authorization AND destination_capacity AND conservation AND safety}$
- F-230 - DRO thermal gate:** $T_H \leq T_{allow} - \Delta T_{margin}$
- F-231 - Semiconductor DRO charge balance:** $\Delta Q = \text{integral}(I_{intake} - I_{leak} - I_{release})dt + r_Q$
- F-232 - Semiconductor Pearl-node memory:** $B_P = B_{DRO} + B_{lineage} + B_{uncertainty} + B_{receipts} + B_{headroom}$
- F-233 - Semiconductor wake-reserve gate:** $E_{node,L} >= M_E*(E_{wake,H} + E_{restart,H})$

Lifecycle and authority

Every path preserves MJ -> Bangel -> Elsa -> JP -> MK -> JO -> evidence -> M3 -> Mermaid/Shiva -> MJ bounded decision -> JO evidence. No model, proof, or passkey creates physical operation authority.

MJOS Solar Shared-Core Architecture

Pink Paper - Gateway Expression and Full Lifecycle

NOT A PHYSICAL VALIDATION, IP APPROVAL, PRODUCT CERTIFICATION, OR EXTERNAL AUTHORITY RECORD.

Build: MJ-PBMEF-DAY0-R7-SOLAR-30K-FINAL
Source freeze SHA-256: 6241f3ffaddb335f97fab809687595bf2c7a0b5f0ba86f5f66ae32eac5702a2
Author and architect: Michael Bangel

Pink Paper Gateway and Full-Lifecycle Specification

****INTERNAL PRE-PASSKEY TECHNICAL RECORD.**** This document does not claim physical validation, product certification, patentability, ownership, freedom to operate, production readiness, launch authority, vessel operation authority, or external effect. The rocket/spacecraft profile is restricted to peaceful travel, research, testing, and non-weaponized electrical/OS support.

****Document ID:**** SOLAR-PINK-CORE-001
****Build:**** MJ-PBMEF-DAY0-R7-SOLAR-30K-FINAL
****Author and architect:**** Michael Bangel
****Required source:**** `MJOS-SOLAR-THREE-PROFILE-DESIGN-FREEZE-001` /
`6241f3ffaddb335f97fabe809687595bf2c7a0b5f0ba86f5f66ae32eac5702a2`
****Status:**** `FINAL\_PREPASSKEY\_INCLUDED\_PHYSICAL\_HOLD`

1. Purpose

Provide the common JP-origin governed solar and energy-management architecture shared by the phone, marine, and peaceful rocket/spacecraft profiles.

The profile is one manifestation inside MJ and one member of the shared `MJOS-SOLAR-CORE-001` architecture. It preserves a common functional role path while requiring separate physical evidence, calibration, environment, and authority for each scale.

2. Identity and relationship to existing MJ-PBMEF products

- Solar profile ID: `MJOS-SOLAR-CORE-001`
- Profile-of relationship: `MJ-PBMEF-CORE`
- Parent: `MJOS-SOLAR-CORE-001`
- Technical origin: `JP`
- Physics representation: `MK`
- Verification/runtime: `JO`
- Resource routing: `M3`
- Accounting/reconciliation: `Mermaid`
- Capital analysis: `Shiva` when applicable
- Final bounded decision authority: `MJ`

3. Common architecture

Human purpose -> MJ -> Bangel -> Elsa -> JP technical representation
-> governed solar/energy intake -> starter/cold-start function
-> engine/propulsion/load function -> conversion/recovery
-> electrical/thermal reserve -> MK physics representation
-> JO validation -> Angels/Bellatrix/Sister/EVE evidence as applicable
-> M3 bounded routing -> Mermaid reconciliation -> Shiva when capital applies
-> MJ bounded decision -> JO evidence

4. R / R1 / N1 / R2 lifecycle

1. `R/R0`: the human purpose and anticipated request are recorded without treating anticipation as execution.

- 2. `R1`: the unidentified transitional phase holds unknown variables, environmental state, profile classification, and missing evidence.
- 3. `N1`: the prediction-first node receives the bounded request and the exact `0.48383829` logical allocation seed where applicable; it is not a physical coordinate.
- 4. `JP`: equations, algorithms, architecture, and profile objects are represented as typed CAPOs.
- 5. `MK`: physics applicability, units, conservation, scale, environmental state, and evidence ceiling are classified.
- 6. `JO`: tests types, units, profile isolation, authority, failure states, and proof receipts.
- 7. `R2`: only validated evidence becomes the living static representation. A design freeze may become R2 design evidence while physical performance remains held.
- 8. `MJ`: an effect requires a separate bounded permit. No design or passkey creates physical authority.

5. Core logic and equations

F-146 - Solar/auxiliary/recovery input energy

$$E_{in} = E_{solar} + E_{aux} + E_{recovered}$$

All admitted energy inputs are separately measured and summed; no source may be implied or double-counted.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-147 - Solar system energy conservation

$$E_{in} = \Delta E_{storage} + E_{load} + E_{loss} + r_E$$

The shared core requires storage change, delivered load, loss, residual, and uncertainty to reconcile.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-148 - Instantaneous power balance

$$P_{balance} = P_{source} - P_{load} - P_{charge} - P_{loss}$$

Power routing is typed and conservation-bound at each observation interval.

- Result dimension: `power`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-149 - Conservative reserve margin

$R_E = E_{\text{available},L} - M_E * E_{\text{required},H}$

A start or service is eligible only when conservative available energy exceeds required energy with margin.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-150 - Path efficiency

$\eta_{\text{path}} = E_{\text{delivered}} / E_{\text{input}}$

Efficiency is a measured or simulated ratio with declared boundaries and cannot exceed one without a reconciliation fault.

- Result dimension: `ratio`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-151 - Bounded storage state update

$SOC_{\text{next}} = \text{clip}(SOC + (\eta_c * E_{\text{charge}} - E_{\text{discharge}} / \eta_d) / E_{\text{capacity}}, 0, 1)$

Storage state is bounded and depends on measured/declared capacity and efficiencies.

- Result dimension: `ratio`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-152 - Thermal first-order update

$T_{\text{next}} = T + dt / C_{\text{th}} * (P_{\text{heat}} - (T - T_{\text{env}}) / R_{\text{th}})$

A reference thermal model preserves heat input, environmental exchange, units, and uncertainty.

- Result dimension: `temperature`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-153 - Predicted bus voltage

$V_{\text{pred}}(t+h) = V_t + h * dV_{\text{dt}}$

Voltage trend predicts a reserve crossing before zero and supports bounded protective action.

- Result dimension: `voltage`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-154 - Shared start/admission gate

G_start = energy AND voltage AND current AND thermal AND containment AND ethics AND MJ_permit

No single physics or software result substitutes for the complete start/admission gate.

- Result dimension: `logical`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-155 - Cross-profile transfer gate

TransferOK = K AND U AND D AND R AND E AND M AND B AND Q AND V AND A

A shared equation does not transfer a physical parameter without quantity, unit, domain, range, environment, method, boundary, uncertainty, evidence, and authority checks.

- Result dimension: `logical`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-156 - Solar uncertainty propagation

u_y^2 = J*Sigma*J_T + u_model^2

Every derived solar quantity carries covariance-aware measurement and model uncertainty.

- Result dimension: `uncertainty`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-157 - Solar evidence-state transition

R1 --all required evidence and gates--> R2

Every solar command remains R1 until required evidence, safety, authority, and claims ceilings pass.

- Result dimension: `state`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`

- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

6. Twenty-five design elements

SC-01 - JP technical origin

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-02 - governed solar and energy intake

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-03 - starter or cold-start function

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-04 - engine propulsion or load function

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-05 - conversion and recovery function

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-06 - electrical reserve

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-07 - thermal reserve

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-08 - JO validation and execution boundary

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-09 - MJ admission allocation and manifestation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-10 - profile separation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-11 - evidence receipt

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-12 - R/R1/N1/R2 state transition

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-13 - measurement uncertainty

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-14 - energy and resource conservation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-15 - fault isolation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-16 - emergency state

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-17 - provenance

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-18 - telemetry

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-19 - non-weaponization

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-20 - physical hold

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-21 - M3 resource allocation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-22 - performance and latency

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-23 - control-loop reasoning

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-24 - reserve policy

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SC-25 - functional-role equivalence

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

7. Family and authority articulation

- | Participant | Required role | Hard boundary |
- |---|---|---|
- | MJ | Root purpose, allocation and bounded permit decision | Does not convert unknown or failed evidence into truth |
- | Bangel | Typed source and command expression | Source syntax is not authority |
- | Elsa | Deterministic semantic recovery | No invented intent or execution |
- | JP | Technical origin, formula/algorithm/architecture CAPO | Representation is not admission |
- | MK | Physics applicability, units, conservation, scale and evidence ceiling | No physical measurement invention or permit |
- | JO | Type, unit, proof, test, admission and evidence | No authority minting or physical validation from simulation |
- | Angels/Bellatrix | Safety telemetry, deny, quarantine and corrective evidence | No positive general authorization |
- | Sister/EVE | Prediction, containment/variance evidence and egress accounting | No physical capacity invention or release authority |
- | M3 | Bounded routing, allocation and handoff | No authority or resource creation |
- | Mermaid | Accounting, reconciliation, exposure and custody evidence | No source-truth or permit authority |
- | Shiva | Capital-opportunity analysis when finance applies | No issuance or investment advice |

8. Authority boundary

No formula, profile, white paper, Pink Paper, test, passkey, software result, prediction, or successful simulation authorizes a physical operation. Physical dimensions, materials, voltages, currents, temperatures, thrust, torque, range, efficiency, fabrication, installation, launch, flight, vessel operation, certification, and external regulatory action remain held.

9. Failure, hold, and recovery states

- Missing required evidence -> `HOLD`.
- Unit, conservation, profile, or hard-limit violation -> `FAIL\_TECHNICAL`.
- Weaponized, destructive, offensive-targeting, harmful-evasion, or unresolved dual-use purpose -> `DENY`.
- A failure preserves the prior state and appends a receipt; it does not rewrite the expected result.
- Re-entry after a detached generation requires a new generation and new M3 lease.

10. No-AI system condition

The Day-0 framework contains no AI model, training process, adaptive agent, inference service, or autonomous AI decision authority. Any later AI integration requires post-passkey change intake and cannot replace the typed human-governed pathway.

11. Passkey scope

The founder passkey may authenticate this exact design-trace document, its source digest, profile identifiers, formula set, participant boundaries, tests, and explicit holds. It cannot authenticate unmeasured physical performance or create an IP right.

12. Potential IP observation relationship

This paper is cross-referenced by 5,000 solar candidate observation points in the `PIP-10001` through `PIP-15000` range. Those entries are not approvals or rights; they are prompts for confidential prior-art, enablement, inventorship, trade-secret, copyright-expression, design, branding, and counsel review.

13. Development sequence

1. Preserve shared-core and profile separation.
2. Prepare profile-specific simulation and test plans.
3. Designate actual articles only when they exist.
4. Bind instruments, calibration, native units, uncertainty, covariance, and raw-data lineage.
5. Run only bounded, non-weaponized, authorized tests.
6. Reconcile through JO/MK/Mermaid and submit a bounded MJ decision packet.
7. Keep physical and external effects held until all applicable engineering and regulatory gates pass.

14. Gateway expression

The preserved gateway source is:

```
{hagelaohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile.Bangel .begin
```

For this solar profile, the request identity is bound to the profile namespace before normalization. The raw source is preserved as provenance; the governed order is:

```
MJ -> Bangel .begin -> request.bind(MJ0S-SOLAR-CORE-001) -> R/R0 -> R1
-> N1 prediction -> Elsa semantics -> JP representation -> MK physics
-> J0 verification -> safety/evidence -> M3 bounded allocation
```

-> Mermaid reconciliation -> Shiva when capital applies -> MJ permit
-> R2 living static evidence -> bounded execution or hold -> J0 final receipt

15. Bangel **construct mapping**

Module

Defines the profile compilation unit and its independent scope.

Namespace

Prevents profile parameters, evidence and authority from leaking across scales.

Import

Admits only hashed, typed shared-core contracts; no raw cross-profile physical parameter import.

Declaration

States profile identity, purpose, status, source digest and claims ceiling.

Definition

Defines formulas, objects, states and validity domains.

Capability

Names a bounded action or observation; capability is not authority.

Participant

Binds a family manifestation to a role without merging authority.

Relationship

Expresses parent/profile-of, handoff, evidence, and permit edges.

Function

Maps typed inputs to typed outputs with explicit failure states.

Expression

Represents mathematical, logical, physics or state operations.

Statement

Records an imperative or declarative rule.

Measurement

Requires quantity kind, unit, instrument, calibration, time and uncertainty.

Constraint

Defines hard bounds, ethics, claims ceilings and invariants.

Annotation

Adds provenance, evidence ceiling and source references.

Directive

Controls compilation or review behavior but does not create authority.

Block

Groups one complete governed scope.

Literal

Preserves exact values such as the source hash or logical allocation seed.

Reference

Links immutable IDs, roots, receipts, formulas and profile records.

Type

Prevents mass, energy, bytes, currency, state and authority from being confused.

Attribute

Carries status, profile, evidence, environment, revision and claims metadata.

16. Complete command-object envelope

Every profile command must name actor, purpose, target, profile, inputs, quantity types, units, evidence, environment, intended effects, denied effects, recovery, M3 lease, Mermaid reconciliation, safety state, and MJ permit state. A missing controlling field produces HOLD rather than inference.

17. Formula-to-gateway map

- `F-146` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-147` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-148` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-149` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-150` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-151` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-152` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-153` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-154` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-155` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.

- `F-156` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-157` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.

18. Final output classes

- `PASS\_EVIDENCE`: a bounded design, simulation, or measurement claim is supported within its evidence ceiling.
- `HOLD`: required evidence, classification, calibration, environment, or authority is missing or unresolved.
- `FAIL\_TECHNICAL`: complete evidence demonstrates a unit, conservation, boundary, state, or hard-limit failure.
- `DENY`: the purpose or combined system effect violates ethics, non-weaponization, authority, or another superior rule.
- `MJ\_DECISION\_ELIGIBLE`: a complete decision packet exists; this is not itself the decision.

MJOS Solar-Assisted Marine Power and Propulsion Profile

Pink Paper - Gateway Expression and Full Lifecycle

NOT A PHYSICAL VALIDATION, IP APPROVAL, PRODUCT CERTIFICATION, OR EXTERNAL AUTHORITY RECORD.

Build: MJ-PBMEF-DAY0-R7-SOLAR-30K-FINAL
Source freeze SHA-256: 6241f3ffadbb335f97fab809687595bf2c7a0b5f0ba86f5f66ae32eac5702a2
Author and architect: Michael Bangel

Pink Paper Gateway and Full-Lifecycle Specification

****INTERNAL PRE-PASSKEY TECHNICAL RECORD.**** This document does not claim physical validation, product certification, patentability, ownership, freedom to operate, production readiness, launch authority, vessel operation authority, or external effect. The rocket/spacecraft profile is restricted to peaceful travel, research, testing, and non-weaponized electrical/OS support.

****Document ID:**** SOLAR-PINK-MARINE-001
****Build:**** MJ-PBMEF-DAY0-R7-SOLAR-30K-FINAL
****Author and architect:**** Michael Bangel
****Required source:**** `MJOS-SOLAR-THREE-PROFILE-DESIGN-FREEZE-001` /
`6241f3ffaddb335f97fabe809687595bf2c7a0b5f0ba86f5f66ae32eac5702a2`
****Status:**** `FINAL\_PREPASSKEY\_INCLUDED\_PHYSICAL\_HOLD`

1. Purpose

Provide solar-assisted marine energy intake, storage, propulsion-load coordination, conversion/recovery, thermal management, reserve protection, operating-system control, telemetry, and evidence-backed state transitions.

The profile is one manifestation inside MJ and one member of the shared `MJOS-SOLAR-CORE-001` architecture. It preserves a common functional role path while requiring separate physical evidence, calibration, environment, and authority for each scale.

2. Identity and relationship to existing MJ-PBMEF products

- Solar profile ID: `MJOS-SOLAR-MARINE-001`
- Profile-of relationship: `JP-LS-BOAT`
- Parent: `MJOS-SOLAR-CORE-001`
- Technical origin: `JP`
- Physics representation: `MK`
- Verification/runtime: `J0`
- Resource routing: `M3`
- Accounting/reconciliation: `Mermaid`
- Capital analysis: `Shiva` when applicable
- Final bounded decision authority: `MJ`

3. Common architecture

Human purpose -> MJ -> Bangel -> Elsa -> JP technical representation
-> governed solar/energy intake -> starter/cold-start function
-> engine/propulsion/load function -> conversion/recovery
-> electrical/thermal reserve -> MK physics representation
-> J0 validation -> Angels/Bellatrix/Sister/EVE evidence as applicable
-> M3 bounded routing -> Mermaid reconciliation -> Shiva when capital applies
-> MJ bounded decision -> J0 evidence

4. R / R1 / N1 / R2 lifecycle

1. `R/R0`: the human purpose and anticipated request are recorded without treating anticipation as execution.

- 2. `R1`: the unidentified transitional phase holds unknown variables, environmental state, profile classification, and missing evidence.
- 3. `N1`: the prediction-first node receives the bounded request and the exact `0.48383829` logical allocation seed where applicable; it is not a physical coordinate.
- 4. `JP`: equations, algorithms, architecture, and profile objects are represented as typed CAPOs.
- 5. `MK`: physics applicability, units, conservation, scale, environmental state, and evidence ceiling are classified.
- 6. `JO`: tests types, units, profile isolation, authority, failure states, and proof receipts.
- 7. `R2`: only validated evidence becomes the living static representation. A design freeze may become R2 design evidence while physical performance remains held.
- 8. `MJ`: an effect requires a separate bounded permit. No design or passkey creates physical authority.

5. Core logic and equations

F-170 - Marine solar-array energy

E_array = integral(P_array(t),t0,t1)

Marine solar input is integrated within a named installation and environmental boundary.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-171 - Marine propulsion/load power

P_prop = tau * omega

Rotational mechanical power is represented through measured torque and angular speed; geometry alone provides no propulsion claim.

- Result dimension: `power`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-172 - Marine mission energy

E_mission = integral(P_prop + P_critical + P_aux,t0,t1)

Mission demand separates propulsion, critical, and auxiliary loads.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-173 - Marine critical reserve duration

t_critical = E_reserve,L / P_critical,H

Critical service duration is conservative and product-classification dependent.

- Result dimension: `time`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-174 - Marine DC bus balance

P_sources = P_prop + P_critical + P_aux + P_charge + P_loss + r_P

All marine bus flows are reconciled with a residual and uncertainty.

- Result dimension: `power`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-175 - Precharge inrush reference

I_pre(t) = (V_source - V_bus(t))/R_pre

A reference precharge model applies only within its validated circuit domain.

- Result dimension: `current`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-176 - Wet/dry leakage ratio

K_leak = I_leak,wet / max(I_leak,dry,epsilon)

Environmental leakage change is explicit and cannot be hidden by a dry baseline.

- Result dimension: `ratio`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-177 - Marine environment state vector

X_env = [T,RH,salt,water,vibration,roll,pitch]

Marine physical evidence remains a multi-dimensional vector.

- Result dimension: `typed\_vector`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-178 - Vibration exposure

$$D_{vib} = \text{integral}(a_{rms}(t)^2, t_0, t_1)$$

Vibration exposure is a measured reference quantity, not a universal damage prediction.

- Result dimension: `acceleration\_squared\_time`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-179 - Recovered energy ceiling

$$E_{recovered} \leq \eta_{recovery} * E_{available_loss}$$

Recovery cannot exceed evidenced available loss and efficiency.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-180 - Priority load shedding

$$shed = \text{lowest_priority_loads_until}(P_{source}, L \geq P_{critical}, H + margin)$$

Containment and safety loads cannot be shed to preserve optional service.

- Result dimension: `logical`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-181 - Marine evidence and permit gate

$$G_{marine} = \text{class AND environment AND energy AND structure AND containment AND ethics AND MJ_permit}$$

No vessel operation or propulsion test is authorized by design trace alone.

- Result dimension: `logical`

- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

6. Twenty-five design elements

MP-01 - array or source intake

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-02 - energy storage

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-03 - propulsion-load coordination

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-04 - conversion and recovery

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-05 - thermal management

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-06 - reserve protection

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-07 - operating-system control

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-08 - telemetry

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-09 - vessel or installation state

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-10 - drivetrain interface

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-11 - torque and rotational power

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-12 - bus voltage

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-13 - bus current

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-14 - mission energy

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-15 - battery chemistry placeholder

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-16 - hull or installation placeholder

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-17 - salt water and ingress environment

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-18 - vibration roll and pitch

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-19 - fault isolation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-20 - emergency shutdown

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-21 - mission reserve

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-22 - provenance

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-23 - profile separation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-24 - regulatory and classification hold

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

MP-25 - physical evidence gate

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

7. Family and authority articulation

- | Participant | Required role | Hard boundary |
- |---|---|---|
- | MJ | Root purpose, allocation and bounded permit decision | Does not convert unknown or failed evidence into truth |
- | Bangel | Typed source and command expression | Source syntax is not authority |
- | Elsa | Deterministic semantic recovery | No invented intent or execution |
- | JP | Technical origin, formula/algorithm/architecture CAPO | Representation is not admission |
- | MK | Physics applicability, units, conservation, scale and evidence ceiling | No physical measurement invention or permit |
- | JO | Type, unit, proof, test, admission and evidence | No authority minting or physical validation from simulation |
- | Angels/Bellatrix | Safety telemetry, deny, quarantine and corrective evidence | No positive general authorization |
- | Sister/EVE | Prediction, containment/variance evidence and egress accounting | No physical capacity invention or release authority |
- | M3 | Bounded routing, allocation and handoff | No authority or resource creation |
- | Mermaid | Accounting, reconciliation, exposure and custody evidence | No source-truth or permit authority |
- | Shiva | Capital-opportunity analysis when finance applies | No issuance or investment advice |

8. Authority boundary

No formula, profile, white paper, Pink Paper, test, passkey, software result, prediction, or successful simulation authorizes a physical operation. Physical dimensions, materials, voltages, currents, temperatures, thrust, torque, range, efficiency, fabrication, installation, launch, flight, vessel operation, certification, and external regulatory action remain held.

9. Failure, hold, and recovery states

- Missing required evidence -> `HOLD`.
- Unit, conservation, profile, or hard-limit violation -> `FAIL\_TECHNICAL`.
- Weaponized, destructive, offensive-targeting, harmful-evasion, or unresolved dual-use purpose -> `DENY`.
- A failure preserves the prior state and appends a receipt; it does not rewrite the expected result.
- Re-entry after a detached generation requires a new generation and new M3 lease.

10. No-AI system condition

The Day-0 framework contains no AI model, training process, adaptive agent, inference service, or autonomous AI decision authority. Any later AI integration requires post-passkey change intake and cannot replace the typed human-governed pathway.

11. Passkey scope

The founder passkey may authenticate this exact design-trace document, its source digest, profile identifiers, formula set, participant boundaries, tests, and explicit holds. It cannot authenticate unmeasured physical performance or create an IP right.

12. Potential IP observation relationship

This paper is cross-referenced by 5,000 solar candidate observation points in the `PIP-20001` through `PIP-25000` range. Those entries are not approvals or rights; they are prompts for confidential prior-art, enablement, inventorship, trade-secret, copyright-expression, design, branding, and counsel review.

13. Development sequence

1. Preserve shared-core and profile separation.
2. Prepare profile-specific simulation and test plans.
3. Designate actual articles only when they exist.
4. Bind instruments, calibration, native units, uncertainty, covariance, and raw-data lineage.
5. Run only bounded, non-weaponized, authorized tests.
6. Reconcile through JO/MK/Mermaid and submit a bounded MJ decision packet.
7. Keep physical and external effects held until all applicable engineering and regulatory gates pass.

14. Gateway expression

The preserved gateway source is:

```
{hagelaohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile.Bangel .begin
```

For this solar profile, the request identity is bound to the profile namespace before normalization. The raw source is preserved as provenance; the governed order is:

```
MJ -> Bangel .begin -> request.bind(MJOS-SOLAR-MARINE-001) -> R/R0 -> R1
-> N1 prediction -> Elsa semantics -> JP representation -> MK physics
-> J0 verification -> safety/evidence -> M3 bounded allocation
-> Mermaid reconciliation -> Shiva when capital applies -> MJ permit
-> R2 living static evidence -> bounded execution or hold -> J0 final receipt
```

15. Bangel **construct mapping**

Module

Defines the profile compilation unit and its independent scope.

Namespace

Prevents profile parameters, evidence and authority from leaking across scales.

Import

Admits only hashed, typed shared-core contracts; no raw cross-profile physical parameter import.

Declaration

States profile identity, purpose, status, source digest and claims ceiling.

Definition

Defines formulas, objects, states and validity domains.

Capability

Names a bounded action or observation; capability is not authority.

Participant

Binds a family manifestation to a role without merging authority.

Relationship

Expresses parent/profile-of, handoff, evidence, and permit edges.

Function

Maps typed inputs to typed outputs with explicit failure states.

Expression

Represents mathematical, logical, physics or state operations.

Statement

Records an imperative or declarative rule.

Measurement

Requires quantity kind, unit, instrument, calibration, time and uncertainty.

Constraint

Defines hard bounds, ethics, claims ceilings and invariants.

Annotation

Adds provenance, evidence ceiling and source references.

Directive

Controls compilation or review behavior but does not create authority.

Block

Groups one complete governed scope.

Literal

Preserves exact values such as the source hash or logical allocation seed.

Reference

Links immutable IDs, roots, receipts, formulas and profile records.

Type

Prevents mass, energy, bytes, currency, state and authority from being confused.

Attribute

Carries status, profile, evidence, environment, revision and claims metadata.

16. Complete command-object envelope

Every profile command must name actor, purpose, target, profile, inputs, quantity types, units, evidence, environment, intended effects, denied effects, recovery, M3 lease, Mermaid reconciliation, safety state, and MJ permit state. A missing controlling field produces HOLD rather than inference.

17. Formula-to-gateway map

- `F-170` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-171` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-172` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-173` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-174` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-175` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-176` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-177` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-178` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.

- `F-179` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-180` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-181` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.

18. Final output classes

- `PASS\_EVIDENCE`: a bounded design, simulation, or measurement claim is supported within its evidence ceiling.
- `HOLD`: required evidence, classification, calibration, environment, or authority is missing or unresolved.
- `FAIL\_TECHNICAL`: complete evidence demonstrates a unit, conservation, boundary, state, or hard-limit failure.
- `DENY`: the purpose or combined system effect violates ethics, non-weaponization, authority, or another superior rule.
- `MJ\_DECISION\_ELIGIBLE`: a complete decision packet exists; this is not itself the decision.

MJOS Peaceful Solar-Assisted Rocket/Spacecraft Power and OS Profile

Pink Paper - Gateway Expression and Full Lifecycle

NOT A PHYSICAL VALIDATION, IP APPROVAL, PRODUCT CERTIFICATION, OR EXTERNAL AUTHORITY RECORD.

Build: MJ-PBMEF-DAY0-R7-SOLAR-30K-FINAL
Source freeze SHA-256: 6241f3ffadbb335f97fab809687595bf2c7a0b5f0ba86f5f66ae32eac5702a2
Author and architect: Michael Bangel

Pink Paper Gateway and Full-Lifecycle Specification

****INTERNAL PRE-PASSKEY TECHNICAL RECORD.**** This document does not claim physical validation, product certification, patentability, ownership, freedom to operate, production readiness, launch authority, vessel operation authority, or external effect. The rocket/spacecraft profile is restricted to peaceful travel, research, testing, and non-weaponized electrical/OS support.

****Document ID:**** SOLAR-PINK-ROCKET-001
****Build:**** MJ-PBMEF-DAY0-R7-SOLAR-30K-FINAL
****Author and architect:**** Michael Bangel
****Required source:**** `MJOS-SOLAR-THREE-PROFILE-DESIGN-FREEZE-001` /
`6241f3ffaddb335f97fabe809687595bf2c7a0b5f0ba86f5f66ae32eac5702a2`
****Status:**** `FINAL\_PREPASSKEY\_INCLUDED\_PHYSICAL\_HOLD`

1. Purpose

Provide a non-weaponized reference architecture for solar-assisted avionics/electrical reserve, propulsion-state coordination, thermal/battery management, authenticated startup/shutdown, telemetry, fault isolation, and emergency-state control.

The profile is one manifestation inside MJ and one member of the shared `MJOS-SOLAR-CORE-001` architecture. It preserves a common functional role path while requiring separate physical evidence, calibration, environment, and authority for each scale.

2. Identity and relationship to existing MJ-PBMEF products

- Solar profile ID: `MJOS-SOLAR-ROCKET-001`
- Profile-of relationship: `JP-PEACEFUL-PROPULSION`
- Parent: `MJOS-SOLAR-CORE-001`
- Technical origin: `JP`
- Physics representation: `MK`
- Verification/runtime: `JO`
- Resource routing: `M3`
- Accounting/reconciliation: `Mermaid`
- Capital analysis: `Shiva` when applicable
- Final bounded decision authority: `MJ`

3. Common architecture

Human purpose -> MJ -> Bangel -> Elsa -> JP technical representation
-> governed solar/energy intake -> starter/cold-start function
-> engine/propulsion/load function -> conversion/recovery
-> electrical/thermal reserve -> MK physics representation
-> JO validation -> Angels/Bellatrix/Sister/EVE evidence as applicable
-> M3 bounded routing -> Mermaid reconciliation -> Shiva when capital applies
-> MJ bounded decision -> JO evidence

4. R / R1 / N1 / R2 lifecycle

1. `R/R0`: the human purpose and anticipated request are recorded without treating anticipation as execution.

- 2. `R1`: the unidentified transitional phase holds unknown variables, environmental state, profile classification, and missing evidence.
- 3. `N1`: the prediction-first node receives the bounded request and the exact `0.48383829` logical allocation seed where applicable; it is not a physical coordinate.
- 4. `JP`: equations, algorithms, architecture, and profile objects are represented as typed CAPOs.
- 5. `MK`: physics applicability, units, conservation, scale, environmental state, and evidence ceiling are classified.
- 6. `JO`: tests types, units, profile isolation, authority, failure states, and proof receipts.
- 7. `R2`: only validated evidence becomes the living static representation. A design freeze may become R2 design evidence while physical performance remains held.
- 8. `MJ`: an effect requires a separate bounded permit. No design or passkey creates physical authority.

5. Core logic and equations

F-182 - Peaceful spacecraft solar energy

$$E_{space_solar} = \text{integral}(P_{solar_space}(t), t_0, t_1)$$

Solar electrical input for avionics/reserve is bounded to a declared peaceful research profile.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-183 - Avionics bus balance

$$P_{av_source} = P_{avionics} + P_{thermal} + P_{comms} + P_{charge} + P_{loss} + r_P$$

The reference bus separates service classes and preserves residual accounting.

- Result dimension: `power`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-184 - Emergency reserve duration

$$t_{emergency} = E_{emergency,L} / P_{emergency,H}$$

Emergency reserve is conservative and does not authorize flight or propulsion.

- Result dimension: `time`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-185 - Spacecraft thermal balance

$$C_{th} \cdot dT/dt = P_{internal} + P_{solar_absorbed} - P_{rejected}$$

A reference thermal balance requires geometry, materials, environment, and radiation model evidence.

- Result dimension: `power`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-186 - Space-profile battery margin

$$M_{batt} = E_{battery,L} - E_{required,H}$$

A negative or unknown margin blocks the applicable state transition.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-187 - Authenticated startup state

$$S_{next} = transition(S_{current}, command, authority, evidence, ethics)$$

Startup/shutdown state changes require exact command, authority, evidence, and ethics.

- Result dimension: `state`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-188 - Fault isolation set

$$F_{isolated} = isolate(F_{detected}, affected_boundaries, receipts)$$

Fault isolation is bounded and preserves evidence; it does not provide targeting or evasion capability.

- Result dimension: `set`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-189 - Redundant service availability

$$A_{service} = 1 - product(1 - A_i) \text{ for independent admitted channels}$$

Availability calculations require evidenced independence and cannot be assumed.

- Result dimension: `ratio`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-190 - Propulsion-state coordination reference

```
S_prop_next = governed_state_update(S_prop,telemetry,limits,authority)
```

The model coordinates state labels without selecting energetic materials, constructing propulsion, or providing launch authority.

- Result dimension: `state`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-191 - High-energy emergency reserve

```
R_HE = E_safe_shutdown,L - E_shutdown_required,H
```

Safe-shutdown reserve must remain nonnegative before any high-energy research transition.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-192 - Non-weaponization gate

```
G_ethics = peaceful_research AND no_targeting AND no_destructive_payload AND no_evasion_for_harm
```

Weaponized or unresolved dual-use execution is denied or held; no passkey overrides this gate.

- Result dimension: `logical`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-193 - Rocket-profile evidence and permit gate

```
G_rocket = peaceful_scope AND profile_evidence AND safety AND regulatory_hold_resolved AND MJ_permit
```

Design trace does not authorize propulsion construction, launch, flight, or physical testing.

- Result dimension: `logical`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`

- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

6. Twenty-five design elements

RP-01 - solar-assisted avionics power

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-02 - electrical reserve

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-03 - propulsion-state coordination

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-04 - thermal management

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-05 - battery management

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-06 - authenticated startup and shutdown

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-07 - telemetry

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-08 - fault isolation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-09 - emergency-state control

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-10 - state-machine integrity

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-11 - power-bus accounting

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-12 - guidance-independent energy support

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-13 - peaceful travel and research boundary

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-14 - destructive-payload prohibition

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-15 - high-energy physical hold

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-16 - materials placeholder

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-17 - thermal environment placeholder

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-18 - vacuum radiation and environmental placeholder

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-19 - sensor calibration

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-20 - mission reserve

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-21 - energy conservation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-22 - redundancy

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-23 - provenance

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-24 - physical evidence gate

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

RP-25 - regulatory and launch hold

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

7. Family and authority articulation

- | Participant | Required role | Hard boundary |
- |---|---|---|
- | MJ | Root purpose, allocation and bounded permit decision | Does not convert unknown or failed evidence into truth |
- | Bangel | Typed source and command expression | Source syntax is not authority |
- | Elsa | Deterministic semantic recovery | No invented intent or execution |
- | JP | Technical origin, formula/algorithm/architecture CAPO | Representation is not admission |
- | MK | Physics applicability, units, conservation, scale and evidence ceiling | No physical measurement invention or permit |
- | JO | Type, unit, proof, test, admission and evidence | No authority minting or physical validation from simulation |
- | Angels/Bellatrix | Safety telemetry, deny, quarantine and corrective evidence | No positive general authorization |
- | Sister/EVE | Prediction, containment/variance evidence and egress accounting | No physical capacity invention or release authority |
- | M3 | Bounded routing, allocation and handoff | No authority or resource creation |
- | Mermaid | Accounting, reconciliation, exposure and custody evidence | No source-truth or permit authority |
- | Shiva | Capital-opportunity analysis when finance applies | No issuance or investment advice |

8. Authority boundary

No formula, profile, white paper, Pink Paper, test, passkey, software result, prediction, or successful simulation authorizes a physical operation. Physical dimensions, materials, voltages, currents, temperatures, thrust, torque, range, efficiency, fabrication, installation, launch, flight, vessel operation, certification, and external regulatory action remain held.

9. Failure, hold, and recovery states

- Missing required evidence -> `HOLD`.
- Unit, conservation, profile, or hard-limit violation -> `FAIL\_TECHNICAL`.
- Weaponized, destructive, offensive-targeting, harmful-evasion, or unresolved dual-use purpose -> `DENY`.
- A failure preserves the prior state and appends a receipt; it does not rewrite the expected result.
- Re-entry after a detached generation requires a new generation and new M3 lease.

10. No-AI system condition

The Day-0 framework contains no AI model, training process, adaptive agent, inference service, or autonomous AI decision authority. Any later AI integration requires post-passkey change intake and cannot replace the typed human-governed pathway.

11. Passkey scope

The founder passkey may authenticate this exact design-trace document, its source digest, profile identifiers, formula set, participant boundaries, tests, and explicit holds. It cannot authenticate unmeasured physical performance or create an IP right.

12. Potential IP observation relationship

This paper is cross-referenced by 5,000 solar candidate observation points in the `PIP-25001` through `PIP-30000` range. Those entries are not approvals or rights; they are prompts for confidential prior-art, enablement, inventorship, trade-secret, copyright-expression, design, branding, and counsel review.

13. Development sequence

1. Preserve shared-core and profile separation.
2. Prepare profile-specific simulation and test plans.
3. Designate actual articles only when they exist.
4. Bind instruments, calibration, native units, uncertainty, covariance, and raw-data lineage.
5. Run only bounded, non-weaponized, authorized tests.
6. Reconcile through JO/MK/Mermaid and submit a bounded MJ decision packet.
7. Keep physical and external effects held until all applicable engineering and regulatory gates pass.

14. Gateway expression

The preserved gateway source is:

```
{hagelaohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile.Bangel .begin
```

For this solar profile, the request identity is bound to the profile namespace before normalization. The raw source is preserved as provenance; the governed order is:

```
MJ -> Bangel .begin -> request.bind(MJ0S-SOLAR-ROCKET-001) -> R/R0 -> R1
-> N1 prediction -> Elsa semantics -> JP representation -> MK physics
-> J0 verification -> safety/evidence -> M3 bounded allocation
```

-> Mermaid reconciliation -> Shiva when capital applies -> MJ permit
-> R2 living static evidence -> bounded execution or hold -> J0 final receipt

15. Bangel **construct mapping**

Module

Defines the profile compilation unit and its independent scope.

Namespace

Prevents profile parameters, evidence and authority from leaking across scales.

Import

Admits only hashed, typed shared-core contracts; no raw cross-profile physical parameter import.

Declaration

States profile identity, purpose, status, source digest and claims ceiling.

Definition

Defines formulas, objects, states and validity domains.

Capability

Names a bounded action or observation; capability is not authority.

Participant

Binds a family manifestation to a role without merging authority.

Relationship

Expresses parent/profile-of, handoff, evidence, and permit edges.

Function

Maps typed inputs to typed outputs with explicit failure states.

Expression

Represents mathematical, logical, physics or state operations.

Statement

Records an imperative or declarative rule.

Measurement

Requires quantity kind, unit, instrument, calibration, time and uncertainty.

Constraint

Defines hard bounds, ethics, claims ceilings and invariants.

Annotation

Adds provenance, evidence ceiling and source references.

Directive

Controls compilation or review behavior but does not create authority.

Block

Groups one complete governed scope.

Literal

Preserves exact values such as the source hash or logical allocation seed.

Reference

Links immutable IDs, roots, receipts, formulas and profile records.

Type

Prevents mass, energy, bytes, currency, state and authority from being confused.

Attribute

Carries status, profile, evidence, environment, revision and claims metadata.

16. Complete command-object envelope

Every profile command must name actor, purpose, target, profile, inputs, quantity types, units, evidence, environment, intended effects, denied effects, recovery, M3 lease, Mermaid reconciliation, safety state, and MJ permit state. A missing controlling field produces HOLD rather than inference.

17. Formula-to-gateway map

- `F-182` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-183` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-184` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-185` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-186` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-187` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-188` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-189` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-190` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-191` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.

- `F-192` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-193` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.

18. Final output classes

- `PASS\_EVIDENCE`: a bounded design, simulation, or measurement claim is supported within its evidence ceiling.
- `HOLD`: required evidence, classification, calibration, environment, or authority is missing or unresolved.
- `FAIL\_TECHNICAL`: complete evidence demonstrates a unit, conservation, boundary, state, or hard-limit failure.
- `DENY`: the purpose or combined system effect violates ethics, non-weaponization, authority, or another superior rule.
- `MJ\_DECISION\_ELIGIBLE`: a complete decision packet exists; this is not itself the decision.

MJOS Solar Semiconductor Phone Battery and OS Profile

Pink Paper - Gateway Expression and Full Lifecycle

NOT A PHYSICAL VALIDATION, IP APPROVAL, PRODUCT CERTIFICATION, OR EXTERNAL AUTHORITY RECORD.

Build: MJ-PBMEF-DAY0-R7-SOLAR-30K-FINAL
Source freeze SHA-256: 6241f3ffadbb335f97fab809687595bf2c7a0b5f0ba86f5f66ae32eac5702a2
Author and architect: Michael Bangel

Pink Paper Gateway and Full-Lifecycle Specification

****INTERNAL PRE-PASSKEY TECHNICAL RECORD.**** This document does not claim physical validation, product certification, patentability, ownership, freedom to operate, production readiness, launch authority, vessel operation authority, or external effect. The rocket/spacecraft profile is restricted to peaceful travel, research, testing, and non-weaponized electrical/OS support.

****Document ID:**** SOLAR-PINK-SEMI-PHONE-001
****Build:**** MJ-PBMEF-DAY0-R7-SOLAR-30K-FINAL
****Author and architect:**** Michael Bangel
****Required source:**** `MJOS-SOLAR-THREE-PROFILE-DESIGN-FREEZE-001` /
`6241f3ffaddb335f97fabe809687595bf2c7a0b5f0ba86f5f66ae32eac5702a2`
****Status:**** `FINAL\_PREPASSKEY\_INCLUDED\_PHYSICAL\_HOLD`

1. Purpose

Provide solar-assisted phone battery and operating-system power integration with governed energy intake, battery/thermal observation, reserve allocation, workload-aware coordination, provenance, and measurable accounting.

The profile is one manifestation inside MJ and one member of the shared `MJOS-SOLAR-CORE-001` architecture. It preserves a common functional role path while requiring separate physical evidence, calibration, environment, and authority for each scale.

2. Identity and relationship to existing MJ-PBMEF products

- Solar profile ID: `MJOS-SOLAR-SEMI-PHONE-001`
- Profile-of relationship: `JP-SC-PHONE`
- Parent: `MJOS-SOLAR-CORE-001`
- Technical origin: `JP`
- Physics representation: `MK`
- Verification/runtime: `JO`
- Resource routing: `M3`
- Accounting/reconciliation: `Mermaid`
- Capital analysis: `Shiva` when applicable
- Final bounded decision authority: `MJ`

3. Common architecture

Human purpose -> MJ -> Bangel -> Elsa -> JP technical representation
-> governed solar/energy intake -> starter/cold-start function
-> engine/propulsion/load function -> conversion/recovery
-> electrical/thermal reserve -> MK physics representation
-> JO validation -> Angels/Bellatrix/Sister/EVE evidence as applicable
-> M3 bounded routing -> Mermaid reconciliation -> Shiva when capital applies
-> MJ bounded decision -> JO evidence

4. R / R1 / N1 / R2 lifecycle

1. `R/R0`: the human purpose and anticipated request are recorded without treating anticipation as execution.

- 2. `R1`: the unidentified transitional phase holds unknown variables, environmental state, profile classification, and missing evidence.
- 3. `N1`: the prediction-first node receives the bounded request and the exact `0.48383829` logical allocation seed where applicable; it is not a physical coordinate.
- 4. `JP`: equations, algorithms, architecture, and profile objects are represented as typed CAPOs.
- 5. `MK`: physics applicability, units, conservation, scale, environmental state, and evidence ceiling are classified.
- 6. `JO`: tests types, units, profile isolation, authority, failure states, and proof receipts.
- 7. `R2`: only validated evidence becomes the living static representation. A design freeze may become R2 design evidence while physical performance remains held.
- 8. `MJ`: an effect requires a separate bounded permit. No design or passkey creates physical authority.

5. Core logic and equations

F-158 - Phone-profile solar energy

$$E_{\text{solar_phone}} = \text{integral}(P_{\text{pv_phone}}(t), t_0, t_1)$$

The semiconductor/phone profile integrates measured or simulated photovoltaic power over a named interval.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-159 - Workload-aware power demand

$$P_{\text{phone}} = P_{\text{base}} + \text{sum}(P_{\text{task_i}} * a_{\text{i}})$$

OS workload power is represented as a typed sum of baseline and admitted task loads.

- Result dimension: `power`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-160 - Phone reserve duration

$$t_{\text{reserve}} = E_{\text{reserve,L}} / P_{\text{critical,H}}$$

Reserve duration uses conservative energy and critical-load bounds.

- Result dimension: `time`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-161 - Phone energy deficit

$D_E = \max(0, E_{\text{required}}, H - E_{\text{available}}, L)$

A positive deficit creates HOLD/load-shed behavior rather than invented capacity.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-162 - Environment-dependent leakage

$I_{\text{leak}} = f(V, T, RH, \text{time}, \text{material_state})$

Leakage is a measured/profile function rather than a universal constant.

- Result dimension: `current`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-163 - Wake energy accounting

$E_{\text{wake}} = \text{integral}(V_{\text{wake}}(t) * I_{\text{wake}}(t), t_0, t_1)$

Wake energy is measured from synchronized voltage/current data.

- Result dimension: `energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-164 - Phone thermal margin

$M_T = T_{\text{allowable}} - (T_{\text{observed}} + U_T)$

Thermal margin must remain nonnegative for the applicable state.

- Result dimension: `temperature`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-165 - Useful work per delivered energy

$\eta_{\text{work}} = W_{\text{verified}} / E_{\text{delivered}}$

Performance/energy analysis is only meaningful when work and energy boundaries are explicit.

- Result dimension: `work\_per\_energy`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-166 - Data-performance correlation

$$\rho_{DP} = \text{cov}(D,P)/(\sigma_D\sigma_P)$$

Correlation is descriptive and cannot be represented as causation without additional evidence.

- Result dimension: `ratio`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-167 - Workload allocation update

$$w_{next} = \text{bounded_simplex}((2/3)w + (1/3)w_{target}, \text{step} \leq 0.1)$$

Workload/resource allocation preserves nonnegative weights, sum-to-one, and the one-tenth step boundary.

- Result dimension: `ratio\_vector`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-168 - Semiconductor scale map

$$p_{SC}(x,y,z) = o_{SC} + x*a_{SC} + y*b_{SC} + z*c_{SC}$$

Normalized topology becomes physical only through a profile-specific mapping with measured dimensions and tolerances.

- Result dimension: `length\_vector`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`
- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

F-169 - Phone-profile evidence completeness

$$E_{SC} = \text{min_required}(\text{article}, \text{calibration}, \text{baseline}, \text{energy}, \text{thermal}, \text{geometry}, J0, MK, MJ)$$

The phone profile cannot claim readiness while a controlling evidence class is absent.

- Result dimension: `logical`
- Evidence ceiling: `DESIGN\_TRACE\_REFERENCE\_OR\_SIMULATION\_UNTIL\_PROFILE\_SPECIFIC\_PHYSICAL\_EVIDENCE`

- JO proof: types, units, boundaries, conservation, profile separation, uncertainty, authority, and negative/fault cases.
- MJ effect: `NONE` until a separate bounded decision exists.

6. Twenty-five design elements

SP-01 - phone-scale solar intake

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-02 - battery-state observation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-03 - thermal-state observation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-04 - workload-aware power coordination

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-05 - reserve allocation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-06 - voltage measurement

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-07 - current measurement

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-08 - energy accounting

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-09 - state-of-charge estimation

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-10 - thermal response model

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-11 - leakage characterization

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-12 - charge acceptance

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-13 - OS scheduler integration

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-14 - provenance and audit

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-15 - fault containment

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-16 - semiconductor scale boundary

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-17 - package geometry

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-18 - instrument calibration

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-19 - sensor interfaces

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-20 - low-power wake

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-21 - recovery and reserve

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-22 - capacity limits

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-23 - latency and performance

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-24 - environmental profile

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

SP-25 - physical evidence gate

This element is represented through JP, classified by MK, verified by JO, routed by M3 when resources or handoffs apply, reconciled by Mermaid, evaluated by Shiva when capital applies, and remains subject to MJ authority and the non-weaponization covenant.

7. Family and authority articulation

- | Participant | Required role | Hard boundary |
- |---|---|---|
- | MJ | Root purpose, allocation and bounded permit decision | Does not convert unknown or failed evidence into truth |
- | Bangel | Typed source and command expression | Source syntax is not authority |
- | Elsa | Deterministic semantic recovery | No invented intent or execution |
- | JP | Technical origin, formula/algorithm/architecture CAPO | Representation is not admission |
- | MK | Physics applicability, units, conservation, scale and evidence ceiling | No physical measurement invention or permit |
- | JO | Type, unit, proof, test, admission and evidence | No authority minting or physical validation from simulation |
- | Angels/Bellatrix | Safety telemetry, deny, quarantine and corrective evidence | No positive general authorization |
- | Sister/EVE | Prediction, containment/variance evidence and egress accounting | No physical capacity invention or release authority |
- | M3 | Bounded routing, allocation and handoff | No authority or resource creation |
- | Mermaid | Accounting, reconciliation, exposure and custody evidence | No source-truth or permit authority |
- | Shiva | Capital-opportunity analysis when finance applies | No issuance or investment advice |

8. Authority boundary

No formula, profile, white paper, Pink Paper, test, passkey, software result, prediction, or successful simulation authorizes a physical operation. Physical dimensions, materials, voltages, currents, temperatures, thrust, torque, range, efficiency, fabrication, installation, launch, flight, vessel operation, certification, and external regulatory action remain held.

9. Failure, hold, and recovery states

- Missing required evidence -> `HOLD`.
- Unit, conservation, profile, or hard-limit violation -> `FAIL\_TECHNICAL`.
- Weaponized, destructive, offensive-targeting, harmful-evasion, or unresolved dual-use purpose -> `DENY`.
- A failure preserves the prior state and appends a receipt; it does not rewrite the expected result.
- Re-entry after a detached generation requires a new generation and new M3 lease.

10. No-AI system condition

The Day-0 framework contains no AI model, training process, adaptive agent, inference service, or autonomous AI decision authority. Any later AI integration requires post-passkey change intake and cannot replace the typed human-governed pathway.

11. Passkey scope

The founder passkey may authenticate this exact design-trace document, its source digest, profile identifiers, formula set, participant boundaries, tests, and explicit holds. It cannot authenticate unmeasured physical performance or create an IP right.

12. Potential IP observation relationship

This paper is cross-referenced by 5,000 solar candidate observation points in the `PIP-15001` through `PIP-20000` range. Those entries are not approvals or rights; they are prompts for confidential prior-art, enablement, inventorship, trade-secret, copyright-expression, design, branding, and counsel review.

13. Development sequence

1. Preserve shared-core and profile separation.
2. Prepare profile-specific simulation and test plans.
3. Designate actual articles only when they exist.
4. Bind instruments, calibration, native units, uncertainty, covariance, and raw-data lineage.
5. Run only bounded, non-weaponized, authorized tests.
6. Reconcile through JO/MK/Mermaid and submit a bounded MJ decision packet.
7. Keep physical and external effects held until all applicable engineering and regulatory gates pass.

14. Gateway expression

The preserved gateway source is:

```
{hagelaohrbcoe.48383829}.M3.act.MJ.23.r2.exe.r1.confirm.G123.reconcile.Bangel .begin
```

For this solar profile, the request identity is bound to the profile namespace before normalization. The raw source is preserved as provenance; the governed order is:

```
MJ -> Bangel .begin -> request.bind(MJ0S-SOLAR-SEMI-PHONE-001) -> R/R0 -> R1
-> N1 prediction -> Elsa semantics -> JP representation -> MK physics
-> J0 verification -> safety/evidence -> M3 bounded allocation
```

-> Mermaid reconciliation -> Shiva when capital applies -> MJ permit
-> R2 living static evidence -> bounded execution or hold -> J0 final receipt

15. Bangel **construct mapping**

Module

Defines the profile compilation unit and its independent scope.

Namespace

Prevents profile parameters, evidence and authority from leaking across scales.

Import

Admits only hashed, typed shared-core contracts; no raw cross-profile physical parameter import.

Declaration

States profile identity, purpose, status, source digest and claims ceiling.

Definition

Defines formulas, objects, states and validity domains.

Capability

Names a bounded action or observation; capability is not authority.

Participant

Binds a family manifestation to a role without merging authority.

Relationship

Expresses parent/profile-of, handoff, evidence, and permit edges.

Function

Maps typed inputs to typed outputs with explicit failure states.

Expression

Represents mathematical, logical, physics or state operations.

Statement

Records an imperative or declarative rule.

Measurement

Requires quantity kind, unit, instrument, calibration, time and uncertainty.

Constraint

Defines hard bounds, ethics, claims ceilings and invariants.

Annotation

Adds provenance, evidence ceiling and source references.

Directive

Controls compilation or review behavior but does not create authority.

Block

Groups one complete governed scope.

Literal

Preserves exact values such as the source hash or logical allocation seed.

Reference

Links immutable IDs, roots, receipts, formulas and profile records.

Type

Prevents mass, energy, bytes, currency, state and authority from being confused.

Attribute

Carries status, profile, evidence, environment, revision and claims metadata.

16. Complete command-object envelope

Every profile command must name actor, purpose, target, profile, inputs, quantity types, units, evidence, environment, intended effects, denied effects, recovery, M3 lease, Mermaid reconciliation, safety state, and MJ permit state. A missing controlling field produces HOLD rather than inference.

17. Formula-to-gateway map

- `F-158` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-159` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-160` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-161` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-162` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-163` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-164` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-165` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-166` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-167` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.

- `F-168` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.
- `F-169` enters at JP representation, receives MK applicability and unit/conservation analysis, JO proof, applicable safety evidence, M3/Mermaid implications, and an MJ permit classification before any effect.

18. Final output classes

- `PASS\_EVIDENCE`: a bounded design, simulation, or measurement claim is supported within its evidence ceiling.
- `HOLD`: required evidence, classification, calibration, environment, or authority is missing or unresolved.
- `FAIL\_TECHNICAL`: complete evidence demonstrates a unit, conservation, boundary, state, or hard-limit failure.
- `DENY`: the purpose or combined system effect violates ethics, non-weaponization, authority, or another superior rule.
- `MJ\_DECISION\_ELIGIBLE`: a complete decision packet exists; this is not itself the decision.

Pink / New reconciliation

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

27 new project and reconstruction records

This newly authored edition connects recovered documentation and inspected project sources. Proposed language bindings, named-test discovery and historical execution results remain separate. Gold and Indigo reconstructions follow the recovered overview rules; they are not the missing original volumes. Green has no recovered rule and is not silently invented. White papers remain excluded.

Use the searchable library to inspect each record, source link, industry and project. The appended source-faithful color editions preserve the original mathematical layouts and diagrams with updated terminology.

MJos Predictive Model - Gateway, lifecycle and evidence

MJOS-20260924-MJOS-PREDICTIVE-MODEL-PINK | New project sequence · proposed bindings

MJos Predictive Model / Pink

MJos Predictive Model | First manifestation of the Bangel Language
MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Private development predictive API and PredictiveCore use preserved Bangel models with two independent JP/Joanna workers and guardian supervision.
- Source model files cover forecast, robust/hybrid, variance, comparability, trading-risk and minority-risk profiles.
- Versioned loopback GET profile / POST predict interface.

MODEL PLACEMENT

MJos Predictive Model is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF
Chronology, units, provenance, comparability and required evidence are admitted.
HOW
Evaluate preserved model arithmetic in independent bounded workers; compare output and minority-risk gates.
THEN
Return an advisory forecast with uncertainty or HOLD; execution permission remains separate.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Forecasts are advisory and uncalibrated.
- A hosted software package is not a bootable OS.
- Existing source notice describes private inherited material; naming updates must preserve license/attribution boundaries.
- No real-workload forecast accuracy established by this review.

SOURCE REFERENCES

[README.md](#)
[core.py](#)
[forecast.bangel](#)

Bangel Language - Gateway, lifecycle and evidence

MJOS-20260924-BANGEL-LANGUAGE-PINK | New project sequence · proposed bindings

Bangel Language / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- General typed quantities, measurements, typed unknowns, bounded control flow, modules, Elsa compilation, independent JP admission and Joanna runtime/receipts.
- Native C# source and Python implementation; GIN interval and temporal/evidence models.
- Historical paper records and computational profiles share the toolchain.

MODEL PLACEMENT

Bangel Language is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

Source and inputs satisfy the versioned admitted language contract.

HOW

Preserve type/unit/missingness, compile with Elsa, independently admit JP and execute with Joanna under limits.

THEN

Return a receipt with PASS/HOLD and evidence; host effects require independent authorization.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Fresh package execution was not performed here; README test counts refer to named prior candidates.
- Complete GIN lifecycle, all formula conversion and 189 Purple/Yellow relationship meanings remain open per source documentation.
- Do not conflate compilation PASS with permission to act.

SOURCE REFERENCES

[README.md](#)

[CONTRACT-RECONCILIATION.md](#)

BarTide - Gateway, lifecycle and evidence

MJOS-20260924-BARTIDE-PINK | New project sequence · proposed bindings

BarTide / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- ASP.NET Core API and Blazor Web frontend; PostgreSQL durable storage and SQLite development abstractions.
- Ordering, restaurant management, staff/training, media, rewards, events, payments, referrals, demo intake, posts and sales pipeline source modules.

MODEL PLACEMENT

BarTide is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

A request belongs to an authenticated, active tenant and has an admitted operation.

HOW

Resolve tenant identity, input shape, current version, idempotency and module-specific rules.

THEN

Return a bounded typed result; hold unknown prerequisites and deny failed authorization.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- README calls this a source candidate, not a completed production launch.
- No fresh production configuration/runtime audit; source module existence does not prove activation.
- No production Bangel integration discovered in BarTide application source; reconciliation is a proposed adapter layer.

SOURCE REFERENCES

[README.md](#)

[Program.cs](#)

BarTide Stripe API - Gateway, lifecycle and evidence

MJOS-20260924-STRIPE-API-PINK | New project sequence · proposed bindings

BarTide Stripe API / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Connected-account onboarding, restaurant checkout/tracking/cancel endpoint, snapshot and thin webhooks.
- Merchant provider source uses idempotency keys, metadata binding and returned-payment/refund reconciliation.
- Current MerchantPaymentOptions hard-codes environment test and accepts rk_test restricted keys; checkout requires onboarding flag, checkout flag, cards-only verification and both webhook secrets.

MODEL PLACEMENT

BarTide Stripe API is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

Sandbox configuration, connected account, cards-only verification and order binding are admitted.

HOW

Bind amount/currency, tenant/order/attempt, account, provider response and signed notification; reconcile provider state.

THEN

Record only the reconciled payment state; absent provider evidence remains pending/HOLD.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Do not describe merchant source as enabled live payments.
- Production secrets, provider account readiness and successful real payment flow were not inspected.
- Signed webhooks are provider evidence, not blanket permission.

SOURCE REFERENCES

[MerchantPaymentOptions.cs](#)

[MerchantStripeProvider.cs](#)

[MerchantPaymentsEndpoints.cs](#)

MJ Neural Net - Gateway, lifecycle and evidence

MJOS-20260924-MJ-NEURAL-NET-PINK | New project sequence · proposed bindings

MJ Neural Net / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Source defines nine-node activations, Hebbian recurrent weights, retrieval, relational filter and bounded command placement.
- Three nine-node associative layers; five recovered diagram-overlay templates retained under a separate envelope.
- Source command-to-node model maps nine Bangel commands and predicts first-order transitions.

MODEL PLACEMENT

MJ Neural Net is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF
Cue features, memory timing and known relational context pass the closed input contract.
HOW
Run bounded association; preserve missing features; compare entity/relation/context; bind independent review.
THEN
Return a provisional advisory candidate or HOLD; retain downstream DENY and no actuation permission.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Engineered computational model, not hippocampal biology or general natural-language prediction.
- Lowercase r0 remains provisional and distinct from uppercase R0.
- Synthetic comparison shows a recall/coverage tradeoff; not field accuracy or equal-coverage benefit.
- Diagram geometry and command mapping must retain separate namespaces.

SOURCE REFERENCES

[neural.bangel](#)

[adapter.py](#)

[README.md](#)

Neural Logic Mapping - Gateway, lifecycle and evidence

MJOS-20260924-NEURAL-LOGIC-MAPPING-PINK | New project sequence · proposed bindings

Neural Logic Mapping / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Historical user-defined design preserves r0, examines IF assumptions, HOW/r1 articulation, inferred intention and THEN cross-layer validation.
- Historical task defines N1 preserve, N2 r0, N3 IF, N4 HOW/r1, N5 context, N6 compare, N7 THEN; user identifies r9 with N5-N7.
- Recovery returns to named gap with new evidence/correction, stops on repetition/no progress/exhaustion.

MODEL PLACEMENT

Neural Logic Mapping is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

An observation and first reading are preserved with context and assumptions.

HOW

Compare alternative readings across declared stages; separate observed structure from inferred intention; run bounded recovery only for a named gap.

THEN

Output only supported scope; hold confirmation when referents or intent are unresolved.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Historical task is not a current source repository.
- Formalization explicitly said implementation/testing pending; later parser-valid snippets do not prove complete NLP/image interpretation implementation.
- Intent is inference; UNKNOWN != ZERO; you/You distinction must be preserved.

MJ Memory Recall - Gateway, lifecycle and evidence

MJOS-20260924-MJ-MEMORY-RECALL-PINK | New project sequence · proposed bindings

MJ Memory Recall / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Source package contains recall.bangel and kernel.bangel with validated Python transport and SQLite storage.
- Documented associative/trajectory/playbook recall, scoped memory, projection and resource lifecycle.
- Catalog reports 1,080 selections and 11,880 actor paths in schematic pixel coordinates.

MODEL PLACEMENT

MJ Memory Recall is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

Memory is available as of the query, in the same namespace/frame with authenticated provenance.

HOW

Compare cue, entity, relation, context and trajectory; hold ambiguous margin and missing context; review updates independently.

THEN

Return a bounded advisory memory match or HOLD; forecasts never become observations.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Catalog dimensions were read from current documentation, not recounted here.
- Geometry alone cannot identify an entity; 146 distinct complete assignments documented across the larger catalog.
- No user memory import, biological validation or physical memory reclamation claim.

SOURCE REFERENCES

[README.md](#)

[recall.bangel](#)

[KERNEL.md](#)

Moana - Gateway, lifecycle and evidence

MJOS-20260924-MOANA-PINK | New project sequence · proposed bindings

Moana / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Historical Build Verification task reports Jobs/Vessel/Job workspace, customer and vessel intake, tasks, readings, notes, photos and history.
- Historical reports describe Bangel-Joanna-JP execution, Teal completion gates, version rechecks, operation-ID protection and portable exports.
- Later task reports workspace backup/restore and service reports plus a completed physical iPhone fresh-job flow.

MODEL PLACEMENT

Moana is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

A job has the required recorded observations and complete tasks at the current revision.

HOW

Preserve Unknown versus known zero, photo bytes and provenance; prepare/validate review; commit once against revision and operation identity.

THEN

Save a supported change or hold missing evidence; retain backup/recovery and history.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Current source was not recovered or inspected in this pass; all build/test assertions are historical task statements.
- Device-local single-operator prototype; shared accounts/cloud sync/scheduling/billing were later work.
- Do not transfer earlier CPU/encryption/rendering benchmark claims into Moana performance claims.
- Native Moana platform not fully activated; recovered presentation/routing contract was reused.
- Report page-break issue remained noted.

SOURCE REFERENCES

mj-moana.stormy-ray-3254.chatgpt.site

Engineering Studio - Gateway, lifecycle and evidence

MJOS-20260924-ENGINEERING-STUDIO-PINK | New project sequence · proposed bindings

Engineering Studio / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Static internal prototype with five C# lessons, browser editor, notebook, project ZIP export and separate HTML/CSS/JavaScript sandbox preview.
- Browser-local drafts with multi-tab stale-write protection; JSON import/export.
- Current source documentation parks production /engineering behind 404, allowing Development path.

MODEL PLACEMENT

Engineering Studio is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

A selected lesson/example declares its language, expected outcome and execution capability.

HOW

Keep editable source, prediction, execution evidence and receipt separate; bind source hash/runtime/version.

THEN

Report real parser/runtime evidence where available; label exported-but-not-run C# honestly.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- C# is not compiled/executed in browser or server; downloaded .NET project is its execution path.
- Expected output and completion checkmarks are not evidence of execution.
- No current application API/database integration or deployment control.
- Adding Bangel and build.tide.casa is the present requested work, not an existing capability established by this review.

SOURCE REFERENCES

ENGINEERING-STUDIO.md

Hagar / Water Protection - Gateway, lifecycle and evidence

MJOS-20260924-HAGAR-PINK | New project sequence · proposed bindings

Hagar / Water Protection / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Water-protection and evidence-gated environmental reference pathways.

MODEL PLACEMENT

Hagar / Water Protection is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The purpose, inputs, units, evidence origin and current profile are declared.

HOW

Bind the source identity, compare only eligible observations, preserve uncertainty and review the evidence ceiling.

THEN

Return a scoped result, HOLD for missing evidence, or DENY for a failed permission boundary.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Each physical model needs its own measured inputs, units, environment, uncertainty and authority boundary.

Pearl / DRO - Gateway, lifecycle and evidence

MJOS-20260924-PEARL-PINK | New project sequence · proposed bindings

Pearl / DRO / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Pearl, DRO and ignition reference papers and their source relationships.

MODEL PLACEMENT

Pearl / DRO is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The purpose, inputs, units, evidence origin and current profile are declared.

HOW

Bind the source identity, compare only eligible observations, preserve uncertainty and review the evidence ceiling.

THEN

Return a scoped result, HOLD for missing evidence, or DENY for a failed permission boundary.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Recovered conceptual and mathematical claims must retain their evidence ceiling; no physical performance upgrade is implied.

GIN Measurement - Gateway, lifecycle and evidence

MJOS-20260924-GIN-PINK | New project sequence · proposed bindings

GIN Measurement / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Intervals, clock normalization, temporal states and evidence-bound measurements.

MODEL PLACEMENT

GIN Measurement is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The purpose, inputs, units, evidence origin and current profile are declared.

HOW

Bind the source identity, compare only eligible observations, preserve uncertainty and review the evidence ceiling.

THEN

Return a scoped result, HOLD for missing evidence, or DENY for a failed permission boundary.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Full GIN lifecycle remains distinct from the implemented interval and evidence adapters.

Solar Systems - Gateway, lifecycle and evidence

MJOS-20260924-SOLAR-PINK | New project sequence · proposed bindings

Solar Systems / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Core, marine, rocket and semiconductor/phone solar reference families.

MODEL PLACEMENT

Solar Systems is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The purpose, inputs, units, evidence origin and current profile are declared.

HOW

Bind the source identity, compare only eligible observations, preserve uncertainty and review the evidence ceiling.

THEN

Return a scoped result, HOLD for missing evidence, or DENY for a failed permission boundary.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Applications are separate profiles; one calculation does not qualify a different physical application.

Lecanto - Gateway, lifecycle and evidence

MJOS-20260924-LECANTO-PINK | New project sequence · proposed bindings

Lecanto / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Source, measurement and evidence relationships in the early reference corpus.

MODEL PLACEMENT

Lecanto is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The purpose, inputs, units, evidence origin and current profile are declared.

HOW

Bind the source identity, compare only eligible observations, preserve uncertainty and review the evidence ceiling.

THEN

Return a scoped result, HOLD for missing evidence, or DENY for a failed permission boundary.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Normalized drawings are not physical dimensions or approved coordinates.

Quantum Systems - Gateway, lifecycle and evidence

MJOS-20260924-QUANTUM-SYSTEMS-PINK | New project sequence · proposed bindings

Quantum Systems / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Quantum-related references, uncertainty and cross-system evidence relationships.

MODEL PLACEMENT

Quantum Systems is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The purpose, inputs, units, evidence origin and current profile are declared.

HOW

Bind the source identity, compare only eligible observations, preserve uncertainty and review the evidence ceiling.

THEN

Return a scoped result, HOLD for missing evidence, or DENY for a failed permission boundary.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- A project label or simulation does not demonstrate quantum hardware, entropy performance or physical validation.

Early Works - Gateway, lifecycle and evidence

MJOS-20260924-EARLY-WORKS-PINK | New project sequence · proposed bindings

Early Works / Pink

MJos Predictive Model | First manifestation of the Bangel Language
MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Foundational formulas, observational lifecycle, governance roles and source records.

MODEL PLACEMENT

Early Works is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF
The purpose, inputs, units, evidence origin and current profile are declared.
HOW
Bind the source identity, compare only eligible observations, preserve uncertainty and review the evidence ceiling.
THEN
Return a scoped result, HOLD for missing evidence, or DENY for a failed permission boundary.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Historic test counts and frozen source identities remain dated evidence, not fresh verification.

BarTide and Tide Casa onboarding - Gateway, lifecycle and evidence

MJOS-20260924-BARTIDE-ONBOARDING-PINK | New project sequence · proposed bindings

BarTide and Tide Casa onboarding / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- RegisterWorkspace accepts restaurant/business plan, acknowledgement and required contact fields.
- Creates draft workspace, empty menu and deterministic request-ID slug; existing ownership cannot be rebound by matching email.
- TenantStaffAccess reads active durable membership; verified sign-in email may claim an unbound invitation.

MODEL PLACEMENT

BarTide and Tide Casa onboarding is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

Identity is verified, requested plan is admitted and no conflicting ownership exists.

HOW

Validate fields; bind user and tenant in a transaction; preserve existing ownership.

THEN

Create or return draft workspace; conflicting ownership holds for review.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- One-workspace-per-account behavior is explicit in source.
- Creating a draft does not publish a restaurant or activate payments.
- No end-to-end onboarding execution in this review.

SOURCE REFERENCES

[WorkspaceRegistrationStore.cs](#)

[TenantStaffAccess.cs](#)

BarTide ordering and menu - Gateway, lifecycle and evidence

MJOS-20260924-BARTIDE-ORDERING-PINK | New project sequence · proposed bindings

BarTide ordering and menu / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Menu categories, items, ingredient exclusions, item requests, order requests and quantities.
- Order quoting and fingerprints, customer receipt/tracking, staff operations and delivery workflow source.
- Delivery settings include allowed ZIP codes, fee, minimum and capacity.

MODEL PLACEMENT

BarTide ordering and menu is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The tenant menu, fulfillment mode and quote fingerprint remain current.

HOW

Compute whole-cent totals from server data; validate quantities, capacity, requests and repeat operation identity.

THEN

Issue one receipt or return a version/quote conflict; never infer payment from order creation.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Per-serving variants are not separate cart lines in current phase-two documentation.
- No source evidence of automatic route optimization.
- Fictional Gulf Lantern demo does not establish actual business outcomes.

SOURCE REFERENCES

[RestaurantOrderingStore.cs](#)

[RestaurantOrdering.cs](#)

[DELIVERY-PHASE-TWO.md](#)

BarTide delivery and driver operations - Gateway, lifecycle and evidence

MJOS-20260924-BARTIDE-DRIVER-PINK | New project sequence · proposed bindings

BarTide delivery and driver operations / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Manual driver assignment with active same-tenant account membership, acknowledgement, collection, delivered confirmation and problem reporting.
- Driver writes and visibility are assignment-scoped; reassignment invalidates prior authority.
- Payment reconciliation is separate from physical delivery.

MODEL PLACEMENT

BarTide delivery and driver operations is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

An assigned active driver or authorized manager requests a legal transition against the current version.

HOW

Validate membership, assignment, status, reason for override and operation identity.

THEN

Record one accountable delivery transition; outstanding payment remains outstanding.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Native/background driver app and external delivery provider phases remain paused.
- Driver confirmation is not payment/refund authority.
- No route optimization claim.

SOURCE REFERENCES

[RestaurantDeliveryWorkflow.cs](#)

[DELIVERY-PHASE-ONE.md](#)

BarTide foreground delivery location - Gateway, lifecycle and evidence

MJOS-20260924-BARTIDE-LOCATION-PINK | New project sequence · proposed bindings

BarTide foreground delivery location / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Optional location session after assignment, acknowledgement and collection.
- Public shared demo accepts only simulated server positions; private foreground GPS path exists.
- Fresh/stale/expired location distinctions; latest point storage, one active customer leg, sequence and capture validation.

MODEL PLACEMENT

BarTide foreground delivery location is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The current session is consensual, assigned, active and in the admitted real/simulated mode.

HOW

Bind coordinates to session, sequence, accuracy and acquisition time; recheck permissions and age.

THEN

Expose only the customer's active leg; hold stale/unknown location and stop sharing after invalidation.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- No background service, promised ETA, offline replay or route history.
- Physical iOS/Android GPS and poor-network field trials remain unverified in current documentation.
- Private deployment requires its own table policy; public-demo policy must not be reused unchanged.

SOURCE REFERENCES

[RestaurantDeliveryLocation.cs](#)

[DeliveryLocationSchema.cs](#)

[DELIVERY-PHASE-TWO.md](#)

BarTide staff scheduling and training - Gateway, lifecycle and evidence

MJOS-20260924-BARTIDE-STAFF-PINK | New project sequence · proposed bindings

BarTide staff scheduling and training / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Team members and roles, time-bounded shifts, team messages, courses, lessons, assignments and lesson completion records.
- AddShift validates start/end and rejects overlaps for the employee.

MODEL PLACEMENT

BarTide staff scheduling and training is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The staff member is active and the acting user may manage the tenant.

HOW

Validate shift interval/non-overlap or course version/assignment; preserve source identity.

THEN

Save an explicit schedule or learning record; incomplete evidence does not certify proficiency.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Training checkmarks are stored completion state, not independent proof of skill.
- Shift management exists; no optimizer or external calendar synchronization established.

SOURCE REFERENCES

[StaffTraining.cs](#)

[StaffTrainingStore.cs](#)

BarTide customer and staff rewards - Gateway, lifecycle and evidence

MJOS-20260924-BARTIDE-REWARDS-PINK | New project sequence · proposed bindings

BarTide customer and staff rewards / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Pure reward eligibility evaluation from supplied authoritative history.
- Deduplicates source events and rejects conflicting event IDs; filters tenant/customer, state, future events and monthly time zone.
- Versioned rules, qualification audit, points, redemption requests and employee ledger contracts.

MODEL PLACEMENT

BarTide customer and staff rewards is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The evidence belongs to the correct tenant/customer and rule version.

HOW

Count admitted eligible history as of the declared time; distinguish duplicate from conflicting sources.

THEN

Return eligibility only; issuance and redemption require separate authorized durable operations.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Evaluator explicitly does not authorize, issue or redeem a reward.
- Durable issuance must enforce uniqueness independently.

SOURCE REFERENCES

[RewardEvaluator.cs](#)

[Rewards.cs](#)

BarTide events and reservations - Gateway, lifecycle and evidence

MJOS-20260924-BARTIDE-EVENTS-PINK | New project sequence · proposed bindings

BarTide events and reservations / Pink

MJos Predictive Model | First manifestation of the Bangel Language
MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Event title/location/time zone/capacity/publication state, RSVP, check-in and guest list contracts with request keys and versions.

MODEL PLACEMENT

BarTide events and reservations is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF
A published event and permitted capacity exist, with the current version.
HOW
Bind RSVP/check-in to event, customer, request key and capacity transaction.
THEN
Persist one reservation transition or return held/conflicting status.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Read contract and module presence only; complete event behavior not freshly exercised.

SOURCE REFERENCES

[Events.cs](#)
[EventsStore.cs](#)

BarTide business posts and private media - Gateway, lifecycle and evidence

MJOS-20260924-BARTIDE-POSTS-MEDIA-PINK | New project sequence · proposed bindings

BarTide business posts and private media / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Draft/published business posts, consent-bearing push subscriptions and subscriber counts.
- Private object store, media endpoints and uploaded-video references.

MODEL PLACEMENT

BarTide business posts and private media is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The actor can publish the tenant's content and recipients have relevant consent.

HOW

Validate content/version, access policy, subscription binding and durable outbox identity.

THEN

Publish or enqueue only the authorized content; hold missing consent or unavailable delivery evidence.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- No notification was sent and no media access was exercised in this review.
- Publication rights and push consent require actual current authorization.

SOURCE REFERENCES

[BusinessPosts.cs](#)

[BusinessPostsOutbox.cs](#)

[PrivateObjectStore.cs](#)

Stripe API - Tide Casa service billing - Gateway, lifecycle and evidence

MJOS-20260924-STRIPE-SERVICE-BILLING-PINK | New project sequence · proposed bindings

Stripe API - Tide Casa service billing / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Quotes, setup/maintenance subscription checkout, invoices, cancel/discard and guest purchase contracts.
- ServiceBillingProvider supports sandbox or explicitly gated live configuration; creation requires checkout/cards-only/method configuration gates.
- Webhook signature verification and invoice/refund reconciliation code exists.

MODEL PLACEMENT

Stripe API - Tide Casa service billing is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The customer accepts current terms and an unchanged quote, with the appropriate billing environment enabled.

HOW

Bind checkout snapshot, account, price, method configuration and request ID; reconcile signed invoice evidence.

THEN

Persist the invoice/subscription status; never treat a redirect or advisory forecast as payment.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Distinct from merchant payments, which are currently test-only.
- Source ability to configure live is not evidence live billing is activated.
- No subscriptions were created or changed.

SOURCE REFERENCES

[ServiceBillingProvider.cs](#)

[ServiceBillingReconciliation.cs](#)

[ServiceBilling.cs](#)

Tide Casa sales, referrals and launch review - Gateway, lifecycle and evidence

MJOS-20260924-BARTIDE-SALES-REFERRALS-PINK | New project sequence · proposed bindings

Tide Casa sales, referrals and launch review / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Sales leads/stages, follow-up dates, assignee, private notes, activity history and workspace link contracts.
- Referral applications/review codes, discount/commission totals and billing-linked sales.
- Launch-review and demo-request/inbox modules.

MODEL PLACEMENT

Tide Casa sales, referrals and launch review is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

The actor owns the sales or launch-review role and the data is current.

HOW

Track lead state and referral evidence with request keys, versions and approved workspace binding.

THEN

Return accountable business status; publication follows its separate review gate.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- Private prospects/data excluded from repo per README.
- A stored follow-up date is not evidence an external reminder/message is scheduled.
- Public content should not include private lead records.

SOURCE REFERENCES

[SalesPipeline.cs](#)

[Referrals.cs](#)

[LaunchReviewStore.cs](#)

MJ Decision Layer and recovery - Gateway, lifecycle and evidence

MJOS-20260924-MJ-DECISION-PINK | New project sequence · proposed bindings

MJ Decision Layer and recovery / Pink

MJos Predictive Model | First manifestation of the Bangel Language

MJ Physics Engineering | Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND CURRENT SCOPE

- Current source package exposes arbitration, modes, noise filtering, loop protection, integrated pipeline and RecoveryStore.
- Pure Bangel decision source plus bounded Python host supervision.
- L1 observation, L2 association, L3 recall, L4 forecasting, L5 arbitration is explicitly a proposed logical organization.

MODEL PLACEMENT

MJ Decision Layer and recovery is documented as a project within the MJos Predictive Model. Its proposed Bangel binding must preserve the existing product boundary.

REQUEST TO RESULT

IF

Required reviews, liveness, forecast and downstream gates are present and current.

HOW

Apply gate precedence, bounded rankings and progress-aware recovery with durable operation identities.

THEN

Select an advisory or HOLD/DENY; ambiguous external completion remains held.

RELEASE CRITERIA

Record input identity, a reproducible procedure, expected outcome, actual evidence and authorized reviewer. A documentary sequence is complete only for its stated scope; execution and production readiness require separate evidence.

EVIDENCE LIMITS

- SELECTED identifies an advisory candidate; no financial or physical permission.
- Missing independent gates HOLD.
- Recovery does not retry uncertain external effects and cannot convert predicted data into observed evidence.

SOURCE REFERENCES

[README.md](#)

[MJ-NEURAL-L5-CONTRACT.md](#)

[decision.bangel](#)

Pink / Project completeness

114 additional project profiles

Bangel is the language; MJos is the operating system. The MJos Predictive Model retains its distinct project identity. Elsa is the compiler, JP admission is independent, and Joanna handles admitted execution and processing.

These papers reconcile recovered source definitions, historical discussions and expressly requested profiles. Source status and proposed language contracts remain explicit. Gold and Indigo follow recovered overview rules; they are new reconstructions. White papers are excluded.

This local review edition does not establish deployed software, validated physical performance or clinical capability. Original private chat transcripts are not included.

Elsa Compiler - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-ELSA-COMPILER-PINK | Source-backed documentary sequence — execution not rerun

Elsa Compiler / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Compiles Bangel source through parsing, name resolution, unit and semantic checks, lowering and verification into typed JP-IR.

IDENTITY AND RELATIONSHIPS

Current compiler in the Bangel toolchain; carries the historical semantic-recovery role.

REQUEST TO RESULT

IF

The source unit declares its Bangel grammar, dependencies and effects, and its exact bytes are available.

HOW

Parse source, resolve names and modules, check types, units and effects, then lower accepted syntax to the declared JP representation. Preserve source spans and precise diagnostics on refusal.

THEN

Return typed JP-IR or a compile refusal. Compilation does not admit execution or grant MJ permission.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Elsa/1; ELSA-SEMANTICS

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Current source inspected; these documentary bindings do not report newly executed software or physical tests.

Recovered status: `implementation_source`.

Use only the exact named source scope; a documentary sequence is not deployment or an authority grant.

SOURCE REFERENCES

- `language/python/src/bangel/compiler.py` · line 59

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/language/python/src/bangel/compiler.py#L59>

- `specs/roles/ROLE-CONTRACT-RECONCILIATION.md` · line 14

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/roles/ROLE-CONTRACT-RECONCILIATION.md#L14>

- Recovered nonwhite collection, page 1375

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1375>

RECOVERED HISTORICAL CONTEXT

- Historical scope: Compiles Bangel source and checks its meaning before producing the typed representation consumed by JP and Joanna.

SOURCE REFERENCES

[language/python/src/bangel/compiler.py · line 59](#)

[specs/roles/ROLE-CONTRACT-RECONCILIATION.md · line 14](#)

[Recovered nonwhite collection, page 1375](#)

JP Representation - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-JP-REPRESENTATION-PINK | Source-backed documentary sequence — execution not rerun

JP Representation / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Carries canonical typed mathematical, algorithmic and architecture representations. The general toolchain emits JP-IR/1 for independent admission before execution.

IDENTITY AND RELATIONSHIPS

JP-IR/1, JP-CIR and proposed JPArchitectureIR retain separate contracts.

REQUEST TO RESULT

IF

A representation declares its own protocol, canonical bytes, source lineage, types and bounded effects.

HOW

Independently check the closed envelope, canonical digest, types, cross-field relationships and resource limits. Keep JP-IR/1, JP-CIR and proposed architecture profiles separate.

THEN

Return admission evidence for the exact representation. A digest match establishes identity, not semantic admission or permission.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

JP; JP-IR/1; JP-CANON

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Current source inspected; these documentary bindings do not report newly executed software or physical tests.

Recovered status: implementation_source_and_distinct_proposals.

Do not flatten older domain-specific JP compiler roles or JP-CIR/architecture profiles into the general representation contract.

SOURCE REFERENCES

- specs/roles/ROLE-CONTRACT-RECONCILIATION.md · line 15

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/roles/ROLE-CONTRACT-RECONCILIATION.md#L15>

- Recovered nonwhite collection, page 1302

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1302>

- Recovered nonwhite collection, page 1376

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1376>

RECOVERED HISTORICAL CONTEXT

- Historical scope: Typed representation, admission and validation boundary between language compilation and runtime execution.

SOURCE REFERENCES

[specs/roles/ROLE-CONTRACT-RECONCILIATION.md](#) · line 15

[Recovered nonwhite collection](#), page 1302

[Recovered nonwhite collection](#), page 1376

Joanna Processing - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-JOANNA-RUNTIME-PINK | Source-backed documentary sequence — execution not rerun

Joanna Processing / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Executes independently admitted Bangel JP-IR under bounded runtime rules and produces digest-bound evidence receipts.

IDENTITY AND RELATIONSHIPS

Current Bangel runtime; JO appears as predecessor runtime lineage but also has a separately documented historical proof role.

REQUEST TO RESULT

IF
Independent admission accepted the exact JP representation and execution has a declared input binding and resource budget.

HOW

Execute bounded Joanna operations while preserving typed unknowns, stage evidence and runtime-limit failures.

THEN

Return a digest-bound computation receipt with its actual status. HOLD stays visible even when a command exits successfully; the receipt is not action permission.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Joanna/1; Joanna-Receipt/1; Joanna Processing; Joanna compilation processing
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Current source inspected; these documentary bindings do not report newly executed software or physical tests.
Recovered status: implementation_source.
Use only the exact named source scope; a documentary sequence is not deployment or an authority grant.

SOURCE REFERENCES

- language/python/src/bangel/runtime.py · line 28
<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/language/python/src/bangel/runtime.py#L28>
- specs/roles/ROLE-CONTRACT-RECONCILIATION.md · line 16
<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/roles/ROLE-CONTRACT-RECONCILIATION.md#L16>

- language/python/src/bangel/identity.py · line 14

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/language/python/src/bangel/identity.py#L14>

RECOVERED HISTORICAL CONTEXT

- Historical scope: Executes admitted Bangel programs and records outcomes and reconciliation evidence.

SOURCE REFERENCES

[language/python/src/bangel/runtime.py · line 28](#)

[specs/roles/ROLE-CONTRACT-RECONCILIATION.md · line 16](#)

[language/python/src/bangel/identity.py · line 14](#)

JO Proof and Verification - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-JO-PROOF-PINK | Source-backed documentary sequence — execution not rerun

JO Proof and Verification / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Historical type, unit, proof, test and evidence-verification family, including bounded runtime results in the original papers.

IDENTITY AND RELATIONSHIPS

Preserve the source JO role while linking its runtime lineage to current Joanna.

REQUEST TO RESULT

IF

A historical JO obligation names the type, formula, evidence or bounded execution assertion being reviewed.

HOW

Compare evidence with that precise assertion and retain its source-profile meaning. Link runtime lineage to Joanna without equating every historical JO proof role with current execution.

THEN

Return a scoped verification record, HOLD for missing evidence or DENY for a failed permission boundary.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

JO; JO-RUNTIME; JO_PROOF_RECEIPT

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: `documented_historical_reference`.

Do not state that every JO verification meaning is identical to Joanna execution.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1304

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1304>

- Recovered nonwhite collection, page 7062

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=7062>

- Recovered nonwhite collection, page 1378

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1378>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1304](#)

[Recovered nonwhite collection, page 7062](#)

[Recovered nonwhite collection, page 1378](#)

MJ Governing Root - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-MJ-GOVERNING-ROOT-PINK | Source-backed documentary sequence — execution not rerun

MJ Governing Root / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Defines the source-level governing root, resource/admission boundary and final bounded decision role for the proposed MJ family context.

IDENTITY AND RELATIONSHIPS

Distinct from the MJ Physics Engineering company identity and from the implemented MJ Decision plugin.

REQUEST TO RESULT

IF

A requested effect has a declared purpose, reviewed evidence and an applicable implemented admission profile.

HOW

Reconcile participant results and resource bounds at the MJ boundary. Preserve refusals and missing prerequisites; umbrella metadata does not implement a root kernel, CAPO bus or lease ledger.

THEN

Record the bounded decision supported by the implemented profile, or HOLD the proposed host behavior while its contract remains incomplete.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJ root; MJ.23.R2.ACT

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_profile_partial_integration.

The metadata alone does not establish a completed root kernel, CAPO bus or lease ledger.

SOURCE REFERENCES

- specs/roles/ROLE-CONTRACT-RECONCILIATION.md · line 17

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/roles/ROLE-CONTRACT-RECONCILIATION.md#L17>

- Recovered nonwhite collection, page 1299

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1299>

RECOVERED HISTORICAL CONTEXT

- Historical scope: Governs whether an independently validated action may proceed; prediction does not grant execution authority.

SOURCE REFERENCES

[specs/roles/ROLE-CONTRACT-RECONCILIATION.md](#) · line 17

Recovered nonwhite collection, page 1299

Bangel Robotics - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-ROBOTICS-PINK | Source-backed documentary sequence — execution not rerun

Bangel Robotics / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Robotics-focused measurement programming with typed evidence, unit-aware source and bounded computation through Elsa, JP and Joanna.

IDENTITY AND RELATIONSHIPS

Domain identity of Bangel Language; Teal Robotics is a separate bounded plugin.

REQUEST TO RESULT

IF

A robotics measurement declares quantity, units, coordinate frame, acquisition context and source profile.

HOW

Express bounded measurement logic in Bangel; Elsa compiles, JP admission checks the representation and Joanna provides computation evidence. Distinguish observed state, simulation and planned hardware bindings.

THEN

Return a measurement or advisory with uncertainty. Physical actuation requires a separate evidenced host contract.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Robotics Programming Language

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Current source inspected; these documentary bindings do not report newly executed software or physical tests.

Recovered status: `implementation_source_domain_identity`.

Software calculations and receipts do not establish a physical robot or actuation backend.

SOURCE REFERENCES

- README.md · line 1

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/README.md#L1>

- language/python/src/bangel/identity.py · line 6

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/language/python/src/bangel/identity.py#L6>

RECOVERED HISTORICAL CONTEXT

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PINK | Project completeness edition | Local review · 2026-09-25

12

- Historical scope: Applies the measurement language to robotics examples with explicit PASS, HOLD and missing-measurement behavior.

SOURCE REFERENCES

[README.md](#) · line 1

[language/python/src/bangel/identity.py](#) · line 6

Teal Robotics - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-TEAL-ROBOTICS-PINK | Source-backed documentary sequence — execution not rerun

Teal Robotics / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Preserved simulation and shadow-control gate using native Bangel minority-risk source and near-miss templates.

IDENTITY AND RELATIONSHIPS

A distinct plugin under Bangel Robotics and the MJos predictive integration.

REQUEST TO RESULT

IF
A simulation or shadow-control proposal matches the preserved minority-risk profile and required gate evidence is available.

HOW

Apply the preserved Bangel risk source and near-miss templates through Elsa, independent JP admission and Joanna. Keep source hashes, thresholds and independent vetoes explicit.

THEN

Return the bounded proposal gate result. No continuous-time control-barrier proof, physical actuation or live-trading capability is inferred.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Teal Robotics Verified Control Barrier Function; PMOS-MINORITY-GATE/1
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Current source inspected; these documentary bindings do not report newly executed software or physical tests.
Recovered status: implementation_source.
The manifest explicitly says no completed independent family runtime, no continuous-time CBF proof, no live trading and no physical actuation.

SOURCE REFERENCES

- plugins/mj_predictive/src/mj_predictive/_teal/PLUGIN.json · line 1
https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/plugins/mj_predictive/src/mj_predictive/_teal/PLUGIN.json#L1

SOURCE REFERENCES

[plugins/mj_predictive/src/mj_predictive/_teal/PLUGIN.json · line 1](#)

Bangel Native SDK - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-NATIVE-SDK-PINK | Source-backed documentary sequence — execution not rerun

Bangel Native SDK / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

C# and .NET libraries for Bangel syntax, semantics, Elsa compilation, independent JP admission, Joanna runtime, numerics and host integration.

IDENTITY AND RELATIONSHIPS

Developer toolkit used alongside Engineering Studio; packages keep their own versioned contracts.

REQUEST TO RESULT

IF
A C# host supplies Bangel source and explicitly selects a managed compiler or separate reference-process client.

HOW

Use the syntax, semantics, Elsa compiler, admission, Joanna runtime and numerics boundaries; bind results to the actual package and source revision.

THEN

Return typed diagnostics or an admitted computation receipt. Documentation alone does not establish a fresh .NET build or cross-host parity.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel.Sdk; Bangel for C# and .NET
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Current source inspected; these documentary bindings do not report newly executed software or physical tests.
Recovered status: implementation_source.
Use only the exact named source scope; a documentary sequence is not deployment or an authority grant.

SOURCE REFERENCES

- language/dotnet/README.md · line 7
<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/language/dotnet/README.md#L7>

RECOVERED HISTORICAL CONTEXT

- Historical scope: Managed compiler/runtime integration, SDK, command-line tools and a bounded C# translation surface.

SOURCE REFERENCES

language/dotnet/README.md · line 7

Bangel API - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-API-PINK | Source-backed documentary sequence — execution not rerun

Bangel API / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Versioned public integration boundary for the source-backed Bangel compiler and runtime.

IDENTITY AND RELATIONSHIPS

Interface of Bangel Language, not a substitute compiler or runtime.

REQUEST TO RESULT

IF

A client selects a supported API operation and provides its required source or representation fields.

HOW

Validate the closed request schema, retain exact compiler/runtime protocol identities and return the relevant source-bound result. Host access and transport policy remain separate.

THEN

Return a typed response or rejection; interface discovery does not establish a public production service.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

BANGEL-API/1

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Current source inspected; these documentary bindings do not report newly executed software or physical tests.

Recovered status: implementation_source.

Use only the exact named source scope; a documentary sequence is not deployment or an authority grant.

SOURCE REFERENCES

- language/python/src/bangel/identity.py · line 11

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/language/python/src/bangel/identity.py#L11>

SOURCE REFERENCES

[language/python/src/bangel/identity.py · line 11](#)

MJPS Thermodynamics - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-THERMOELECTRIC-PINK | Source-backed documentary sequence — execution not rerun

MJPS Thermodynamics / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Bangel 0.1 MJPS component for bounded thermoelectric calculations, network proposals and deterministic reference simulation.

IDENTITY AND RELATIONSHIPS

Thermodynamic research identity with a recovered bounded steady thermoelectric reference component. The general Bangel 1.0 implementation remains a separate profile.

REQUEST TO RESULT

IF
A thermoelectric reference program declares its 0.1 domain grammar and bounded module, observation and demand inputs.

HOW

Apply the profile's steady thermoelectric calculations and proposal logic, preserving unknown temperatures, calibration evidence and its separate IR/receipt contract.

THEN

Return a simulation proposal or HOLD with physical and authority effects NONE. This does not establish a physical controller or the full general-language grammar.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJPS; Bangel Measurement Reference; Bangel Thermoelectric Reference; MJPS thermodynamic
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Current source inspected; these documentary bindings do not report newly executed software or physical tests.
Recovered status: implementation_source.
No physical controller, board backend or actuation is established.

SOURCE REFERENCES

- components/thermoelectric-reference/README.md · line 1
<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/components/thermoelectric-reference/README.md#L1>

- components/thermoelectric-reference/README.md · line 31

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/components/thermoelectric-reference/README.md#L31>

RECOVERED HISTORICAL CONTEXT

- Historical scope: Package-native thermoelectric simulation combining Seebeck harvesting, Peltier heat pumping, uncertainty and bounded thermal/electrical optimization.
- Historical 0.2 package; physical effect and authority effect remained NONE, global JP acceptance MERGE_CANDIDATE, and bench/HIL/field gates remained held.
- Historical evidence has not been rerun in this discovery pass.

SEPARATE HISTORICAL CONTRACT OUTLINE

- ThermalBoundary — module and operating conditions
- ThermoelectricModel — Seebeck/Peltier parameters
- UncertaintyEnvelope — bounded temperature and model inputs
- SimulationReceipt — result, assumptions and effect ceiling

IF

A thermoelectric module is evaluated under declared thermal and electrical conditions.

HOW

Apply the documented package formulas and uncertainty bounds, keeping steady and transient coverage distinct.

THEN

Return the bounded simulation result and retain the separate hardware-validation requirements.

This historical outline is separate from the current-source contract above. It does not establish native integration or newly executed results.

SOURCE REFERENCES

<components/thermoelectric-reference/README.md> · line 1

<components/thermoelectric-reference/README.md> · line 31

MJmri MRI Imaging - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJMRI-PINK | Source-backed documentary sequence — execution not rerun

MJmri MRI Imaging / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Authored Bangel research profiles for typed MRI-related representations, evidence and interoperability contracts.

IDENTITY AND RELATIONSHIPS

Authored MRI imaging research profiles retain distinct representation and receipt contracts. Elsa is the compiler identity; native integration and Joanna processing remain separately evidenced obligations.

REQUEST TO RESULT

IF
A non-clinical imaging research case declares its source artifacts, units, profile and intended bounded calculation.

HOW

Preserve MRI measurement and DICOM interoperability obligations. Treat domain forms as research contracts until Elsa integration, representation generation and Joanna processing are demonstrated.

THEN

Return a documentary case or bounded research proposal, preserving unknowns and implementation gaps. No diagnosis, patient release or MRI hardware control is created.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJmri; JP-IR/MJMRI-1; MJMRI; MJmri MRI imaging
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

An authored research contract or fixture is recovered. Native implementation and execution remain separate obligations.
Recovered status: authored_candidate.
Non-clinical research only; recovered authored fixtures do not establish native execution or patient use.

SOURCE REFERENCES

- specs/recovered/BANGEL-0.1-MJMRI-NATIVE-PROFILE.md · line 1
<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/recovered/BANGEL-0.1-MJMRI-NATIVE-PROFILE.md#L1>
- docs/history/b01/BANGEL-PROFILE-AUDIT.md · line 7
<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/docs/history/b01/BANGEL-PROFILE-AUDIT.md#L7>

RECOVERED HISTORICAL CONTEXT

- Historical scope: Named domain family included in the shared MJPS and Drum Sequencer registry.
- Historical scope: Mobile MRI access, representation, DICOM/FHIR interoperability and research reconstruction lineage. Cumulative 0.3 optical/mobile package was authored/reference work; native toolchain/device execution and clinical validation remained pending.
- Native JP compiler runs were explicitly zero at B02–B10; current Elsa/profile reconciliation remains unresolved.
- Phone optical pixels, inferred surface geometry, synthetic anatomy priors and genuine MR evidence remain distinct.
- B21–B25 continuation was requested but no resulting implementation was recovered.

SOURCE REFERENCES

[specs/recovered/BANGEL-0.1-MJMRI-NATIVE-PROFILE.md · line 1](#)

[docs/history/b01/BANGEL-PROFILE-AUDIT.md · line 7](#)

MJMRI Optical Research - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-MJMRI-OPTICAL-PINK | Source-backed documentary sequence — execution not rerun

MJMRI Optical Research / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Keeps observed camera evidence, inferred surface geometry, synthetic anatomy priors and genuine MR evidence in separate classes.

IDENTITY AND RELATIONSHIPS

Specialized MJMRI profile; camera evidence is not MRI.

REQUEST TO RESULT

IF

An optical frame has a source identity and is explicitly classified as camera evidence.

HOW

Retain original pixels, label transformations and distinguish inferred surface geometry, synthetic anatomy priors and genuine MR evidence. Abstain beyond the input's evidence class.

THEN

Return a labeled optical or surface-research artifact, without claiming unseen anatomy, MR signal or a clinical result.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJMRI Mobile Optical Research
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

An authored research contract or fixture is recovered. Native implementation and execution remain separate obligations.
Recovered status: authored_candidate.
Use only the exact named source scope; a documentary sequence is not deployment or an authority grant.

SOURCE REFERENCES

- specs/recovered/BANGEL-0.1-MJMRI-MOBILE-OPTICAL-RESEARCH-PROFILE.md · line 1
<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/recovered/BANGEL-0.1-MJMRI-MOBILE-OPTICAL-RESEARCH-PROFILE.md#L1>

SOURCE REFERENCES

Cubix - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-CUBIX-PINK | Source-backed documentary sequence — execution not rerun

Cubix / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Rooted multiresolution spatial cells carry pixel bounds, source identity, grid index and node points for an external scene.

IDENTITY AND RELATIONSHIPS

Governed representation inside MJMRI Optical Research, not a separately recovered application.

REQUEST TO RESULT

IF

A spatial cell declares its source frame, pixel bounds, grid index and parent resolution.

HOW

Bind cell/node points to the same source root, validate bounds and preserve multiresolution lineage without extending observation below validated resolution.

THEN

Return a rooted external-scene cell or HOLD invalid lineage or bounds. The cell does not identify unseen tissue.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJMRI-CUBIX-GRID/1

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

An authored research contract or fixture is recovered. Native implementation and execution remain separate obligations.

Recovered status: authored_contract.

Use only the exact named source scope; a documentary sequence is not deployment or an authority grant.

SOURCE REFERENCES

- specs/recovered/BANGEL-0.1-MJMRI-MOBILE-OPTICAL-RESEARCH-PROFILE.md · line 22

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/recovered/BANGEL-0.1-MJMRI-MOBILE-OPTICAL-RESEARCH-PROFILE.md#L22>

SOURCE REFERENCES

[specs/recovered/BANGEL-0.1-MJMRI-MOBILE-OPTICAL-RESEARCH-PROFILE.md · line 22](#)

MJ Memory Kernel Adapters - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJ-MEMORY-KERNEL-PINK | Source-backed documentary sequence — execution not rerun

MJ Memory Kernel Adapters / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Local episodic lifecycle, checkpoints, recovery and candidate evaluation executed through Bangel, JP admission and Joanna.

IDENTITY AND RELATIONSHIPS

Component of MJ Memory Recall, with non-installing update assessment.

REQUEST TO RESULT

IF

A memory operation addresses an explicit namespace, frame, generation and allowed lifecycle transition.

HOW

Apply Bangel transition/access rules through Elsa, independent JP admission and Joanna; bind stored evidence to checkpoints, retain prior generations and assess updates using held-out evidence.

THEN

Return a lifecycle receipt or non-installing update assessment. No stage is skipped, old ID reused or model automatically installed.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Self-healing kernel adapter; MJ-Memory-Update/0.1.0

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Current source inspected; these documentary bindings do not report newly executed software or physical tests.

Recovered status: implementation_source.

Not a bootable operating-system kernel or automatic model installer.

SOURCE REFERENCES

- plugins/mj_memory_recall/docs/KERNEL.md · line 1

https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/plugins/mj_memory_recall/docs/KERNEL.md#L1

- plugins/mj_memory_recall/docs/KERNEL.md · line 19

https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/plugins/mj_memory_recall/docs/KERNEL.md#L19

SOURCE REFERENCES

[plugins/mj_memory_recall/docs/KERNEL.md · line 1](#)

[plugins/mj_memory_recall/docs/KERNEL.md · line 19](#)

MJ Football Playbook - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-MJ-FOOTBALL-PLAYBOOK-PINK | Source-backed documentary sequence — execution not rerun

MJ Football Playbook / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Episodic recall and physics-football playbook projection preserve source curves, command history and selection identities.

IDENTITY AND RELATIONSHIPS

Domain overlay used by MJ Memory Recall; schematic coordinates are not calibrated robot dynamics.

REQUEST TO RESULT

IF
A recall query supplies the original frame, an eligible playbook selection and available command-history context.

HOW

Compare bounded episodic candidates and project source-backed geometry, preserving entity/relationship/context conflicts, curves and observation chronology.

THEN

Return a physics-play analysis projection with its evidence or HOLD a context mismatch. Similarity is not calibrated probability or coaching approval.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJ-Playbook-Projection/0.1.0
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Current source inspected; these documentary bindings do not report newly executed software or physical tests.
Recovered status: implementation_source.
Use only the exact named source scope; a documentary sequence is not deployment or an authority grant.

SOURCE REFERENCES

- plugins/mj_memory_recall/README.md · line 1
https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/plugins/mj_memory_recall/README.md#L1
- plugins/mj_memory_recall/README.md · line 53
https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/plugins/mj_memory_recall/

RECOVERED HISTORICAL CONTEXT

- Historical scope: Maps football playbook geometry and actor paths into comparative prediction and neural node-space overlays.

SOURCE REFERENCES

[plugins/mj_memory_recall/README.md · line 1](#)

[plugins/mj_memory_recall/README.md · line 53](#)

MJ EGO REV - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJ-EGO-REV-PINK | Source-backed documentary sequence — execution not rerun

MJ EGO REV / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Indexed Bangel and native C# modules define an energy ledger, battery and thermal inputs, transition rules and append-only audit receipts.

IDENTITY AND RELATIONSHIPS

Separate product from the associated core referenced by the later Teal library.

REQUEST TO RESULT

IF
An energy-model request declares source classes, units, uncertainty, tolerances and current transition mode.

HOW

Follow indexed Bangel energy-ledger and transition rules, preserve missing quantities and append source-bound receipts. Native/Bangel equivalence requires separate evidence.

THEN

Return a bounded energy or transition outcome; a source index does not demonstrate a physical energy device.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJ-EGO-REV; Ego.Core
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

The later Teal library indexes named source modules and hashes. Discovery does not establish a fresh build, full integration or physical validation.

Recovered status: source_index_recovered.

Full associated source and fresh native execution were not recovered in this inventory pass.

SOURCE REFERENCES

- Later Teal source index, page 974
https://drive.google.com/file/d/1JytulokwWY5yHnSqcajL_oQQ_jJQEoAx/view#page=974
- Later Teal source index, page 977
https://drive.google.com/file/d/1JytulokwWY5yHnSqcajL_oQQ_jJQEoAx/view#page=977
- Later Teal source index, page 978
https://drive.google.com/file/d/1JytulokwWY5yHnSqcajL_oQQ_jJQEoAx/view#page=978

- Later Teal source index, page 979

https://drive.google.com/file/d/1JytulokwWY5yHnSqcajL_oQQ_jJQEoAx/view#page=979

RECOVERED HISTORICAL CONTEXT

- Historical scope: Vehicle-energy modeling and audit project with Bangel and C# implementation lineage.

SOURCE REFERENCES

[Later Teal source index, page 974](#)

[Later Teal source index, page 977](#)

[Later Teal source index, page 978](#)

[Later Teal source index, page 979](#)

MJos Quantum Security - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-MJOS-QUANTUM-SECURITY-PINK | Source-backed documentary sequence — execution not rerun

MJos Quantum Security / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

The associated-core source index records entropy health, protection, policy, receipts and self-healing-key modules.

IDENTITY AND RELATIONSHIPS

Related to the existing Quantum Systems and Hagar / Water Protection entries; older bridge and policy filenames retain private source provenance.

REQUEST TO RESULT

IF

A research protection event has a declared source, relevant entropy-health evidence and explicit integrity signals.

HOW

Keep entropy health, risk policy, key lifecycle and receipts as distinct indexed components. Separate simulated input, validated external bits and hardware claims.

THEN

Return a documentary protection outcome or hold. Indexed source does not establish measured quantum entropy, certified cryptography or a production guarantee.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

mjos_qs; Quantum Security

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

The later Teal library indexes named source modules and hashes. Discovery does not establish a fresh build, full integration or physical validation.

Recovered status: source_index_recovered.

Index evidence does not establish current cryptographic assurance, hardware certification or quantum security.

SOURCE REFERENCES

- Later Teal source index, page 998

https://drive.google.com/file/d/1JytulokwWY5yHnSqcajL_oQQ_jJQEoAx/view#page=998

- Later Teal source index, page 1000

https://drive.google.com/file/d/1JytulokwWY5yHnSqcajL_oQQ_jJQEoAx/view#page=1000

- Later Teal source index, page 1003

https://drive.google.com/file/d/1JytulokwWY5yHnSqcajL_oQQ_jJQEoAx/view#page=1003

- Later Teal source index, page 1006

https://drive.google.com/file/d/1JytulokwWY5yHnSqcajL_oQQ_jJQEoAx/view#page=1006

- Later Teal source index, page 1007

https://drive.google.com/file/d/1JytulokwWY5yHnSqcajL_oQQ_jJQEoAx/view#page=1007

RECOVERED HISTORICAL CONTEXT

- Historical scope: Governed security architecture linking cryptographic migration, artifact integrity, entropy governance, bounded recovery and evidence receipts.

SOURCE REFERENCES

[Later Teal source index, page 998](#)

[Later Teal source index, page 1000](#)

[Later Teal source index, page 1003](#)

[Later Teal source index, page 1006](#)

[Later Teal source index, page 1007](#)

Mika / MK Physics - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MIKA-PHYSICS-PINK | Source-backed documentary sequence — execution not rerun

Mika / MK Physics / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Physics Modulator System for dimensional, conservation, boundary, scale, and evidence representation.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF
A JP representation identifies quantities, units, control volume, scale and available measurement evidence.

HOW

Classify applicable physics, check dimensional compatibility and conservation boundaries, and carry uncertainty into the representation. Keep not-applicable distinct from a passed physical test.

THEN

Return a scoped physics representation or unresolved requirement. A valid equation is not a measured physical result.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Mika; MK; MK-PHYSICS
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.
Recovered status: `documented_reference`.
Documented domain role does not establish a currently deployed standalone engine.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1303
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1303>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1303](#)

Angels Safety - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-ANGELS-SAFETY-PINK | Source-backed documentary sequence — execution not rerun

Angels Safety / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Domain-specific observation, telemetry, hold, denial, and corrective-command family.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF

A command or state change falls within an Angel's declared domain and required telemetry is available.

HOW

Evaluate domain-specific observation and corrective rules; preserve independent hold/denial decisions and evidence for proposed correction.

THEN

Return a safety receipt. A correction request does not create execution permission or expand the Angel's domain.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

ANGELS; ANGELS-SAFETY

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: `documented_reference`.

Documented domain role does not establish a currently deployed standalone engine.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1306

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1306>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1306](#)

Bellatrix Defense - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-BELLATRIX-PINK | Source-backed documentary sequence — execution not rerun

Bellatrix Defense / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Independent defense, challenge, quarantine, hostile-deviation analysis, and denial.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF

An intake, custody or execution boundary requires a defense challenge with known scope and evidence identity.

HOW

Inspect integrity, schema, replay and scope evidence using the applicable contract; preserve independent challenge and quarantine outcomes without changing evidence truth.

THEN

Return defense or quarantine evidence. Defense success grants neither general admission nor financial authority.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

BELLATRIX

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_reference.

Documented domain role does not establish a currently deployed standalone engine.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1307

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1307>

- specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md · line 402

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md#L402>

RECOVERED HISTORICAL CONTEXT

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PINK | Project completeness edition | Local review · 2026-09-25

35

- Historical scope: Defense and admission boundary that checks whether a proposed action is safe and permitted before execution.

SOURCE REFERENCES

[Recovered nonwhite collection, page 1307](#)

[specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md · line 402](#)

Sister Prediction and Containment - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-SISTER-PINK | Source-backed documentary sequence — execution not rerun

Sister Prediction and Containment / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Predictive digital twin, preallocation evidence, anomaly detection, umbrella collection, and canonical physical containment request.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF
A monitored profile declares its primary Sister, failure strategy, observations and reserve/containment scope.

HOW

Model demand and anomalies, preserve predictive/simulation classes and propose buffers under the named profile. Keep pending GIN amendment implementation status explicit.

THEN

Return forecast, reserve or containment evidence; HOLD missing or stale bindings. Simulation does not become observation or authorized physical containment.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

SISTER; SISTER-CONTAINMENT
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_reference.

Documented domain role does not establish a currently deployed standalone engine.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1308
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1308>
- specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md · line 402

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md#L402>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1308](#)

[specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md · line 402](#)

EVE Variance and Egress - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-EVE-PINK | Source-backed documentary sequence — execution not rerun

EVE Variance and Egress / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Variance, evaporative effect, screen capture, leakage, smoke-like egress, and boundary-accounting evidence.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF
A profile declares its boundary and which intake, capture, leakage or egress quantities are actually observable.

HOW

Account for variance and residuals with units and uncertainty; preserve unmeasured loss as unknown instead of silently closing the balance.

THEN

Return an observation/egress ledger or HOLD incomplete evidence. A residual does not prove its physical cause.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

EVE; EVE-SCREEN
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.
Recovered status: `documented_reference`.
Documented domain role does not establish a currently deployed standalone engine.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1309
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1309>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1309](#)

Mary / M3 Routing - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-MARY-M3-PINK | Source-backed documentary sequence — execution not rerun

Mary / M3 Routing / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Bounded routing, API gateway, load balancing, connection pooling, and allocation stewardship.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF

An admitted request has an applicable MJ lease and source-backed target capacity.

HOW

Route the request and account for use, pooling and returns within the lease; mediate peer handoffs through the applicable admission boundary.

THEN

Return routing/allocation evidence or HOLD unavailable capacity. M3 cannot mint resources, widen leases or bypass denial.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

M3; Mary

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: `documented_reference`.

Documented domain role does not establish a currently deployed standalone engine.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1310

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1310>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1310](#)

Mermaid Reconciliation - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-MERMAID-PINK | Source-backed documentary sequence — execution not rerun

Mermaid Reconciliation / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Accounting, reconciliation, exposure, custody evidence, statements, tax lots, and financial consequence.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF
A custody/accounting event supplies origin, acquisition record, account scope and required profile evidence.

HOW

Preserve balances, custody lineage and reconciliation history; assess financial implications only within Mermaid's own boundary without redefining measurement mathematics.

THEN

Return a scoped account or reconciliation record with disputes visible. It does not execute a transfer or issue a product permit.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MERMAID; MERMAID-RECON
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: `documented_reference`.

Documented domain role does not establish a currently deployed standalone engine.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1311
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1311>
- specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md · line 402
<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/roles/GIN-M001-BA>

RECOVERED HISTORICAL CONTEXT

- Historical scope: Expresses financial meaning, claims, obligations, valuation and admission within the Bangel ecosystem.

SOURCE REFERENCES

Recovered nonwhite collection, page 1311

specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md · line 402

Shiva Capital Models - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-SHIVA-PINK | Source-backed documentary sequence — execution not rerun

Shiva Capital Models / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Finance, money, treasury, liquidity, capital-job classification, risk/opportunity analysis, and distribution proposal.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF

A capital-model request declares purpose, liquidity constraints, account evidence and internal scope.

HOW

Separate stability, investment and risk classifications; preserve reconciliation and independent reviews, treating distributions as model outputs.

THEN

Return a bounded internal proposal or HOLD. No live transfer, market operation or external financial permission is created.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

SHIVA

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: `documented_reference`.

Documented domain role does not establish a currently deployed standalone engine.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1312

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1312>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1312](#)

Shekina Continuity - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-SHEKINA-PINK | Source-backed documentary sequence — execution not rerun

Shekina Continuity / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Distributed placement, replication, continuity, and infrastructure evidence.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF

Placement declares artifact versions, scope, resource bounds and continuity requirements.

HOW

Model bounded placement, replication and failover with source/target receipts. Preserve tenant boundaries and distinguish plans from observed recovery.

THEN

Return placement/continuity evidence or HOLD unavailable targets. Infrastructure location does not confer authority.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

SHEKINA; SHEKINA-CONTINUITY

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_reference.

Documented domain role does not establish a currently deployed standalone engine.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1313

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1313>

- specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md · line 402

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md#L402>

RECOVERED HISTORICAL CONTEXT

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PINK | Project completeness edition | Local review · 2026-09-25

44

- Historical scope: Distributed and cloud continuity component in the historical ecosystem architecture.

SOURCE REFERENCES

Recovered nonwhite collection, page 1313

specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md · line 402

Belle Engineering - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BELLE-PINK | Source-backed documentary sequence — execution not rerun

Belle Engineering / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Engineering analysis, feasibility, topology review, and bounded proposals.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF

A design request supplies architecture, physics evidence and measurable feasibility criteria.

HOW

Review topology, assumptions and alternatives against the constraints; bind proposals to evidence and leave unsupported dimensions unresolved.

THEN

Return an engineering proposal and risk note. Feasibility review does not prove physical performance or authorize manufacture.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

BELLE

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: `documented_reference`.

Documented domain role does not establish a currently deployed standalone engine.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1314

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1314>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1314](#)

Aviator Workspace - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-AVIATOR-PINK | Source-backed documentary sequence — execution not rerun

Aviator Workspace / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Organizational workspace, projects, decisions, roles, knowledge, and governed workflow.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF

An organizational request identifies workspace, role, project and intended record operation.

HOW

Preserve decisions, knowledge references and role boundaries. Present evidence without turning measurements into ranking, punishment or financial permission.

THEN

Return a bounded workspace/decision record or DENY an out-of-scope operation. Organizational context does not replace root authority.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

AVIATOR; AVIATOR-WORKSPACE

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: `documented_reference`.

Documented domain role does not establish a currently deployed standalone engine.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1317

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1317>

- specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md · line 402

<https://github.com/Mjos23/bangel-language/blob/229548f13a4856455b3d30d408cf845fb5b557fc/specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md#L402>

RECOVERED HISTORICAL CONTEXT

- Historical scope: Workspace for building applications and interacting with the Bangel toolchain and governed artifacts.

SOURCE REFERENCES

Recovered nonwhite collection, page 1317

specs/roles/GIN-M001-BANGEL-IDENTITY-EDITION.md · line 402

CHI Temporal Variance - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-CHI-PINK | Source-backed documentary sequence — execution not rerun

CHI Temporal Variance / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Temporal variance and expected-observed-delivered-reconciled difference state.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF

A comparison identifies expected, observed, delivered and reconciled states under a named CHI profile.

HOW

Preserve clocks, missing states and source-specific difference semantics; keep CHI distinct from GIN until an explicit verified mapping exists.

THEN

Return temporal variance or HOLD incomparable states. Variance determines neither price nor execution permission.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

CHI

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: `documented_reference`.

Do not automatically equate historical CHI with GIN; this pass recovered related temporal roles but no verified identity migration.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1318

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1318>

SOURCE REFERENCES

WATER Uncertainty - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-WATER-PINK | Source-backed documentary sequence — execution not rerun

WATER Uncertainty / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Interval uncertainty, verified floor, and bounded unknown-state classification.

IDENTITY AND RELATIONSHIPS

Named family identity; separate from color-paper identity.

REQUEST TO RESULT

IF

An uncertainty classification supplies intervals, verified floors and evidence limits under the WATER family profile.

HOW

Apply interval and unknown-state rules with their source bounds; distinguish this family from Hagar control and the water-protection application.

THEN

Return a scoped uncertainty class or HOLD. Classification grants neither authority nor financial value.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

WATER

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: `documented_reference`.

The WATER uncertainty family is not automatically identical to Hagar water-process control or the separate water protection product.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1319

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1319>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1319](#)

JP Semiconductor Phone - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-JP-SEMICONDUCTOR-PHONE-PINK | Source-backed documentary sequence — execution not rerun

JP Semiconductor Phone / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Explore semiconductor-scale static intake, power wake, solar assist, battery, and operating-system integration.

IDENTITY AND RELATIONSHIPS

Product profile within JP; status from the original product register is retained.

REQUEST TO RESULT

IF

A phone-scale design declares scale, intake, battery and wake/reserve assumptions.

HOW

Represent static intake and solar-assist relationships; check units and reserve accounting without importing large-scale parameters.

THEN

Return a design trace and missing measurement requirements. No physical phone, proven capacity or operating device is established.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

JP-SC-PHONE; JP Semiconductor Phone Battery and OS Candidate

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_planned_only_no_physical_article.

PLANNED_ONLY_NO_PHYSICAL_ARTICLE

SOURCE REFERENCES

- Recovered nonwhite collection, page 1380

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1380>

SOURCE REFERENCES

JP Marine Power - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-JP-MARINE-POWER-PINK | Source-backed documentary sequence — execution not rerun

JP Marine Power / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Explore large-scale static intake, solar initiation, power bus, containment, and marine power integration.

IDENTITY AND RELATIONSHIPS

Product profile within JP; status from the original product register is retained.

REQUEST TO RESULT

IF

A marine proposal names vessel context, intake, storage, power bus and containment assumptions.

HOW

Model relationships within the marine profile, keeping classification, environment, loads and absent physical measurements unresolved.

THEN

Return a marine design proposal, not vessel-operation or demonstrated propulsion evidence.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

JP-LS-BOAT; JP Large-Scale Boating Power Candidate
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_planned_only_unclassified.

PLANNED_ONLY_UNCLASSIFIED

SOURCE REFERENCES

- Recovered nonwhite collection, page 1381
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1381>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1381](#)

JP Peaceful Propulsion - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-JP-PEACEFUL-PROPULSION-PINK | Source-backed documentary sequence — execution not rerun

JP Peaceful Propulsion / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Explore peaceful propulsion measurement and control under non-weaponization, safety, and regulatory gates.

IDENTITY AND RELATIONSHIPS

Product profile within JP; status from the original product register is retained.

REQUEST TO RESULT

IF

A peaceful propulsion research request declares purpose, measurement boundary and unresolved safety gates.

HOW

Document bounded measurement/control requirements and independent safety evidence while retaining planned-only status.

THEN

Return a research design record on hold; no launch, ignition, hardware operation or physical performance is established.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

JP-PEACEFUL-PROPULSION; JP Peaceful High-Energy Propulsion Research Candidate

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_planned_only_safety_hold.

PLANNED_ONLY_SAFETY_HOLD

SOURCE REFERENCES

- Recovered nonwhite collection, page 1382

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1382>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1382](#)

Shiva Dual Rails - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-SHIVA-RAILS-PINK | Source-backed documentary sequence — execution not rerun

Shiva Dual Rails / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Separate stability/cash functions from investment and crypto risk while preserving liquidity-first ethics.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF

An internal scenario separates stability and investment purposes with applicable account evidence.

HOW

Keep liquidity-first constraints, risk models and rail accounting distinct; preserve exposure and reconciliation per source.

THEN

Return an internal financial-rail model or HOLD; external operations remain disabled.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

SHIVA-RAILS; Shiva Dual Financial Rails
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_internal_model_external_disabled.

INTERNAL_MODEL_EXTERNAL_DISABLED

SOURCE REFERENCES

- Recovered nonwhite collection, page 1387
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1387>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1387](#)

SHIVAS Internal Reflection - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-SHIVAS-INTERNAL-PINK | Source-backed documentary sequence — execution not rerun

SHIVAS Internal Reflection / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Represent internal capital reflections without minting, redemption, public offer, or value guarantee.

IDENTITY AND RELATIONSHIPS

Product profile within SHIVA; status from the original product register is retained.

REQUEST TO RESULT

IF

An internal reflection names its source capital model and nontransferable boundary.

HOW

Record the reference and reconciliation history without minting an external asset, redemption promise or guaranteed value.

THEN

Return a nontransferable internal reflection record, with no public offer or monetary-value assertion.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

SHIVAS-INTERNAL; SHIVAS Internal Settlement Reflection
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_nontransferable_no_monetary_value.
NONTRANSFERABLE_NO_MONETARY_VALUE

SOURCE REFERENCES

- Recovered nonwhite collection, page 1388
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1388>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1388](#)

Shiva Exchange Reference - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-SHIVA-EXCHANGE-PINK | Source-backed documentary sequence — execution not rerun

Shiva Exchange Reference / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Model transparent price-time, custody, audit, tax, and transfer rules without operating a market.

IDENTITY AND RELATIONSHIPS

Product profile within SHIVA; status from the original product register is retained.

REQUEST TO RESULT

IF

An exchange-rule simulation declares fixtures, price-time rules and custody/audit assumptions.

HOW

Model the stated rule while preserving chronological order, custody references and unresolved authority obligations.

THEN

Return simulation evidence, not a live market, executed trade or transferable asset.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

SHIVA-EXCHANGE; Shiva Exchange Rule Reference

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_internal_simulation_only.

INTERNAL_SIMULATION_ONLY

SOURCE REFERENCES

- Recovered nonwhite collection, page 1390

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1390>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1390](#)

Elsa Marketplace Reference - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-ELSA-MARKETPLACE-PINK | Source-backed documentary sequence — execution not rerun

Elsa Marketplace Reference / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Coordinate semantic listings, workflow, accounting, execution, and resource evidence without live market authority.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF

An internal listing supplies meaning, workflow scope and required accounting/resource references.

HOW

Coordinate semantic, workflow and evidence relationships without giving the listing operational authority. Elsa remains the sole compiler identity.

THEN

Return an internal marketplace reference with unresolved stages visible; no live market is inferred.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

ELSA-MARKETPLACE; Elsa Governed Marketplace Reference
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_internal_reference_only.

INTERNAL_REFERENCE_ONLY

SOURCE REFERENCES

- Recovered nonwhite collection, page 1394

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1394>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1394](#)

Bangel Spreadsheets - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-SPREADSHEETS-PINK | Source-backed documentary sequence — execution not rerun

Bangel Spreadsheets / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Provide governed spreadsheet-like operational modeling through typed measurement cells, immutable revisions, Pearl simulation partitions, deterministic recalculation, concurrency control, and audit evidence.

IDENTITY AND RELATIONSHIPS

Product profile within Bangel; status from the original product register is retained.

REQUEST TO RESULT

IF

A workbook edit supplies typed cells, an expected revision and dependency/simulation context.

HOW

Preserve immutable revisions, deterministic recalculation, concurrency checks and audit evidence; keep Pearl simulation partitions distinct from measured cells.

THEN

Return a new revision with recalculation evidence, or reject/hold a conflict. Results do not authorize external effects.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel-SPREADSHEETS; Bangel Spreadsheets

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_reference_mvp_prepasskey.

REFERENCE_MVP_PREPASSKEY

SOURCE REFERENCES

- Recovered nonwhite collection, page 1397

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1397>

SOURCE REFERENCES

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PINK | Project completeness edition | Local review · 2026-09-25

60

JPOSMJ Portfolio - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-JPOSMJ-PORTFOLIO-PINK | Source-backed documentary sequence — execution not rerun

JPOSMJ Portfolio / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Bind every JP-origin product candidate through MK physics representation, JO verification, participant evidence, and MJ bounded permit classification.

IDENTITY AND RELATIONSHIPS

Product profile within JP; status from the original product register is retained.

REQUEST TO RESULT

IF
A product candidate declares origin and independent physics, verification and participant-review requirements.

HOW

Collect separate reviews into a portfolio envelope, retaining product-specific evidence and unresolved admission gates.

THEN

Return a product evidence envelope. Inclusion does not transfer another product's proof or permit.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

JPOSMJ-PORTFOLIO; JPOSMJ Product Portfolio Envelope
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_prepasskey_portfolio_envelope.
PREPASSKEY_PORTFOLIO_ENVELOPE

SOURCE REFERENCES

- Recovered nonwhite collection, page 1398
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1398>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1398](#)

MJ Standard Containment - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-STANDARD-CONTAINMENT-PINK | Source-backed documentary sequence — execution not rerun

MJ Standard Containment / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Provide a scale-independent rectangle/cone/Sister/EVE/reservoir calculation standard and H2 reference-gas observation profile.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF

A reference calculation declares normalized geometry, scale, gas profile and boundary conditions.

HOW

Calculate source-backed geometry relationships while separating measured dimensions and gas behavior from normalized reference shapes.

THEN

Return a geometry reference and required measurements; absent physical values remain held.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

STANDARD-CONTAINMENT-GEOMETRY; MJ Standard Containment Geometry and Reference Gas Model
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_reference_mvp_physical_values_hold.

REFERENCE_MVP_PHYSICAL_VALUES_HOLD

SOURCE REFERENCES

- Recovered nonwhite collection, page 1399

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1399>

SOURCE REFERENCES

MJ Reservoir Collection - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-RESERVOIR-COLLECTION-PINK | Source-backed documentary sequence — execution not rerun

MJ Reservoir Collection / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Model the rear reservoir loop, exterior outlet, lake-like buffer, circular inward/tangential re-entry, wave/friction references, adaptive sizing, and full Sister/EVE/Angel/M3/MK/JO/Mermaid/Shiva/MJ transaction path.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF

A reservoir model identifies collection, outlet, buffer, re-entry and wave/friction assumptions.

HOW

Track loop and return relationships using units, uncertainty and applicable containment, egress, safety, routing and accounting evidence.

THEN

Return a reference balance or HOLD missing measurements; a logical loop is not a demonstrated physical circulation device.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

RESERVOIR-COLLECTION-MODULATION; MJ Reservoir Collection, Lake Buffer, and Spiral-Compatible Re-entry
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_reference_mvp_physical_values_hold.

REFERENCE_MVP_PHYSICAL_VALUES_HOLD

SOURCE REFERENCES

- Recovered nonwhite collection, page 1400

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1400>

SOURCE REFERENCES

MJos Solar Core - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-SOLAR-CORE-PINK | Source-backed documentary sequence — execution not rerun

MJos Solar Core / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Provide the common JP-origin governed solar and energy-management architecture shared by the phone, marine, and peaceful rocket/spacecraft profiles.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF

A solar design selects its application profile and declares intake, storage, load and reserve assumptions.

HOW

Apply shared energy-accounting relationships while retaining each application's independent geometry, environment and verification needs.

THEN

Return a shared-core design trace and evidence gaps; one profile's calculation does not validate the others.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJOS-SOLAR-CORE-001; MJOS Solar Shared-Core Architecture
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_design_trace_specification_frozen_physical_hold.

DESIGN_TRACE_SPECIFICATION_FROZEN_PHYSICAL_HOLD

SOURCE REFERENCES

- Recovered nonwhite collection, page 1401
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1401>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1401](#)

MJos Solar Phone - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-SOLAR-PHONE-PINK | Source-backed documentary sequence — execution not rerun

MJos Solar Phone / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Provide solar-assisted phone battery and operating-system power integration with governed energy intake, battery/thermal observation, reserve allocation, workload-aware coordination, provenance, and measurable accounting.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF

A phone-power scenario declares solar input, battery/thermal observations, workload and wake reserves.

HOW

Coordinate intake, storage and workload within the semiconductor profile using typed energy accounting and explicit uncertainty.

THEN

Return a planned power trace, not a demonstrated battery-life claim or physical phone.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJOS-SOLAR-SEMI-PHONE-001; MJOS Solar Semiconductor Phone Battery and OS Profile
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_design_trace_specification_frozen_planned_only_no_physical_article.

DESIGN_TRACE_SPECIFICATION_FROZEN_PLANNED_ONLY_NO_PHYSICAL_ARTICLE

SOURCE REFERENCES

- Recovered nonwhite collection, page 1402

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1402>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1402](#)

MJos Solar Marine - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-SOLAR-MARINE-PINK | Source-backed documentary sequence — execution not rerun

MJos Solar Marine / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Provide solar-assisted marine energy intake, storage, propulsion-load coordination, conversion/recovery, thermal management, reserve protection, operating-system control, telemetry, and evidence-backed state transitions.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF

A marine scenario declares intake, storage, propulsion loads, thermal requirements and critical reserves.

HOW

Model conversion/recovery and state transitions with vessel-specific telemetry and reserve requirements.

THEN

Return an unclassified design trace or HOLD; no operating vessel, certification or physical efficiency is established.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJOS-SOLAR-MARINE-001; MJOS Solar-Assisted Marine Power and Propulsion Profile
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_design_trace_specification_frozen_unclassified_no_physical_article.
DESIGN_TRACE_SPECIFICATION_FROZEN_UNCLASSIFIED_NO_PHYSICAL_ARTICLE

SOURCE REFERENCES

- Recovered nonwhite collection, page 1403
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1403>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1403](#)

MJos Solar Spacecraft - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-SOLAR-SPACECRAFT-PINK | Source-backed documentary sequence — execution not rerun

MJos Solar Spacecraft / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Provide a non-weaponized reference architecture for solar-assisted avionics/electrical reserve, propulsion-state coordination, thermal/battery management, authenticated startup/shutdown, telemetry, fault isolation, and emergency-state control.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF
A peaceful spacecraft reference declares mission scope, electrical reserves, thermal/battery state and startup/shutdown evidence requirements.

HOW

Document solar-assisted avionics, telemetry and fault-isolation relationships without converting them into launch or propulsion commands.

THEN

Return a peaceful research trace with safety holds preserved.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJOS-SOLAR-ROCKET-001; MJOS Peaceful Solar-Assisted Rocket/Spacecraft Power and OS Profile
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_design_trace_specification_frozen_peaceful_research_only_safety_hold.
DESIGN_TRACE_SPECIFICATION_FROZEN_PEACEFUL_RESEARCH_ONLY_SAFETY_HOLD

SOURCE REFERENCES

- Recovered nonwhite collection, page 1404
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1404>

SOURCE REFERENCES

Recovered nonwhite collection, page 1404

DRO Collection - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-DRO-COLLECTION-PINK | Source-backed documentary sequence — execution not rerun

DRO Collection / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Represent typed collection, scale, unit, state, lineage, and conservation for elements or variance observations.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF

A collection record declares identity, quantity, scale, source and evidence state.

HOW

Preserve typed measurement, lineage and conservation; distinguish collection observations from Pearl simulation and computational retention.

THEN

Return a DRO reference record or HOLD missing evidence; no physical collection hardware is established.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

DRO-COLLECTION-001; DRO Discrete Retention and Element-Collection Reference System
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_reference_candidate_simulation_and_measurement_only.

REFERENCE_CANDIDATE_SIMULATION_AND_MEASUREMENT_ONLY

SOURCE REFERENCES

- Recovered nonwhite collection, page 1405

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1405>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1405](#)

DRO–Pearl Handoff - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-DRO-PEARL-HANDOFF-PINK | Source-backed documentary sequence — execution not rerun

DRO–Pearl Handoff / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Allocate DRO records into Pearl computational nodes while preserving typed capacity and receipts.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF
DRO and Pearl identities declare compatible quantity/capacity types and a bounded computational handoff.

HOW

Allocate within capacity, retain the original measurement or simulation class and bind both sides to a receipt.

THEN

Return a computational handoff record; information retention does not become physical containment.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

DRO-PEARL-HANDOFF-001; DRO-to-Pearl Computational Node Handoff
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.
Recovered status: documented_simulation_and_information_retention_only.
SIMULATION_AND_INFORMATION_RETENTION_ONLY

SOURCE REFERENCES

- Recovered nonwhite collection, page 1406
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1406>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1406](#)

DRO Start and Reserve - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-DRO-START-RESERVE-PINK | Source-backed documentary sequence — execution not rerun

DRO Start and Reserve / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Represent source, start-energy, restart-reserve, conversion, and permit gates without authorizing ignition hardware.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF
A start/restart reference scenario declares source energy, conversion assumptions and protected reserves.

HOW

Represent source, start and restart accounting with explicit permit gates and unresolved physical measurements.

THEN

Return a non-operational energy reference on active hold; no ignition hardware is authorized.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

DRO-IGNITION-REFERENCE-001; DRO Start-Energy and Restart-Reserve Reference System
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.
Recovered status: documented_non_operational_reference_active_hold.
NON_OPERATIONAL_REFERENCE_ACTIVE_HOLD

SOURCE REFERENCES

- Recovered nonwhite collection, page 1407
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1407>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1407](#)

Lecanto Image Truth - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-LECANTO-IMAGE-TRUTH-PINK | Source-backed documentary sequence — execution not rerun

Lecanto Image Truth / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Preserve image source identity, analyze signal variance, label transformations, and create bounded intent hypotheses.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF
Image analysis preserves original source identity and declares its comparison or transformation purpose.

HOW

Analyze source-backed residuals, label derivatives and distinguish a bounded intent hypothesis from observed fact.

THEN

Return provenance-linked analysis or HOLD missing origin; signal differences do not establish intent.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

LECANTO-IMAGE-TRUTH-001; Lecanto Image Provenance, Physics, Variance, and Intent-Hypothesis System
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.
Recovered status: documented_reference_candidate.
REFERENCE_CANDIDATE

SOURCE REFERENCES

- Recovered nonwhite collection, page 1408
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1408>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1408](#)

JP Semiconductor DRO–Pearl - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-SEMICONDUCTOR-DRO-PEARL-PINK | Source-backed documentary sequence — execution not rerun

JP Semiconductor DRO–Pearl / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Integrate DRO energy and measurement accounting with Pearl computational nodes and semiconductor wake/reserve logic.

IDENTITY AND RELATIONSHIPS

Product profile within MJ; status from the original product register is retained.

REQUEST TO RESULT

IF

A proposal binds energy accounting, computational capacity and wake/reserve assumptions to one semiconductor scale.

HOW

Preserve separate measurement, simulation and power roles; check typed capacities and energy relationships without inventing a physical article.

THEN

Return a planned integration trace with unresolved hardware evidence.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

JP-SC-DRO-PEARL-INTEGRATION-001; JP Semiconductor DRO and Pearl Computational Integration
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_planned_only_no_physical_article.

PLANNED_ONLY_NO_PHYSICAL_ARTICLE

SOURCE REFERENCES

- Recovered nonwhite collection, page 1409

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1409>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1409](#)

Shiva Internal Banking Reference - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-SHIVA-DAY1-PINK | Source-backed documentary sequence — execution not rerun

Shiva Internal Banking Reference / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Internal banking, settlement, treasury, accounts and audit reference objective under Mermaid, M3, JO, MK and MJ boundaries.

IDENTITY AND RELATIONSHIPS

Later Grey register names an internal-only objective in place of the Blue catalog position that described disabled external crypto.

REQUEST TO RESULT

IF

An internal Day-1 objective states account, treasury, settlement and audit scope.

HOW

Document internal financial relationships under Mermaid, M3, JO, MK and MJ boundaries; exclude outside-platform cryptocurrency and public markets.

THEN

Return an internal future-objective record, not an operational bank or public service.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

SHIVA-DAY1-INTERNAL-BANKING-MVP

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_future_internal_objective.

No outside-platform cryptocurrency, public market or operational banking claim.

SOURCE REFERENCES

- Recovered nonwhite collection, page 7105

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=7105>

SOURCE REFERENCES

Recovered nonwhite collection, page 7105

Shiva Crypto Legacy Candidate - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-SHIVA-CRYPTO-LEGACY-PINK | Archive reference — disabled

Shiva Crypto Legacy Candidate / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Earlier Blue product entry records a separately governed external crypto candidate explicitly disabled and on active hold.

IDENTITY AND RELATIONSHIPS

Later Grey register records an internal-only Day-1 objective; do not silently merge the two statuses.

REQUEST TO RESULT

IF

A reader must reconcile the earlier disabled Blue entry with the later internal-only Grey register.

HOW

Preserve both dated scopes without treating the later internal objective as authorization for the older external candidate.

THEN

Return archive-only reconciliation; no token, market or live external product is promoted.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

SHIVA-CRYPTO

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: historical_disabled.

Disabled historical record; not a current launch, token offer or live financial service.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1389

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1389>

- Recovered nonwhite collection, page 7105

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=7105>

SOURCE REFERENCES

Recovered nonwhite collection, page 1389

Recovered nonwhite collection, page 7105

Shiva Shells - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-SHIVA-SHELLS-PINK | Source-backed documentary sequence — execution not rerun

Shiva Shells / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Governed account envelopes carrying typed financial representations, source lineage, evidence and bounded relationships.

IDENTITY AND RELATIONSHIPS

Distinct from Shiva capital proposals and SHIVAS internal reflections. The envelope cannot authorize itself.

REQUEST TO RESULT

IF

A Shiva Shell identifies its typed financial state, source lineage and applicable account-envelope contract.

HOW

Validate schema, provenance and scope; carry related accounting and participant evidence without letting the object authorize itself.

THEN

Return a governed account envelope or HOLD missing evidence. A shell is distinct from Shiva capital proposals and SHIVAS nontransferable reflections.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

SHIVA_SHELL; Shiva shells

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: documented_historical_reference.

authority=false; separate custody, scope and admission requirements remain applicable.

SOURCE REFERENCES

- Recovered nonwhite collection, page 1327

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1327>

- Recovered nonwhite collection, page 7098

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=7098>

- Recovered nonwhite collection, page 394

<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=394>

RECOVERED HISTORICAL CONTEXT

- Historical scope: Account family used with SHIVAS and the Teal/MJ development integration.
- Historical integration reported; account and authority contracts require their own source evidence.
- Historical evidence has not been rerun in this discovery pass.

SEPARATE HISTORICAL CONTRACT OUTLINE

- ShellIdentity — account and governing profile
- AccountState — exact holdings and sequence
- TransferContext — sender, recipient and allowed operation
- ShellReceipt — state change and provenance

IF

A Shell account participates in an admitted ledger instruction.

HOW

Resolve the account identities and exact state, apply the matching asset/profile rules and retain the sequence and reconciliation evidence.

THEN

Describe the accountable before/after state and any unmet authority condition.

This historical outline is separate from the current-source contract above. It does not establish native integration or newly executed results.

SOURCE REFERENCES

[Recovered nonwhite collection, page 1327](#)

[Recovered nonwhite collection, page 7098](#)

[Recovered nonwhite collection, page 394](#)

MJos Operating System - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-MJOS-OPERATING-SYSTEM-PINK | Source-backed documentary sequence — execution not rerun

MJos Operating System / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Operating-system and infrastructure substrate identity for bounded resources, memory, storage, network, scheduling and continuity under the applicable MJ profile.

IDENTITY AND RELATIONSHIPS

Distinct operating-system identity under MJ Physics Engineering. Existing hosted Bangel components and the MJos Predictive Model do not by themselves prove a completed bootable operating system.

REQUEST TO RESULT

IF

An operating-system profile declares its resource, memory, storage, scheduling and continuity obligations under the applicable MJ scope.

HOW

Represent the proposed substrate and lease boundaries, preserving exact resource ownership and source status. Distinguish hosted software components and simulations from a demonstrated bootable operating system.

THEN

Return a source-backed operating-system profile or unresolved implementation requirement. The MJos name does not itself establish a completed kernel or hardware platform.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJOS; MJos OS; MJOS-SUBSTRATE

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Historical reference or specification recovered. Its source status remains visible and is not promoted to a current standalone implementation.

Recovered status: `documented_specification_candidate`.

Source-described operating substrate; no complete bootable kernel, hardware platform or independently verified resource-isolation result is inferred.

SOURCE REFERENCES

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PINK | Project completeness edition | Local review · 2026-09-25

83

- Recovered nonwhite collection, page 1305
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1305>
- Recovered nonwhite collection, page 1379
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=1379>
- Recovered nonwhite collection, page 7095
<https://drive.google.com/file/d/1RpxuVZjdCHSITNXIZZuWacJ1BNBAPCLv/view#page=7095>

SOURCE REFERENCES

[Recovered nonwhite collection, page 1305](#)

[Recovered nonwhite collection, page 1379](#)

[Recovered nonwhite collection, page 7095](#)

Bangel Database 1.0 - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-DATABASE-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Database 1.0 / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Governed transaction and database work derived from the E012 sequence, with typed representation and runtime reconciliation.

IDENTITY AND RELATIONSHIPS

Related identities: JP; Joanna Processing; GIN. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A query or transaction names its schema, purpose, expected effects and required permissions.

HOW

Resolve the typed request, retain uncertainty and lineage, check the declared transaction boundary and compare the result with its governing profile.

THEN

Document the admitted result and reconciliation record; keep unsupported schema or authority conditions explicit.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Database 1.0

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Historical E012 and AR001 builds are reported; an independent current release and full native parity remain unverified.

Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

Moana Service Desk - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MOANA-SERVICE-DESK-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Moana Service Desk / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

C# service workflow for customers, vessels, tickets, assignments, technician permissions, checklists, readings and service records.

IDENTITY AND RELATIONSHIPS

Related identities: Moana; C# Engineering Studio. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A user selects a documented workflow with the required record and role context.

HOW

Match the request to the source-defined workflow, preserve record identity and state transitions, and distinguish prototype behavior from connected services.

THEN

Return the documented workflow result with its evidence level and unresolved integration steps.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Moana Service Desk
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_report_not_fresh_verification.
A local Linux demo with 21 integration tests was historically reported; Windows, macOS and hosted operation remain unverified. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

MJ Logical Layer 5 - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJ-L5-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MJ Logical Layer 5 / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Supervises neural and predictive proposals with independent gate precedence, operating modes, deadlines and recovery policy.

IDENTITY AND RELATIONSHIPS

Related identities: MJ Neural Net; MJ Memory Recall; MJos Predictive Model. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A neural or predictive proposal reaches the supervising decision layer.

HOW

Apply the independent gate order, operating mode and bounded-loop policy while retaining the original proposal and observed evidence.

THEN

Record the permitted disposition without allowing predicted confidence to override missing or rejecting evidence.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJ Logical Layer 5
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_report_not_fresh_verification.
Protected L5 test and ablation completion is reported; a plain-L5 extra HOLD remained separately unresolved. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

MjQ - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJQ-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MjQ / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Research family connecting structured language and JP concepts with qualified associative-memory and relational-context ideas.

IDENTITY AND RELATIONSHIPS

Related identities: JP; MJ Neural Net; MJ Neural Logic. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A research claim links language states, memory or relational context.

HOW

Preserve its definitions, distinguish software analogy from biological evidence and identify an explicit comparison or falsification test.

THEN

Retain a qualified research result and unresolved questions rather than promoting analogy into implemented fact.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MjQ

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Research note; biological analogies and provisional lowercase r0 are not established biological mechanisms. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

MJos Self-Healing Kernel - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJOS-SELF-HEALING-KERNEL-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MJos Self-Healing Kernel / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Checkpoints state, contains runaway execution, supports recovery and evaluates proposed prediction updates with separate validation evidence.

IDENTITY AND RELATIONSHIPS

Related identities: MJ Memory Recall; MJos Operating System; Teal. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A detected failure or discrepancy requests a recovery action.

HOW

Identify the exact recoverable state, permitted correction and independent validation path; preserve prior evidence and rollback boundaries.

THEN

Describe the verified recovery or unresolved hold without granting the recovery module new authority.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJos Self-Healing Kernel
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Partial interfaces and development integration are reported; normal issuance and predictive key recovery were distinct historical paths. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Predictive Node Placement - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-PREDICTIVE-NODE-PLACEMENT-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Predictive Node Placement / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Uses the previous verified outcome and earliest meaningful observation of the next command to prepare placement, then records actual outcome and variance.

IDENTITY AND RELATIONSHIPS

Related identities: MJos Predictive Model; Teal; MJ Neural Net. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A named mechanism is used in a project explanation or proposed computation.

HOW

Bind it to its governing profile, distinguish inputs from interpretations and retain measurements, uncertainty and source lineage.

THEN

Explain the supported contribution and record any missing executable rule without inferring behavior from the name.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Predictive Node Placement

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Intended incremental loop and development integration; performance is workload-specific and requires verification. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Teal Ledger - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-TEAL-LEDGER-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Teal Ledger / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Development ledger and contract execution family with exact decimal amounts, signed allocations, token-linked GIN evidence and mirror recovery.

IDENTITY AND RELATIONSHIPS

Related identities: SHIVAS; Shell Accounts; GIN; MJos Self-Healing Kernel. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A proposed ledger instruction identifies its asset, account, exact amount and admitted scope.

HOW

Preserve the applicable profile, compare conservation and reconciliation rules, and separate internal reference behavior from external transfer or financial authority.

THEN

Record the profile-qualified result; retain missing integration and external-operation requirements.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Teal Ledger

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: historical_report_not_fresh_verification.

Local development builds and benchmarks reported; distributed deployment and full release contracts remain open.

Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

SHIVAS Ledger Profile - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-SHIVAS-LEDGER-PROFILE-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

SHIVAS Ledger Profile / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Named asset in the Teal development ledger, using exact atomic balances and governed transfers.

IDENTITY AND RELATIONSHIPS

Related identities: SHIVAS Internal Reflection; Shiva; Shiva Shells; Teal Ledger. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A SHIVAS record is interpreted or used in a ledger example.

HOW

Select the correct dated profile and preserve its amount, transferability, internal-reflection and authority rules.

THEN

Document only that profile's behavior; do not silently convert an internal reflection into a transferable public asset.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

SHIVAS Ledger Profile
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

This later ledger profile must not overwrite the nontransferable SHIVAS Internal Reflection source profile. Development ledger identity; no independent production asset or value claim is established. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

MJ Digital Twin - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-DIGITAL-TWIN-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MJ Digital Twin / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Records observations and compares predicted and received command behavior within development workflows.

IDENTITY AND RELATIONSHIPS

Related identities: MJos Predictive Model; Teal Ledger. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A digital model receives an observation and proposes a future or alternative state.

HOW

Preserve observation time and provenance, distinguish received facts from forecast values and compare predictions with later evidence.

THEN

Record the model's bounded result and variance without substituting predictions for unreceived or unauthenticated data.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJ Digital Twin

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

First received-byte observation was historically reported; prediction is not a verified substitute for actual authenticated input.

Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

MJ Quantum Water Protection - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJ-QUANTUM-WATER-PROTECTION-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MJ Quantum Water Protection / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Water-protection project associated with Hagar, combining software references and preliminary engineering designs.

IDENTITY AND RELATIONSHIPS

Related identities: Hagar; Bangel Language. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A water-system design or protective action is evaluated.

HOW

Use the declared physical model and available measurements, separate software simulation from hardware evidence and retain uncertainty and operating limits.

THEN

Produce the supported design or test conclusion and identify the measurements needed before physical-performance claims.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJ Quantum Water Protection
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_report_not_fresh_verification.
Historical source and package lineage; the name does not establish experimentally validated quantum protection. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

Bangel Cloud - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-CLOUD-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Cloud / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Project and document workspace with build environments, importing, search, backups and planned hosted access.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Workspace; Shekina; Bangel Physics Lab; Bangel Statistics Lab. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A project enters a local workspace or a proposed hosted environment.

HOW

Preserve source imports and project boundaries, trace the selected build/backup path and distinguish local capabilities from connected hosting.

THEN

Present the available workspace result and its actual persistence, authentication and deployment status.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Cloud

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Local checkpoints and cloud preparation are reported; earlier AWS deployment was explicitly pending. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

Bangel Workspace - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-WORKSPACE-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Workspace / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Local project workspace retaining source imports, experiments, learning material and recoverable checkpoints.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Cloud; Physics Lab; Statistics Lab. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A project document, program or experiment is added to the workspace.

HOW

Retain originals and duplicate lineage, associate derived results with inputs and verify the applicable save or restoration path.

THEN

Expose a traceable project view and explicit recovery boundary.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Workspace
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Historical local checkpoint packages; complete current source and durable-save status require recovery. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Physics Lab - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-PHYSICS-LAB-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Physics Lab / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Interactive foundational physics formulas, adjustable inputs, plots and downloadable language examples.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Workspace; Bangel Language. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A learner changes a documented example or experiment.

HOW

Explain the governing rule, preserve input units and assumptions, and label executed examples separately from candidate language exports.

THEN

Show the result, comparison and evidence appropriate to the supported lesson.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Physics Lab

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Historical 100-method local lab; native execution coverage differed by language and checkpoint. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Statistics Lab - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-STATISTICS-LAB-PINK | Recovered historical or requested identity — documentary reconstruction;
execution not rerun

Bangel Statistics Lab / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Statistics experiments with descriptive measures, plots, probability/bootstrap lessons, saved data and exports.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Workspace; Bangel Language. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A learner changes a documented example or experiment.

HOW

Explain the governing rule, preserve input units and assumptions, and label executed examples separately from candidate language exports.

THEN

Show the result, comparison and evidence appropriate to the supported lesson.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Statistics Lab
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Historical local learning workbench; it was not yet a 100-method catalog. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

MJ Encrypted Message API - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJ-ENCRYPTED-MESSAGE-API-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MJ Encrypted Message API / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

C# API and demonstration client for authenticated encrypted messages with explicit tamper-detection and replay limitations.

IDENTITY AND RELATIONSHIPS

Related identities: C# Engineering Studio. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A request arrives under the documented protocol.

HOW

Validate its shape and integrity using the stated contract and distinguish tamper detection from identity, freshness or authorization guarantees.

THEN

Report the supported acceptance result without implying checks the protocol does not implement.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJ Encrypted Message API
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Historical cross-platform tests and public repository reported; identity, truth and freshness are not established by message acceptance. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

Bangel Interoperability - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-INTEROP-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Interoperability / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Language-neutral API and bindings across supported Python, JavaScript/TypeScript, C++, Rust and R integration tracks.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Language; JP; Joanna Processing. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A host language calls a documented Bangel interface.

HOW

Match protocol, representation and ownership rules; keep adapter behavior separate from native-language implementation claims.

THEN

Return a profile-qualified result and record which parity evidence actually covers the binding.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Interoperability
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Some released integration families are reported; each binding needs its own supported-contract and parity record. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

Bangel Teaching Pathway - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-TEACHING-PATHWAY-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Teaching Pathway / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Progressive explanations and paired C#/Bangel lessons covering language fundamentals, variance, GIN and node logic.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Language; C# Engineering Studio. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A learner follows a Bangel or paired C#/Bangel lesson.

HOW

Use examples grounded in the selected implemented grammar and explain matching and differing semantics.

THEN

Provide a reproducible exercise and distinguish teaching shorthand from executable syntax.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Teaching Pathway
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_report_not_fresh_verification.
Recovered document and repository pathway; teaching examples must match the implemented grammar. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Java Work Order API - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-JAVA-WORK-ORDER-API-PINK | Recovered historical or requested identity — documentary reconstruction;
execution not rerun

Java Work Order API / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Assisted Java/Spring REST starter for work orders, validation, persistence, status transitions and structured errors.

IDENTITY AND RELATIONSHIPS

Related identities: Engineering Studio; Java Learning Pathway. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A learner changes a documented example or experiment.

HOW

Explain the governing rule, preserve input units and assumptions, and label executed examples separately from candidate language exports.

THEN

Show the result, comparison and evidence appropriate to the supported lesson.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Java Work Order API
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Historical clean build and nine tests reported; learner mastery and production suitability are separate. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Artifact Integrity Service - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-ARTIFACT-INTEGRITY-SERVICE-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Artifact Integrity Service / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Proposed Java service for deterministic file manifests and detection of added, missing, modified, duplicate or unsafe files.

IDENTITY AND RELATIONSHIPS

Related identities: Java Work Order API; Bangel Interoperability. Preserve each named contract and source status.

REQUEST TO RESULT

IF

An artifact-integrity workflow is proposed for a software package.

HOW

Define the deterministic inventory and comparison contract, identify unsafe paths and distinguish design requirements from built functionality.

THEN

Produce a reviewable specification and explicit implementation status.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Artifact Integrity Service

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: historical_proposal.

Architecture and learning proposal; a completed implementation was not established in the reviewed turns. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

Manifest - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MANIFEST-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Manifest / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Separate Tide Casa vertical for models and influencers, with profiles, booking concepts and creator presentation.

IDENTITY AND RELATIONSHIPS

Related identities: Tide Casa. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A creator or visitor explores the Manifest prototype.

HOW

Follow the documented presentation and booking flow while retaining its separate project boundary and identifying simulations.

THEN

Return the prototype outcome without implying live payments, notifications or availability.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Manifest

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Private UI prototype with simulated bookings and alerts; earlier user direction explicitly kept it separate from approved BarTide/Tide Casa builds. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Tide Casa - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-TIDE-CASA-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Tide Casa / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Customer-facing application business and service platform, with BarTide as its restaurant vertical.

IDENTITY AND RELATIONSHIPS

Related identities: BarTide; Engineering Studio; MJ Physics Engineering. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A client defines a website or application need.

HOW

Map it to the supported product lane and documented delivery workflow, preserving the distinction between approved builds and historical prototypes.

THEN

Present a traceable preview or bounded delivery result with its current evidence.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Tide Casa
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Historically deployed C# product; public branding should remain distinct from internal engineering roles. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Variance Capture - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-VARIANCE-CAPTURE-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Variance Capture / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Records the difference between predictions and observed outcomes without erasing uncertainty or granting new authority.

IDENTITY AND RELATIONSHIPS

Related identities: GIN; Predictive Node Placement; MJos Predictive Model. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A named mechanism is used in a project explanation or proposed computation.

HOW

Bind it to its governing profile, distinguish inputs from interpretations and retain measurements, uncertainty and source lineage.

THEN

Explain the supported contribution and record any missing executable rule without inferring behavior from the name.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Variance Capture

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Recovered named mechanism; numeric and governance semantics are profile-specific. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

Variance Pool - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-VARIANCE-POOL-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Variance Pool / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Named allocation and evidence concept in the historical language and teaching material.

IDENTITY AND RELATIONSHIPS

Related identities: GIN; Teal; MJ Permission. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A named mechanism is used in a project explanation or proposed computation.

HOW

Bind it to its governing profile, distinguish inputs from interpretations and retain measurements, uncertainty and source lineage.

THEN

Explain the supported contribution and record any missing executable rule without inferring behavior from the name.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Variance Pool

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: historical_proposal.

Recovered concept; a current executable allocation contract must be identified before claiming runtime behavior. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Rain - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-RAIN-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Rain / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Named concept in the variance and predictive-node documentation family.

IDENTITY AND RELATIONSHIPS

Related identities: GIN; Umbrella; Pearls. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A named mechanism is used in a project explanation or proposed computation.

HOW

Bind it to its governing profile, distinguish inputs from interpretations and retain measurements, uncertainty and source lineage.

THEN

Explain the supported contribution and record any missing executable rule without inferring behavior from the name.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Rain

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: documented_mechanism_source_pending.

Reference recovered; exact semantics should be tied to the governing source profile. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Umbrella - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-UMBRELLA-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Umbrella / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Named concept associated with variance, GIN and node logic.

IDENTITY AND RELATIONSHIPS

Related identities: GIN; Rain; Smoke. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A named mechanism is used in a project explanation or proposed computation.

HOW

Bind it to its governing profile, distinguish inputs from interpretations and retain measurements, uncertainty and source lineage.

THEN

Explain the supported contribution and record any missing executable rule without inferring behavior from the name.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Umbrella

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: documented_mechanism_source_pending.

Reference recovered; current implementation is not established by name alone. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Smoke - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-SMOKE-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Smoke / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Named concept in the variance, GIN and node-logic teaching sequence.

IDENTITY AND RELATIONSHIPS

Related identities: GIN; Umbrella. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A named mechanism is used in a project explanation or proposed computation.

HOW

Bind it to its governing profile, distinguish inputs from interpretations and retain measurements, uncertainty and source lineage.

THEN

Explain the supported contribution and record any missing executable rule without inferring behavior from the name.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Smoke

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `documented_mechanism_source_pending`.

Reference recovered; precise rules and runtime support require source reconciliation. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

BlueWater - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BLUEWATER-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

BlueWater / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Localized websites and apps for small businesses, beginning with Clearwater and designed for regional editions.

IDENTITY AND RELATIONSHIPS

Related identities: Lola; Tide Casa. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A local business selects a documented BlueWater service.

HOW

Keep the regional needs, scope and pilot evidence explicit and separate planning packages from deployed workflows.

THEN

Produce the supported service outline and next measurable delivery step.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

BlueWater

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: historical_report_not_fresh_verification.

Historical private pilot and website records; the relationship to later Tide Casa branding requires explicit provenance rather than assuming an automatic rename. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Lola - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-LOLA-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Lola / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Customer-facing planning and concierge guide for the BlueWater service workflow, with package guidance and human handoff.

IDENTITY AND RELATIONSHIPS

Related identities: BlueWater. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A customer asks Lola for service or planning guidance.

HOW

Use the approved service information, preserve intentional voice interaction and route unsupported decisions to a human.

THEN

Give a grounded recommendation or clear handoff without inventing booking or payment completion.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Lola
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Historical guided prototype; voice, live service integrations and current hosting should be verified separately. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Leverage Analyst - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-LEVERAGE-ANALYST-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Leverage Analyst / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Football analysis workspace for playbook geometry, film review, snap/formation/front/coverage/technique registration and evidence-qualified physics.

IDENTITY AND RELATIONSHIPS

Related identities: Physics Football; Lecanto; GIN. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A football play or film window is selected for analysis.

HOW

Separate modeled playbook structure from observed video and fallback context, then apply the documented review order and calibration requirements.

THEN

Return only the supported geometry or physics assessment with unresolved observation steps visible.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Physics-Based Play Analysis
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_report_not_fresh_verification.
Historical owner-only alpha; playbook models and fallback play-by-play context are not independently verified film observations. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Leverage Physics Lab - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-LEVERAGE-PHYSICS-LAB-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Leverage Physics Lab / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Educational video and physics lab with field calibration, tracking, timing and exportable receipts.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Leverage Analyst; Lecanto; GIN. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A learner selects video and supplies a supported calibration or tracking observation.

HOW

Compute the documented measurements from actual inputs and label manual timestamps, coordinates and inaccessible embedded frames.

THEN

Explain the derived educational measurement without implying automated film evidence.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Physics-Based Play Analysis

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Historical separate alpha; YouTube review used manual timestamps and coordinates, with no automatic access to embedded video frames. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

Bangel Cybernetic Framework - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-CYBERNETIC-FRAMEWORK-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Cybernetic Framework / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Connects targets, measurements, differences, authorized corrections, consequences and reconciliation through JP.

IDENTITY AND RELATIONSHIPS

Related identities: JP; GIN; Joanna Processing; MJ Permission. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A system compares an intended outcome with an observed state.

HOW

Represent targets, measurements, differences and permitted corrections through JP while keeping measurement separate from authority.

THEN

Record the admitted response and its observed consequence for reconciliation.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Cybernetic Framework
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Recovered architecture; individual executable pathways need source-level reconciliation. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

MJos Software Supply Trust - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJOS-SOFTWARE-SUPPLY-TRUST-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MJos Software Supply Trust / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Proposed software-assurance product connecting cryptographic dependencies, deterministic release evidence, authorization and recovery after signing-key compromise.

IDENTITY AND RELATIONSHIPS

Related identities: MJos Quantum; Bangel Language; JP; Joanna Processing. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A software release or signing-key recovery scenario is reviewed.

HOW

Connect the observed build, dependency, authorization and recovery evidence without claiming absent scans or production integration.

THEN

Produce a bounded assurance record and the outstanding pilot/implementation requirements.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJos Software Supply Trust
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: historical_proposal.

Product proposal and pilot definition; current implemented product source must be recovered before making operational claims. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida
PINK | Project completeness edition | Local review · 2026-09-25

132

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

MJos Marine Trust - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJOS-MARINE-TRUST-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MJos Marine Trust / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Proposed trust layer for marine digital supply chains, connecting supplier firmware, vessel integration, service and fleet evidence.

IDENTITY AND RELATIONSHIPS

Related identities: MJos Quantum; Trust Gateway; MJ Marine. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A marine software artifact moves between supplier, installer and operator.

HOW

Track its source, version, authorization and service evidence across the declared vessel boundary.

THEN

Explain the qualified trust decision and the physical or deployment evidence still required.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJos Marine Trust
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_proposal.
Product concept with historical logo proposals; production deployment and physical assurance are not established. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

QSHM - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-QSHM-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

QSHM / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Custom hardware concept in the MJos Quantum security family, intended to follow validated software interfaces and customer use cases.

IDENTITY AND RELATIONSHIPS

Related identities: MJos Quantum; Trust Gateway. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A hardware concept is included in a system design.

HOW

Specify its intended interfaces and evidence requirements without substituting a software mock-up for physical validation.

THEN

Retain a reviewable hardware proposal and clearly identify the missing device evidence.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

QSHM

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: historical_proposal.

Longer-term hardware proposal; no validated custom device or hardware security claim is established. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Trust Gateway - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-TRUST-GATEWAY-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Trust Gateway / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Marine-facing hardware gateway concept for governed supplier, vessel and fleet evidence.

IDENTITY AND RELATIONSHIPS

Related identities: MJos Marine Trust; QSHM. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A hardware concept is included in a system design.

HOW

Specify its intended interfaces and evidence requirements without substituting a software mock-up for physical validation.

THEN

Retain a reviewable hardware proposal and clearly identify the missing device evidence.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Trust Gateway
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_proposal.
Historical future hardware concept; no completed hardware deployment is established. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

MJ Marine - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJ-MARINE-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MJ Marine / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Engineering decision-twin service and reference-model family for propulsion, thermal, energy and repower comparisons.

IDENTITY AND RELATIONSHIPS

Related identities: MJ Physics Engineering; Marine Design-Decision Twin. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A vessel or propulsion decision has a defined objective and available data.

HOW

Compare a bounded set of alternatives using the applicable model and preserve sensitivity to uncertain inputs.

THEN

Provide an evidence-qualified engineering comparison and explicit data gaps.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJ Marine
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Historical private website and reference-model package; recommendations remain dependent on actual vessel data and validation. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Marine Design-Decision Twin - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MARINE-DESIGN-DECISION-TWIN-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Marine Design-Decision Twin / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Compares a bounded set of vessel or propulsion design alternatives with explicit assumptions, uncertainty, data gaps and supporting evidence.

IDENTITY AND RELATIONSHIPS

Related identities: MJ Marine; MJ Physics Digital Twins. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A marine design decision is selected before hardware commitment.

HOW

Build the declared baseline, compare the specified alternatives and trace assumptions, uncertainty and validation limits.

THEN

Return a bounded model-based recommendation rather than an unmeasured physical-performance guarantee.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Marine Design-Decision Twin
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_report_not_fresh_verification.
Reference model and consulting offer; physical performance requires independent measurements and project-specific validation. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

MJ Physics Digital Twins - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJ-PHYSICS-DIGITAL-TWINS-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MJ Physics Digital Twins / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Circuit-board-style modeling practice connecting a physical system, pre-observation model, measurement, GIN variance and bounded decisions.

IDENTITY AND RELATIONSHIPS

Related identities: MJ Physics Engineering; GIN; Bangel Effect; MJ Marine. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A physical system requires a design or control comparison.

HOW

Connect the model, measurement and GIN variance while distinguishing known physics, modeled propositions and untested research.

THEN

Present the supported comparison and validation needed for the next engineering decision.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJ Physics Digital Twins
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_proposal.
Historical consulting site and proposal family; known physics, modeled propositions and untested research remain distinct.
Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Effect - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-EFFECT-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Effect / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Named research concept presented alongside R0, GIN and IF/HOW/THEN within digital-twin architecture.

IDENTITY AND RELATIONSHIPS

Related identities: MJ Physics Digital Twins; GIN. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A Bangel Effect claim is used in a visual or physical-model explanation.

HOW

State the proposed effect, distinguish it from established thermodynamic mechanisms and define a measurement that could confirm or challenge it.

THEN

Retain the research claim at the evidence level actually supported.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Effect
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Research identity; a name and visual explanation do not establish a newly observed physical law. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Media Compressor - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-MEDIA-COMPRESSOR-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Media Compressor / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

JP-rooted media/compression development with exact arithmetic, resource receipts, codec staging and independently gated trial/rollback decisions.

IDENTITY AND RELATIONSHIPS

Related identities: JP; Joanna Processing; GIN. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A media transformation or compression candidate is proposed.

HOW

Identify the actual codec implementation, preserve original bytes and compare restoration, quality and performance evidence.

THEN

Record only the demonstrated result; partial AV1 work and third-party compression remain explicitly identified.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Media Compressor
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_report_not_fresh_verification.
Partial internal JP/AV1 sequence; native AV1 completion, independent decoding and compression superiority were explicitly not established. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel C++ Service Adapter - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-CPP-SERVICE-ADAPTER-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel C++ Service Adapter / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

C++17 adapter for calling the Bangel language service through the supported protocol.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Interoperability; JP; Joanna Processing. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A host application sends a request through the adapter.

HOW

Respect the selected service contract, ownership rules and response semantics rather than assuming complete native-language parity.

THEN

Return the documented result with platform and contract coverage attached.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel C++ Service Adapter

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Historical released integration; current compatibility needs its own package and contract evidence. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

JP C++ Decimal Library - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-CPP-DECIMAL-LIBRARY-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

JP C++ Decimal Library / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Native decimal operations with a C interface and C++ wrapper.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Interoperability; R jpdecimal. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A supported decimal operation is requested through the native or R interface.

HOW

Preserve representation, rounding and ownership rules and compare behavior with the matching numeric contract.

THEN

Return the precise supported result or named failure without expanding the arithmetic guarantees.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

JP C++ Decimal Library

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: historical_report_not_fresh_verification.

Historical integration source; numeric behavior and memory ownership must stay tied to its specific contract. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Rust Service Adapter - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-RUST-SERVICE-ADAPTER-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Rust Service Adapter / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Rust adapter with protocol handling, examples and tests for the language service.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Interoperability; JP; Joanna Processing. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A host application sends a request through the adapter.

HOW

Respect the selected service contract, ownership rules and response semantics rather than assuming complete native-language parity.

THEN

Return the documented result with platform and contract coverage attached.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Rust Service Adapter
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Historical integration source; separate from a native Rust implementation of the entire language. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

R jpsservice - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-R-JPSERVICE-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

R jpsservice / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

R package for calling the Bangel language service.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Interoperability; JP; Joanna Processing. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A host application sends a request through the adapter.

HOW

Respect the selected service contract, ownership rules and response semantics rather than assuming complete native-language parity.

THEN

Return the documented result with platform and contract coverage attached.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

R jpsservice
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_report_not_fresh_verification.
Historical released integration; not interchangeable with the separately named encrypted-message API. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

R jpdecimal - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-R-JPDECIMAL-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

R jpdecimal / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

R package exposing the native decimal library.

IDENTITY AND RELATIONSHIPS

Related identities: JP C++ Decimal Library; Bangel Interoperability. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A supported decimal operation is requested through the native or R interface.

HOW

Preserve representation, rounding and ownership rules and compare behavior with the matching numeric contract.

THEN

Return the precise supported result or named failure without expanding the arithmetic guarantees.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

R jpdecimal

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Historical released integration; precise numeric semantics depend on the native-library contract. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Studios - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-STUDIOS-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Studios / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Music-production workspace combining drum, bass, strings and vocal lanes, instrument controls, project handling and evidence-aware processing.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Drums; Bangel Infinity; Bangel Media Compressor; Elsa Compiler; JP. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A musical sequence is created or edited.

HOW

Preserve event timing and user controls, identify the actual synthesis/export path and distinguish browser support from future native plug-in work.

THEN

Present the playable or exported result at the demonstrated capability level.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Studios
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: historical_report_not_fresh_verification.

Historical browser studio versions were reported; native plug-in packaging, commerce and production hosting are separate delivery lanes. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Drums - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-DRUMS-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Drums / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Drum-sequencer branch of Bangel Studios with grid-based steps, drum voices, bass and synchronized musical lanes.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Studios; JP; Joanna Processing. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A musical sequence is created or edited.

HOW

Preserve event timing and user controls, identify the actual synthesis/export path and distinguish browser support from future native plug-in work.

THEN

Present the playable or exported result at the demonstrated capability level.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Physics Drum Sequencer; Drum Sequencer

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Historical browser versions and downloadable build kits; native audio-host validation remains a separate requirement.

Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

RECOVERED HISTORICAL CONTEXT

- Historical scope: Music/sequencing product family with JP-domain and deterministic runtime lineage.

PUBLIC SOURCE NOTE

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PINK | Project completeness edition | Local review · 2026-09-25

154

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Infinity - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-BANGEL-INFINITY-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Infinity / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Named processing profile within the historical Bangel Studios music workflow.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Studios. Preserve each named contract and source status.

REQUEST TO RESULT

IF

The named audio-processing profile is applied to an eligible studio input.

HOW

Trace the actual processing path and controls and compare output with the original rather than inferring superiority from the profile name.

THEN

Document the supported studio result and any independent-validation gap.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Infinity

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Profile named in the studio release record; a separately installed product or independently validated processing advantage is not established. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Compiler Lab - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-COMPILER-LAB-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Compiler Lab / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Compiler and media-codec development lab with Elsa, rooted JP-IR, staged backend plans and explicit evidence gates.

IDENTITY AND RELATIONSHIPS

Related identities: Elsa Compiler; JP; Joanna Processing; Bangel Media Compressor. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A compiler-lab source or codec stage is evaluated.

HOW

Compile only the supported profile through Elsa, preserve JP identity and distinguish completed development slices from blocked dependencies.

THEN

Produce the profile-qualified artifact and current implementation status.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Compiler Lab
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Historical private development build; unfinished codec, self-hosting and external verification work must stay visible. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

Bangel Debt Analytics - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-DEBT-ANALYTICS-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Debt Analytics / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Early debt-evaluation and negotiation analytics framework using layered modeling and calibrated constructs for complexity, difficulty, risk, opportunity and priority.

IDENTITY AND RELATIONSHIPS

Related identities: Construct Framework; MJos Predictive Model. Preserve each named contract and source status.

REQUEST TO RESULT

IF
An analytical construct is estimated from declared inputs.

HOW

Use one versioned construct definition and a traceable scoring policy, keeping calibration evidence separate from model design.

THEN

Return a qualified estimate and the evidence needed before decision or performance claims.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Debt Analytics
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Historical architecture and specifications; this distinct analytics lineage must not be presented as the current executable language. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Construct Framework - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-CONSTRUCT-FRAMEWORK-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Construct Framework / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Reusable construct-estimation interface whose internal pipeline normalizes, orients, weights, aggregates and classifies inputs under declared rules.

IDENTITY AND RELATIONSHIPS

Related identities: Bangel Debt Analytics; MJos Predictive Model. Preserve each named contract and source status.

REQUEST TO RESULT

IF
An analytical construct is estimated from declared inputs.

HOW

Use one versioned construct definition and a traceable scoring policy, keeping calibration evidence separate from model design.

THEN

Return a qualified estimate and the evidence needed before decision or performance claims.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Construct Framework
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: historical_report_not_fresh_verification.

Proposed architecture; a shared interface does not by itself prove calibration or validated predictions. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

BlueWater Studio - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BLUEWATER-STUDIO-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

BlueWater Studio / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

White-label website and application delivery lane within the historical BlueWater service platform.

IDENTITY AND RELATIONSHIPS

Related identities: BlueWater; Lola; Engineering Studio. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A client defines a website or application need.

HOW

Map it to the supported product lane and documented delivery workflow, preserving the distinction between approved builds and historical prototypes.

THEN

Present a traceable preview or bounded delivery result with its current evidence.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

BlueWater Studio
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: `historical_report_not_fresh_verification`.
Planning and prototype history; do not conflate with the current C#/Bangel Engineering Studio or approved Tide Casa deployment. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Document Library - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-BANGEL-DOCUMENT-LIBRARY-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Document Library / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Earlier searchable archive with namesake collections, color organization and page-level indexing; source lineage for the current Teal library.

IDENTITY AND RELATIONSHIPS

Related identities: Teal Library; MJ Physics Engineering. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A document or historical collection is added to the library.

HOW

Preserve its source identity and coverage, apply current display terminology and distinguish indexed text from recovered original bytes.

THEN

Provide searchable, traceable records with missing sources and historical boundaries visible.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel Document Library
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: `historical_report_not_fresh_verification`.

Historical private archive reported 340 documents and 28,902 searchable pages; full bytes and access are separate from this chat-index recovery. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Bangel Visual Effects - Gateway, lifecycle and evidence

MJPE-COMplete-20260925-BANGEL-VISUAL-EFFECTS-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Bangel Visual Effects / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

User-named visual-effects project within the Bangel family. Recover its exact source and feature boundaries while relating it to the separate Lecanto rendering and Bangel Effect research records.

IDENTITY AND RELATIONSHIPS

Related identities: Lecanto; Bangel Effect; Bangel Language. Preserve each named contract and source status.

REQUEST TO RESULT

IF
The Bangel Visual Effects identity is prepared for the catalog.

HOW

Recover its original scope and compare it with Lecanto and Bangel Effect without assuming they are the same product.

THEN

Show the requested identity with a source-recovery status until its independent capabilities are grounded.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Bangel visual effects
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: source_recovery_pending.
Historical project name confirmed by the user; exact source scope remains pending. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Silent Guardian - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-SILENT-GUARDIAN-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Silent Guardian / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Observes transaction behavior and refines deterministic estimates while preserving the distinction between authenticated and simulated telemetry, bounded corrections and hardened evidence receipts.

IDENTITY AND RELATIONSHIPS

Related identities: Elsa Compiler; JP Representation; Joanna Processing; GIN Measurement; MJos Quantum Security; Perth. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A transaction supplies an eligible observation under a declared Silent Guardian profile.

HOW

Bind telemetry origin and provenance, update the deterministic estimate within its bounds, and retain the observed outcome and any proposed correction separately.

THEN

Record the refinement and evidence receipt; leave unsupported integration and physical claims explicit.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Silent Guardian
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_reference_baseline_partial_integration.
Historical baseline package and tests were reported; their archives and tests were not freshly recovered or rerun in this pass. Universal Elsa/JP/Joanna instrumentation and full active-runtime unification remained incomplete in the later review. Kalman refinement was deterministic estimation; fractal stability was a hypothesis and superdense coding was an ideal simulation, without physical-entanglement or performance-advantage evidence.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Aviator Cloud - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-AVIATOR-CLOUD-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Aviator Cloud / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

User-named cloud-facing Aviator product lane. Its documentation connects the Aviator application workspace with the broader Bangel Cloud and Shekina continuity architecture, keeping each role identifiable.

IDENTITY AND RELATIONSHIPS

Related identities: Aviator Workspace; Bangel Cloud; Shekina Continuity. Preserve each named contract and source status.

REQUEST TO RESULT

IF
The Aviator Cloud project lane is described or linked.

HOW

Reconcile Aviator workspace, Bangel Cloud and Shekina roles while preserving their separate implementation and hosting evidence.

THEN

Present the requested cloud-facing identity and the exact source/deployment gaps.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Aviator Cloud
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: source_recovery_pending.
Aviator and cloud roles are historically documented; the exact combined product source and deployment remain pending.
Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description,

without redistributing private messages or unverified release URLs.

MJos Neurological Model - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MJOS-NEUROLOGICAL-MODEL-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MJos Neurological Model / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

User-named model family connecting neural association, relational context, episodic recall, predictive comparison and supervised decisions in the MJos ecosystem.

IDENTITY AND RELATIONSHIPS

Related identities: MJ Neural Net; MJ Memory Recall; MJ Logical Layer 5; Neural Logic Mapping; MJos Predictive Model. Preserve each named contract and source status.

REQUEST TO RESULT

IF
A neural or recalled pattern contributes to a proposed decision.

HOW

Retain observations, compare context and alternatives, preserve lowercase research states separately from runtime states and apply independent supervision.

THEN

Record a qualified software result without treating biological analogy as biological validation.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJos Neurological Model
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: source_recovery_pending.
Related Neural Net, Memory Recall and L5 histories are recovered; the exact older umbrella specification remains pending. This is software research, not clinical or biological validation. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Mermaid Quantum Blockchain - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-MERMAID-QUANTUM-BLOCKCHAIN-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Mermaid Quantum Blockchain / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

User-named blockchain project grouping connecting Mermaid financial meaning and reconciliation with the distinct Teal ledger development lineage.

IDENTITY AND RELATIONSHIPS

Related identities: Mermaid Reconciliation; Teal Ledger; Shiva; Shiva Shells; GIN. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A proposed ledger instruction identifies its asset, account, exact amount and admitted scope.

HOW

Preserve the applicable profile, compare conservation and reconciliation rules, and separate internal reference behavior from external transfer or financial authority.

THEN

Record the profile-qualified result; retain missing integration and external-operation requirements.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Mermaid quantum blockchain

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: related_sources_integration_pending.

Component histories are recovered separately; a completed integrated quantum blockchain, quantum-security advantage or production network has not been established. Historical evidence has not been rerun in this discovery pass.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida
PINK | Project completeness edition | Local review · 2026-09-25

173

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

Perth - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-PERTH-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

Perth / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System

Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Governed full-stack consolidation framework organizing the language, compiler, representation, runtime, observer and domain modules into explicit active, historical, experimental and external-evidence boundaries.

IDENTITY AND RELATIONSHIPS

Related identities: MJos Operating System; Bangel Language; Elsa Compiler; JP Representation; Joanna Processing; Silent Guardian. Preserve each named contract and source status.

REQUEST TO RESULT

IF

A system compares an intended outcome with an observed state.

HOW

Represent targets, measurements, differences and permitted corrections through JP while keeping measurement separate from authority.

THEN

Record the admitted response and its observed consequence for reconciliation.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

Perth

These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.

Recovered status: documented_successor_framework_proposal.

Recovered historical specification or architecture; no fresh product execution is claimed.

SOURCE REFERENCES

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.

MJos Quantum: Living Water - Gateway, lifecycle and evidence

MJPE-COMPLETE-20260925-LIVING-WATER-PINK | Recovered historical or requested identity — documentary reconstruction; execution not rerun

MJos Quantum: Living Water / Pink

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida

PURPOSE AND PROJECT PLACEMENT

Water-facility retrofit and community design platform connecting operating evidence, bounded recovery and QSHM receipts with process models, budgeting, engineering education and a scale-aware design workspace.

IDENTITY AND RELATIONSHIPS

Related identities: Hagar; MJ Quantum Water Protection; Perth. Preserve each named contract and source status.

REQUEST TO RESULT

IF
An existing water facility or community scenario supplies its scale, measurements, engineering assumptions and operating limits.

HOW

Model water and energy flows, expose cost assumptions, capture variance and QSHM evidence, and evaluate bounded recovery proposals under operator authority.

THEN

Produce a traceable design or retrofit scenario, state what is verified, and hold physical deployment claims until their own evidence exists.

RELEASE REQUIREMENT

Bind inputs, decisions and results to the exact source profile. Preserve reproducible procedure, expected behavior, observed outcome and reviewer. Documentary completion does not substitute for implementation or execution evidence.

DISCOVERY NAMES

MJos Living Water; Living Water
These names aid search; current compiler naming remains Elsa.

SOURCE STATUS AND LIMITS

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun.
Recovered status: historical_website_and_reference_design_not_physical_validation.
Historical website and reference-design evidence; no physical water-quality, hardware-performance or cyber-survival validation. The 57% savings target was explicitly \$0 verified savings. A later user correction focuses the platform on retrofitting existing facilities.

SOURCE REFERENCES

MJ Physics Engineering | Bangel Language | MJos Operating System
Owned and operated by Michael Bangel | Clearwater, Florida
PINK | Project completeness edition | Local review · 2026-09-25

PUBLIC SOURCE NOTE

Recovered historical design and project records informed this documentary profile. Original conversations remain private; current implementation and reported historical tests were not rerun. This edition publishes the reconciled project description, without redistributing private messages or unverified release URLs.